

2018

## **Bald Eagle Banding at Naval Air Station Patuxent River-2018**

B. J. Paxton

*The Center for Conservation Biology*

Follow this and additional works at: [https://scholarworks.wm.edu/ccb\\_reports](https://scholarworks.wm.edu/ccb_reports)

---

### **Recommended Citation**

Paxton, B. J., "Bald Eagle Banding at Naval Air Station Patuxent River-2018" (2018). *CCB Technical Reports*. 291.

[https://scholarworks.wm.edu/ccb\\_reports/291](https://scholarworks.wm.edu/ccb_reports/291)

This Report is brought to you for free and open access by the Center for Conservation Biology (CCB) at W&M ScholarWorks. It has been accepted for inclusion in CCB Technical Reports by an authorized administrator of W&M ScholarWorks. For more information, please contact [scholarworks@wm.edu](mailto:scholarworks@wm.edu).

# **Bald Eagle Banding at Naval Air Station Patuxent River 2018**

**Barton J. Paxton**

**Center for Conservation Biology  
College of William and Mary & Virginia Commonwealth University  
Williamsburg, VA 23187-8795**

## **Recommended Citation:**

**Paxton, B. J. 2018. Bald Eagle Banding at Naval Air Station Patuxent River-2018. Center for Conservation Biology Technical Report Series, CCBTR-18-07. College of William and Mary and Virginia Commonwealth University, Williamsburg, VA. 4 pp.**

**Project Funded By: The Department of Defense**



Copyright 2018. Board of Visitors of The College of William and Mary and the Virginia Commonwealth University. The text and ideas contained in this proposal are the original work of The Center for Conservation Biology at the College of William and Mary and the Virginia Commonwealth University. Any reproduction, in part or whole, is prohibited without permission of the authors.

## **BACKGROUND**

Naval Air Station Patuxent River conducts annual monitoring of breeding eagles on the installation to inform management and prevent conflicts with military activities. One of the main sources of potential conflict is the airfield at Patuxent River and the risk of potential airstrikes of an eagle with Naval aircraft. Banding data from nestlings will be used to help determine whether or not bald eagle nests on the installation constitute a hazard to aviation on NAS Patuxent River

The annual monitoring currently includes an aerial survey to document eagle nest locations and breeding status (funded by a separate contract). In 2018, there were three known eagle nests located in the habitat surrounding the airfield. The first round of the survey in March found incubating and brooding behavior by the adult eagles. The second round of surveys in early April confirmed small chicks in two of the three nests.

## **OBJECTIVES**

- 1) Support ongoing Bird Airstrike Safety Hazards by identifying individual eagles with leg bands
- 2) Band bald eagle nestlings in nests on the main installation.

## **STUDY AREA**

The NAS Pax River Complex is located on approximately 15,000 acres along the Patuxent River and the Chesapeake Bay, including the main installation (6,400 acres) and outlying parcels at Webster Field (859 acres) and Bloodsworth Island and Adam Island (4,900). For this project we are only focusing on the bald eagle nests in close proximity to the airfield on the main installation.

## **METHODS**

Aerial Surveys - A Cessna 172 aircraft flew low over the landscape, allowing trained observers to search for nests and examine nest contents. Nests were mapped and coded according to nest substrate, nest condition, eagle presence, and breeding activity (Postupalsky 1974). Any new nests detected were plotted using recent aerial imagery on GPS enable tablet computers and given a unique alphanumeric code consistent with protocols used for the National Bald Eagle breeding surveys (US Fish and Wildlife Service 2009). Chicks were counted and aged by developmental stage (Bortolotti 1984a, Bortolotti 1984b).

Following national conventions, a breeding territory was considered “occupied” if a pair of birds was observed in association with the nest and there was evidence of recent nest maintenance (e.g., well-formed cup, fresh lining, or structural maintenance). Nests will be considered “active” if a bird is observed in an incubating posture or if eggs or young are detected in the nest.

Nest Access and Banding - A climber ascended nest trees, using standard arborist equipment, when the young were between 31 and 52 days old. Young were lowered to the ground for processing. Morphometric measurements were taken on all chicks processed. In addition to weight, we measured linear measurements including wing length, tail length, culmen length, culmen depth, and hallux talon length. Wing and tail length was measured with a metal ruler ( $\pm 1$  mm) and culmen length, culmen depth, and hallux talon length, and tarsus length were measured with dial calipers ( $\pm 0.1$  mm). Nestlings were marked with USGS tarsal bands and field-readable, alpha-numeric color bands under federal permit #21567 issued to the Dr. Bryan D Watts. Field readable alpha-numeric bands are placed on bird to facilitate resighting by researchers and the general public. While standard federal bands are typically only readable while the bird is in hand, colored alpha numeric bands with large type can be typically be read with binoculars or spotting scopes and from images of banded individuals.

Breast feathers, for possible future genetic analysis, were collected and placed in envelopes labeled with the eagle's band number and unique nest code. Methodology for feather collection will be in compliance with protocols approved by the Institutional Animal Care and Use Committee at the College of William and Mary (Protocol IACUC-2013-12-16-9141).

## **Results**

The nest survey flight, on 11 March 2018, resulted in three active bald eagle nests, in close proximity to the main airfield. The active nest were; Pax-5 (Goose Creek), Pax-11 (Pine Hill Run), and Pax-10 (Golf Course 3). The productivity flight, conducted on 15 April 2018, confirmed Pax-11 (Pine Hill Run) and Pax-10 (Golf Course 3) nests active with two chicks each. Nest Pax-5 (Goose Creek) had failed with no chicks, eggs, or adults present.

Climbing and banding was conducted on 1 May 2018. Two chicks were present and banded from nests Pax-11 and Pax-10. Banding and morphometric data can be found in table 1.

Table 1. Banding and morphometric data of bald eagle chicks banded at Patuxent River NAS in 2017.

FEDERAL BAND NUMBER	COLOR BAND	COLOR BAND TEXT	DATE BANDED	SEX	AGE (DAYS)	Mass (g)	CULMEN LENGTH WITH CERE (mm)	CULMEN LENGTH NO CERE (mm)	CULMEN DEPTH (mm)	HALUX LENGTH (mm)	Tail (cm)	Wing Chord (cm)	FEATHER	CROP	NEST CODE	LATITUDE	LONGITUDE
0679-01432	Purple	47/D	5/1/2018	M	45	3426	53.5	42.8	30.0	33.4	15.8	33.7	TRUE	Empty	PAX-11 Pine Hill Run	38.26636	-76.42607
0679-01433	Purple	48/D	5/1/2018	M	45	3335	54.0	41.8	29.3	33.9	14.8	32.8	TRUE	Empty	PAX-11 Pine Hill Run	38.26636	-76.42607
0679-01434	Purple	50/D	5/1/2018	F	45	4310	60.7	48.4	34.0	38.5	16.8	38.5	TRUE	Empty	PAX-10 Golf Course 3	38.30573	-76.39356
0679-01435	Purple	51/D	5/1/2018	M	45	3330	53.0	40.7	28.0	32.5	10.8	31.0	TRUE	Empty	PAX-10 Golf Course 3	38.30573	-76.39356