

Fall 11-4-2016

PRE-IMAGES OF EXTREME POINTS OF THE NUMERICAL RANGE, AND APPLICATIONS

Ilya M. Spitkovsky
College of William and Mary, ims2@nyu.edu

Stephan Weis

Follow this and additional works at: <https://scholarworks.wm.edu/aspubs>

Recommended Citation

Spitkovsky, Ilya M. and Weis, Stephan, PRE-IMAGES OF EXTREME POINTS OF THE NUMERICAL RANGE, AND APPLICATIONS (2016).
10.7153/oam-10-58

This Article is brought to you for free and open access by the Arts and Sciences at W&M ScholarWorks. It has been accepted for inclusion in Arts & Sciences Articles by an authorized administrator of W&M ScholarWorks. For more information, please contact scholarworks@wm.edu.

PRE-IMAGES OF EXTREME POINTS OF THE NUMERICAL RANGE, AND APPLICATIONS

ILYA M. SPITKOVSKY AND STEPHAN WEIS

Abstract. We extend the pre-image representation of exposed points of the numerical range of a matrix to all extreme points. With that we characterize extreme points which are multiply generated, having at least two linearly independent pre-images, as the extreme points which are Hausdorff limits of flat boundary portions on numerical ranges of a sequence converging to the given matrix. These studies address the inverse numerical range map and the maximum-entropy inference map which are continuous functions on the numerical range except possibly at certain multiply generated extreme points. This work also allows us to describe closures of subsets of 3-by-3 matrices having the same shape of the numerical range.

Mathematics subject classification (2010): 47A12, 54C10, 62F30, 94A17.

Keywords and phrases: Numerical range.

REFERENCES

- [1] Y. H. AU-YEUNG, Y. T. POON, *A remark on the convexity and positive definiteness concerning Hermitian matrices*, Southeast Asian Bull. Math. **3** (1979) 85–92.
- [2] S. K. BERBERIAN, G. H. ORLAND, *On the closure of the numerical range of an operator*, Proceedings of the American Mathematical Society **18** (3) (1967) 499–503.
- [3] T. BONNESEN, W. FENCHEL, *Theory of Convex Bodies*, B CS Associates, Moscow, Idaho USA, 1987.
- [4] E. S. BROWN, I. M. SPITKOVSKY, *On flat portions on the boundary of the numerical range*, Linear Algebra and its Applications **390** (2004) 75–109.
- [5] J. CHEN, Z. JI, C.-K. LI, Y.-T. POON, Y. SHEN, N. YU, B. ZENG, D. ZHOU, *Discontinuity of maximum entropy inference and quantum phase transitions*, New Journal of Physics **17** (8) (2015) 083019.
- [6] M.-T. CHIEN, H. NAKAZATO, *Joint numerical range and its generating hypersurface*, Linear Algebra and its Applications **432** (1) (2010) 173–179.
- [7] D. COREY, C. R. JOHNSON, R. KIRK, B. LINS, I. SPITKOVSKY, *Continuity properties of vectors realizing points in the classical field of values*, Linear and Multilinear Algebra **61** (2013) 1329–1338.
- [8] I. CSISZÁR, F. MATÚŠ, *Closures of exponential families*, The Annals of Probability **33** (2) (2005) 582–600.
- [9] J. ELDRED, L. RODMAN, I. SPITKOVSKY, *Numerical ranges of companion matrices: flat portions on the boundary*, Linear and Multilinear Algebra **60** (2012) 1295–1311.
- [10] G. FISCHER, *Plane Algebraic Curves*, Providence, Rhode Island: AMS, 2001.
- [11] T. GALLAY, D. SERRE, *Numerical measure of a complex matrix*, Communications on Pure and Applied Mathematics **65** (3) (2012) 287–336.
- [12] I. M. GELFAND, M. M. KAPRANOV, A. V. ZELEVINSKY, *Discriminants, Resultants, and Multidimensional Determinants*, Boston, MA: Birkhäuser Boston, 1994.
- [13] B. GRÜNBAUM, *Convex Polytopes*, 2nd Edition, New York: Springer, 2003.
- [14] P. R. HALMOS, *Ten problems in Hilbert space*, Bull. Amer. Math. Soc. **76** (5) (1970) 887–933.
- [15] F. HAUSDORFF, *Der Wertvorrat einer Bilinearform*, Math. Z. **3** (1) (1919) 314–316.
- [16] J. W. HELTON, I. M. SPITKOVSKY, *The possible shapes of numerical ranges*, Operators and Matrices **6** (2012) 607–611.

- [17] R. A. HORN, C. R. JOHNSON, *Topics in Matrix Analysis*, 10. printing, Cambridge Univ. Press, 1991.
- [18] E. T. JAYNES, *Information theory and statistical mechanics*, Phys. Rev. **106** (1957), 620–630 and **108** (1957), 171–190.
- [19] M. JOSWIG, B. STRAUB, *On the numerical range map*, Journal of the Australian Mathematical Society **65** (1998) 267–283.
- [20] K. KATO, F. FURRER, M. MURAO, *Information-theoretical analysis of topological entanglement entropy and multipartite correlations*, Physical Review A **93** (2016), 022317.
- [21] D. S. KEELER, L. RODMAN, I. M. SPITKOVSKY, *The numerical range of 3×3 matrices*, Linear Algebra and its Applications **252** (1997) 115–139.
- [22] R. KIPPENHAHN, *Über den Wertevorrat einer Matrix*, Math. Nachr. **6** (1951) 193–228.
- [23] T. LEAKE, B. LINS, I. M. SPITKOVSKY, *Pre-images of boundary points of the numerical range*, Operators and Matrices **8** (2014) 699–724.
- [24] T. LEAKE, B. LINS, I. M. SPITKOVSKY, *Inverse continuity on the boundary of the numerical range*, Linear and Multilinear Algebra **62** (2014) 1335–1345.
- [25] C.-K. LI, Y.-T. POON, *Convexity of the joint numerical range*, SIAM J. Matrix Anal. A **21** (2) (2000) 668–678.
- [26] P. X. RAULT, T. SENDOVA, I. M. SPITKOVSKY, *3-by-3 matrices with elliptical numerical range revisited*, Electronic Journal of Linear Algebra **26** (2013) 158–167.
- [27] F. RELICH, *Perturbation Theory of Eigenvalue Problems*, Research in the Field of Perturbation Theory and Linear Operators, Technical Report No. 1, Courant Institute of Mathematical Sciences, New York University, 1954.
- [28] L. RODMAN, I. M. SPITKOVSKY, *3×3 matrices with a flat portion on the boundary of the numerical range*, Linear Algebra and its Applications **397** (2005) 193–207.
- [29] L. RODMAN, I. M. SPITKOVSKY, A. SZKOŁA, S. WEIS, *Continuity of the maximum-entropy inference: Convex geometry and numerical ranges approach*, Journal of Mathematical Physics **57** (20-16), 015204.
- [30] R. SCHNEIDER, *Convex Bodies: The Brunn-Minkowski Theory*, 2nd Edition, Cambridge University Press, 2014.
- [31] O. TOEPLITZ, *Das algebraische Analogon zu einem Satze von Fejér*, Math. Z. **2** (1–2) (1918) 187–197.
- [32] S. WEIS, *Quantum convex support*, Linear Algebra and its Applications **435** (12) (2011) 3168–3188; correction (2012) *ibid.* 436 xvi.
- [33] S. WEIS, *A note on touching cones and faces*, Journal of Convex Analysis **19** (2012) 323–353.
- [34] S. WEIS, *Information topologies on non-commutative state spaces*, Journal of Convex Analysis **21** (2014) 339–399.
- [35] S. WEIS, *Continuity of the maximum-entropy inference*, Communications in Mathematical Physics **330** (3) (2014) 1263–1292.
- [36] S. WEIS, *Maximum-entropy inference and inverse continuity of the numerical range*, Reports on Mathematical Physics **77** (2) (2016), 251–263.
- [37] S. WEIS, A. KNAUF, *Entropy distance: New quantum phenomena*, J. Math. Phys. **53** (10) (2012) 102206.