



WILLIAM & MARY

CHARTERED 1693

W&M ScholarWorks

---

Reports

---

1977

## Aquaculture Thesaurus: Descriptors Used in the National Aquaculture Information System

James A. Lanier

*Virginia Institute of Marine Science*

Frances L. Lawrence

*Virginia Institute of Marine Science*

Elaine V. Collins

Mary B. Hollinger

Follow this and additional works at: <https://scholarworks.wm.edu/reports>

 Part of the Aquaculture and Fisheries Commons

---

### Recommended Citation

Lanier, J. A., Lawrence, F. L., Collins, E. V., & Hollinger, M. B. (1977) Aquaculture Thesaurus: Descriptors Used in the National Aquaculture Information System. Special scientific report (Virginia Institute of Marine Science); no. 79. Virginia Institute of Marine Science, William & Mary.  
<https://scholarworks.wm.edu/reports/2829>

This Report is brought to you for free and open access by W&M ScholarWorks. It has been accepted for inclusion in Reports by an authorized administrator of W&M ScholarWorks. For more information, please contact [scholarworks@wm.edu](mailto:scholarworks@wm.edu).

# AQUACULTURE THESAURUS


Descriptors Used in the  
National Aquaculture Information System

by

James A. Lanier  
Frances L. Lawrence  
Elaine V. Collins  
Mary B. Hollinger

Special Scientific Report 79 of the  
VIRGINIA INSTITUTE OF MARINE SCIENCE  
GLOUCESTER POINT, VIRGINIA 23062

1977



A NOAA Project  
Department of Commerce

# **AQUACULTURE THESAURUS**

**Descriptors Used in the  
National Aquaculture Information System**

**by**

**James A. Lanier  
Frances L. Lawrence  
Elaine V. Collins  
Mary B. Hollinger**

**Special Scientific Report 79 of the  
VIRGINIA INSTITUTE OF MARINE SCIENCE  
GLOUCESTER POINT, VIRGINIA 23062**

**WILLIAM J. HARGIS, JR., DIRECTOR**

**1977**

The National Aquaculture Information System (NAIS) is a project of the National Oceanic and Atmospheric Administration (NOAA), Department of Commerce. Entries to the system are provided by the Virginia Institute of Marine Science and are funded by the Office of Sea Grant. Operationally the NAIS is a part of the Oceanic and Atmospheric Scientific Information System (OASIS) of the Environmental Data Service (EDS).

James A. Lanier and Frances L. Lawrence are members of the VIMS staff, while Elaine V. Collins and Mary B. Hollinger are associated with the National Oceanographic Data Center.

The development of the thesaurus was supported by the Virginia Institute of Marine Science Sea Grant Program through an award from the National Oceanic and Atmospheric Administration, grant #04-6-158-44047.

## **Contents**

<b>Introduction .....</b>	i
<b>The National Aquaculture Information System (NAIS) .....</b>	ii
<b>Printout Explanation Sheet.....</b>	iii
<b>Where to Obtain Assistance in Requesting OASIS Services .....</b>	iv
<b>How to use the Thesaurus</b>	
<b>General .....</b>	v
<b>Special Use Terms .....</b>	v
<b>Sample Entries .....</b>	vi
<b>Explanation of Notations .....</b>	vii
<b>Subject Index Terms</b>	
<b>General Descriptors (including common names of organisms).....</b>	1
<b>Cultured Organisms (by genus and species) .....</b>	119
<b>Literature Used in Developing the Thesaurus .....</b>	145

## **Introduction**

The *Aquaculture Thesaurus* consists of the descriptors used in entering material into the National Aquaculture Information System (NAIS). Terms have been arranged in a format similar to that used in the *Thesaurus of Water Resources Terms* published by the U. S. Department of the Interior. When indexing for the NAIS first began, an effort was also made to use as many terms from this already published thesaurus as possible. As the aquaculture file grew, however, the vocabulary rapidly became so specialized that this attempt at standardization was abandoned.

Although this first edition of the thesaurus has been edited and corrected, changes will be made as entries to the system continue. It is being printed so that users may suggest improvements and become familiar with the information in the NAIS. It is not necessary to use the thesaurus to obtain information from the NAIS, however, since OASIS computer terminal operators will translate any request into the index terms appropriate for retrieval of the information desired.

The sole criterion for evaluating this thesaurus is its effectiveness as an aid in retrieving information. The best basis for determining its success is the comments from users as to whether the listings obtained by using particular descriptors were appropriate and complete. An evaluation form is provided with each printout, and user comments and suggestions are strongly solicited.

## The National Aquaculture Information System (NAIS)

The National Aquaculture Information System is a NOAA project which provides computer assisted access to a broad range of information on growing marine, brackish and freshwater organisms. It was developed to answer the need for a centralized source of information in the U.S., and anyone with a need for information on aquaculture can use it. Although the file is located in Washington, D.C., it can be searched via a number of terminals in the U.S. (see page iv). Searches are available at no charge to NOAA scientists and managers, but a charge of \$10.00 is made for most inquiries by non-NOAA users.

Most of the entries were published since 1970, but older material of fundamental importance to aquaculture is now being added. Each entry contains complete bibliographic information as well as subject index terms, common names of biota involved, and genus and species of any organism cultured. Any part of this information can be searched via computer. Searches can be broad or specific, depending on the needs of the user.

Collection of material began in 1973 with a small pilot project in which 384 articles were indexed at the Virginia Institute of Marine Science (VIMS) and sent to the Environmental Data Service's National Oceanographic Data Center (NODC) in Washington, D. C. After a brief interruption, one full year of work was funded in which 1,500 additions were made to the system. An already computerized file of information on the economics of aquaculture was also included.

As the system developed, it became obvious that input from experts in all aspects of aquaculture was necessary to insure inclusion of the most useful information. Visits to various researchers and commercial firms began in September 1975. During these visits, actual documents or references are obtained or borrowed, and advice is solicited on what type of information should be included. Much important information not in normal circulation has been added as a result.

In addition to the computer-searchable file, a microfiche copy of each document is made when permission to copy has been obtained from the publisher. These microfiche copies are also available to users. Since any document can be microfiched and added to the system in less than three months, information can be made available con-

siderably faster than through publication by most traditional means.

Those interested in improving the system are invited to send published or unpublished material which they consider important to:

James A. Lanier  
Virginia Institute of Marine Science  
Gloucester Point, VA 23062  
804-642-2111, Ext. 189

## PRINTOUT EXPLANATION SHEET

Printouts from the NATIONAL AQUACULTURE INFORMATION SYSTEM are arranged in the following format:

- (A) 000030
  - (B) 1973
  - (C) BEN-TUVIA, A.; KISSEL, G. W.; POPPER, D.
  - (D) EXPERIMENTS IN REARING RABBITFISH (SIGANUS RIVULATUS) IN SEAWATER
  - (E) AQUACULTURE 1 (4), 359-364
  - (J) SUBJECT RABBITFISH; ISRAEL; AQUARIUM CULTURE; CAGE CULTURE; FOOD  
PELLET; JUVENILE FISH; WEIGHT; GROWTH; ALGAE; WHEAT; SOYBEAN  
MEAL; MORTALITY
  - (K) CULTURED ORGANISMS SIGANUS RIVULATUS
    - (A) = Accession number
    - (B) = Year of publication (9999 appears here if the date is unknown)
    - (C) = Authors
    - (D) = Title
    - (E) = Reference work (journal, book, report, etc.)
    - (J) = General descriptors (including common names of organisms)
    - (K) = Cultured organisms (by genus and species)
- Letter labels for internal field (A, B, C, D, E, J, K) do not appear on printout.

## **Where to Obtain Assistance in Requesting OASIS Services**

The National Aquaculture Information System is a part of OASIS. To gain access to the system, NOAA FORM 24-21, "REQUEST FOR OASIS SERVICES", should be completed and mailed to any of the offices listed below, or the request may be made via letter or telephone. Assistance is available from the offices listed below:

**Environmental Science Information Center, D826  
EDS/NOAA**  
**Washington Science Center, Bldg. 4  
6009 Executive Blvd.  
Rockville, Maryland 20852**  
**Tel: Commercial (301) 443-8330  
FTS 443-8330**

**NODC Liaison Officer  
PMEL/NOAA**  
**3711 15th N.E.  
Seattle, Washington 98105**  
**Tel: Commercial (206) 442-0199  
FTS 399-0199**

**Marine and Earth Sciences Library  
Attn: Fisheries Branch (D822)**  
**National Oceanic and Atmospheric Administration  
Page Bldg. 2, Rm. 194  
3300 Whitehaven St., N.W.  
Washington, D.C. 20235**  
**Tel: Commercial (202) 634-7346  
FTS 634-7346**

**NODC Liaison Officer  
WHOI**  
**Rm. 317A, Clark Lab.  
Woods Hole, Massachusetts 02543**  
**Tel: Commercial (617) 548-1400, x546  
FTS 840-7279**

**National Oceanographic Data Center  
Attn: Chief, Data Services Division (D76)**  
**National Oceanic and Atmospheric Administration  
Page Bldg. 1, Room 404  
2001 Wisconsin Ave., N.W.  
Washington, D. C. 20235**  
**Tel: Commercial (202) 634-7500  
FTS 634-7500**

**NODC Liaison Officer  
AOML/NOAA**  
**15 Rickenbacker Causeway  
Key Biscayne  
Miami, Florida 33189**  
**Tel: Commercial (305) 361-3361, x336  
FTS 350-1111, x336**

**NODC Liaison Officer  
NMFS/NOAA**  
**P. O. Box 271  
La Jolla, California 92037**  
**Tel: Commercial (714) 453-2204  
FTS 893-6201**

## How to Use the Thesaurus

### *General*

Descriptors, key words, or subject index terms are labels assigned to materials being entered in information systems to facilitate retrieval. They are more complete, better standardized, and often more descriptive than titles. Their selection is not a simple task, however, and can result in disagreements, duplications, or omissions. Minimizing such problems is the task of the indexer.

Descriptors used in the thesaurus are separated into two groups, corresponding to two sections of the computer entry (see J and K of the Printout Explanation Sheet). The language used in the "General Descriptors" section is the simplest and most widely understood which accurately and completely describes the subjects. Common names of all organisms associated in any way with aquaculture are included. Latin names are excluded unless they are commonly used (*Tiplapia*) or are the only names available (*Aeromonas*). Some technical terms (*exophthalmia*) have been used, however, and some common words have been given special meaning (see "Special Use Terms", below).

The terms in the "Cultured Organisms" section are genera and species of animals and plants for which specific culture information is included in the article indexed. Some genera stand alone since the species are not mentioned. When name changes occur, organisms may continue to be indexed under the older name so that complete retrieval will still be possible using one term. A cross reference from the new to the old name is added in such cases. Common names have also been listed in this section, with a referral to the appropriate genus and species.

### *Special Use Terms*

Some common words such as physiology, biochemistry, and technique have been omitted since they are too broad. Other broad terms have been included only when there is especially significant information included, and not every time they occur in an article. Some words used this way are: locations (countries, states, bays, rivers, etc.) intensive culture, extensive culture, wild stock, and water requirement. More specific descriptors should generally be used.

Certain common terms have been given a special meaning for use in the thesaurus. Although the following list of terms used here in a special sense may not be complete, it is provided as an aid in avoiding possible problems.

1. **AQUACULTURE AND MARICULTURE**  
Used only for broad reviews and articles which deal with the entire discipline.
2. **RESEARCH**  
Used for overviews of research in progress, project summaries, and proposals.
3. **BIBLIOGRAPHY**  
Used only when the entry is itself bibliography, not for any paper containing a bibliography.
4. **ABSTRACT**  
Used for collections of abstracts only, not for articles including an abstract.
5. **INFORMATION**  
Used for articles about information storage and retrieval, or about sources of aquaculture information.
6. **CLOSED SYSTEM/OPEN SYSTEM**  
Used only when specifically mentioned in the article. A better general term is AQUARIUM.

## SAMPLE ENTRIES

The following entries are from the thesaurus of descriptors. The format is adapted from *The Thesaurus of Water Resources Terms* published by the Bureau of Reclamation, U. S. Department of the Interior.

Entry	Meaning
BROWN ALGAE	
BT ALGAE	BT = Broader term
SEAWEED	
NT KELP	NT = Narrower term
SUGAR WRACK	
WAKAME	
RT FUCOIDIN	RT = Related term
LAMINARIN	
PHYTOPLANKTON	
SEAWEED USE	

### Sample 2.

HYDROPS	
USE DROPSY	USE = Use

### Sample 3.

DROPSY	
UF HYDROPS	UF = Used for
INFECTIOUS DROPSY	
RUBELLA	

## Explanation of Notations

**Descriptor.** Descriptors are terms which can be used to retrieve information from the system. Main entries are shown for the descriptors "BROWN ALGAE" and "DROPSY".

**UF** = *Used for*. The reciprocal of USE. The subject index term at the main entry is used for, or instead of, words following this notation. Information cannot be retrieved by using the terms following UF. Many invalid terms so listed are quite acceptable, perhaps even more so than the descriptor used in its place. If another term has been used in the past, however, it will continue to be used because of the difficulty of changing all the previous indexing.

**BT** = *Broader term*. The main entry descriptor can also be found as a narrower term under any broader terms listed with it. Broader terms should be included by the indexer whenever the main entry descriptor is assigned to an article. For example, the descriptor KELP appears as a narrower term under BROWN ALGAE, and BROWN ALGAE should be assigned to every article in

which KELP appears. This assignment is done by the indexer, not the computer, and is subject to error. The hierarchies revealed by the BT and NT relationship are sometimes subjective. Since the thesaurus has been constructed as the articles indexed required, the hierarchical arrangement is necessarily imperfect. It is employed as an aid to users in developing better ways to retrieve information.

**NT** = *Narrower term*. The reciprocal of BT. Narrower terms should be used where appropriate to insure retrieval of all desired information.

**RT** = *Related term*. Descriptors following this notation are suggestions from indexer to user about other terms in the thesaurus which may be of interest. Relationships thus indicated vary considerably, from near synonyms to antonyms.

**USE** = *Use*. The main entry is an invalid term not used in indexing, but included in order to direct the user to a valid descriptor. The term following "USE" is the appropriate valid descriptor.

## GENERAL DESCRIPTORS (including common names of organisms)

ABALONE	
BT MOLLUSK	ACIDIFYING VELOCITY
NT BRITISH COLUMBIA ABALONE	RT ACIDITY
GREEN ABALONE	WATER QUALITY
JAPANESE ABALONE	
PINK ABALONE	ACIDITY
RED ABALONE	RT ACIDIFYING VELOCITY
WHITE ABALONE	ALKALINITY
	CHEMISTRY
ABATE	PH
BT PESTICIDE	POLLUTION
	WATER QUALITY
ABER DISEASE	
ET DISEASE	ACIPENSER
RT PARASITE	USE STURGEON
ABERNATHY DIET	
BT ARTIFICIAL FOOD	ACIPENSER RUTHENUS
DIET	USE STERLET
RT FEED COMPOSITION	
FOOD PREPARATION	ACIPENSER STELLATUS
FOOD REQUIREMENT	USE STURGEON
NUTRIENT REQUIREMENT	
PELLET	ACOUSTIC ATTRACTION
	RT AGGREGATION
ABNORMALITY	BEHAVIOR
UF DEFORMITY	CONDITIONED RESPONSE
RT CANCER	HEARING
DIETARY DEFICIENCY	SENSORY STIMULATION
DISEASE	
DWARF	ACRIDINE ORANGE
GENETICS	BT DYE
OPEN JAW SYNDROME	RT STAINING
STUNTING	
SYMPTOM	ACRIFLAVINE
ABSORPTION SPECTRA	BT ANTIBIOTIC
	RT CHEMCONTROL
ABSTRACT	
RT BIBLIOGRAPHY	ADAPTABILITY
INFORMATION	UF ACCLIMATION
RESEARCH	RT SALINITY
ACCLIMATION	STRESS
USE ADAPTABILITY	TEMPERATURE
	Thermal Shock
	TOLERANCE
ACETOCARMINE	
BT DYE	ADHESION
RT STAINING	RT GLUING
ACHIRUS LINEATUS	
USE LINED SOLE	ADRENALINE
	BT DRUG
	RT HYPERGLYCEMIA

ADRIATIC SEA

AQUIPECTEN IRRADIANS  
USE BAY SCALLOP

AERATION

RT CLOSED SYSTEM  
EMERGENCY AERATION  
OXYGEN  
OXYGENATION  
RECIRCULATED WATER  
SEWAGE  
SEWAGE TREATMENT  
WATER PURIFICATION  
WATER QUALITY  
WATER TREATMENT

AEROCOCCUS VIRIDANS  
USE GAFFKAEMIA

AEROMONAS  
BT BACTERIA  
RT DISEASE

AFLATOXIN  
BT ANTIMETABOLITE  
TOXIN  
RT COTTONSEED MEAL  
FUNGUS  
HEPATUMA

AFRICA

AFRICAN CATFISH  
USE WALKING CATFISH

AGAR

RT ALGAE  
CULTURE MEDIUM  
RED ALGAE  
SEAWEED  
SEAWEED USE

AGE

RT AGE DETERMINATION  
EUTROPHICATION  
GROWTH

AGE DETERMINATION  
RT AGE

AGGREGATE COVER

RT PREDATOR CONTROL

AGGREGATION  
BT BEHAVIOR  
RT ACOUSTIC ATTRACTION

AGGRESSION  
USE BEHAVIOR

AGITATOR  
BT EQUIPMENT

AGLAOPHENIA PLUMA  
USE SEA FAN

AIR SHIPMENT  
RT HANDLING  
TRANSPORT

AIRLIFT PUMP  
BT EQUIPMENT  
PUMP

AIRSTRIPPING  
RT WATER TREATMENT

ALABAMA

ALASKA

ALBACORE  
UF THUNNUS ALALUGA  
BT MARINE FISH  
TUNA

ALBANIA

ALDRIN  
BT ORGANOCHLORINE  
PESTICIDE

ALEWIFE  
UF ALOSA PSEUDOHARENGUS  
BT ANADROMOUS FISH

ALGAE  
NT BLUE GREEN ALGAE  
BROWN ALGAE  
CHLAMYDOMONAS REINHARDTII  
CHLORELLA  
DIATOM  
DINOFLAGELLATE

DUNALIELLA TERTIOLECTA	
GREEN ALGAE	
KELP	ALGINATE
LAVER	RT ALGAE
MARINE ALGAE	BROWN ALGAE
MARINE DIATOM	KELP
MONOCHRYYSIS LUTHERI	SEAWEED
PHAEODACTYLM TRICORNUTUM	SEAWEED USE
RED ALGAE	
SEA LETTUCE	ALIZARIN RED
SKELETUNEMA CUSTATUM	BT DYE
SUGAR WRACK	RT STAINING
RT AGAR	ALKALINITY
ALGAE COLLAR	RT ACIDITY
ALGAE CULTURE	CHEMISTRY
ALGINATE	PH
AQUATIC WEED	WATER QUALITY
AQUATIC WEED CONTROL	
BACTERIA	ALLIGATOR
BENTHOS	BT REPTILE
BLOOM	
CARRAGEENAN	ALOSA PSEUDOHARENGUS
CULTURED FOOD	USE ALEWIFE
EUTROPHICATION	
FOULING	ALOSA SAPIDISSIMA
FUCOIDIN	USE AMERICAN SHAD
LAMINARIN	
LIVE FOOD	ALPHA-TOCOPHEROL
PERIPHYTON	BT VITAMIN E
PHYTOPLANKTON	KT NUTRIENT REQUIREMENT
PRODUCTIVITY	
SEAWEED	ALPHEUS HETEROCHALLIS
SEAWEED USE	USE SNAPPING SHRIMP
ALGAE COLLAR	
BT DISEASE	ALUMINUM
RT ALGAE	BT METAL
ALGAE CULTURE	AMBLUPLITES RUPESTRIS
RT ALGAE	USE ROCK BASS
BATCH CULTURE	
CHEMOSTAT	AMERICAN EEL
CONTINUOUS CULTURE	UF ANGUILLA ROSTRATA
CULTURE MEDIUM	BT CATADRUMOUS FISH
CULTURED FOOD	EEL
DIALYSIS CULTURE	
POLE CULTURE	AMERICAN LOBSTER
SPECIES ISOLATION	UF HOMAKUS AMERICANUS
WASTE WATER AQUACULTURE	MAINE LOBSTER
	NORTHERN LOBSTER
ALGICIDE	BT LOBSTER
USE HERBICIDE	AMERICAN OYSTER

USE EASTERN OYSTER  
AMERICAN SHAD  
UF ALOSA SAPIDISSIMA  
BT ANADROMOUS FISH  
  
AMIA CALVA  
USE BOWFIN  
  
AMINO ACID  
NT ARGININE  
HISTIDINE  
GLYCINE  
METHIONINE  
TRYPTOPHAN  
RT CASEIN  
PEPTIDE  
PROTEIN  
PROTEIN CONVERSION  
  
AMMONIA  
RT METABOLITE  
NITRIFYING BACTERIA  
NITROGEN  
WATER QUALITY  
  
AMOEBA  
BT PROTOZOA  
  
AMPHIBIAN  
NT FROG  
TOAD  
  
AMPHIPOD  
BT CRUSTACEAN  
KT NATURAL FOOD  
  
AMUR CARP  
USE GRASS CARP  
  
AMUR PIKE  
BT FRESH WATER FISH  
  
ANADARA BROUGHTONI  
USE ARK SHELL  
  
ANADARA COMMERCIALIS  
USE ARK SHELL  
  
ANADROMOUS FISH  
BT FISH  
NT ALEWIFE  
  
AMERICAN SHAD  
ARCTIC CHAR  
ATLANTIC SALMON  
AYU  
CHAR  
CHINOOK SALMON  
CHUM SALMON  
COHO SALMON  
DANUBE SALMON  
GIZZARD SHAD  
INDIAN SALMON  
MASU SALMON  
PELYAD  
PINK SALMON  
SALMON  
SHAD  
SOCKEYE SALMON  
STRIPED BASS  
STURGEON  
THREADFIN SHAD  
WHITE PERCH  
RT FRESH WATER FISH  
MARINE FISH  
  
ANAPLOPOMA FIMBKRIA  
USE SABLE FISH  
  
ANATOMY  
RT DEVELOPMENT  
MORPHOLOGY  
  
ANCHOA MITCHILLI  
USE BAY ANCHOVY  
  
ANCHOR WORM  
UF LERNAEA  
BT COPEPOD  
PARASITE  
RT DISEASE  
  
ANCHOVY  
BT MARINE FISH  
NT BAY ANCHOVY  
NORTHERN ANCHOVY  
  
ANCHOVY WORM  
BT WORM  
  
ANEMIA  
BT DISEASE  
RT HEMAGLOBIN  
HEMATOLOGY

ANESTHETIC  
RT CHEMCONTROL  
DRUG  
ELECTRONARCOSIS  
IMMOBILIZATION  
MORTALITY  
MS 222

ANILINE BLUE  
BT DYE  
RT STAINING

ANGUILLA ANGUILLA  
USE EUROPEAN EEL

ANGUILLA JAPONICA  
USE JAPANESE EEL

ANGUILLA ROSTRATA  
USE AMERICAN EEL

ANNULUS

ANOPLOPOMA FIMBRIA  
USE SABLEFISH

ANTARCTIC OCEAN  
BT OCEAN

ANTIBIOTIC  
BT DRUG  
NT ACRIFLAVINE  
ANTIMYCIN  
CHLORAMPHENICOL  
CHLORTETRACYCLINE  
ERYTHROMYCIN  
NEOMYCIN  
NOVobiocin  
OXYTETRACYCLINE  
PENICILLIN  
PENICILLIN G  
STREPOMYCIN  
SULFA DRUG  
SULFONOMIDE  
VANCOMYCIN  
RT ANTIMYCIN  
BACTERIA  
CHEMCONTROL  
DISEASE CONTROL  
DISEASE TREATMENT  
HERBICIDE

RESISTANCE  
ROtenone  
SENSITIVITY TESTING  
TOLERANCE

ANTIBODY  
RT ANTIGEN  
IMMUNITY

ANTIGEN  
RT ANTIBODY  
DISEASE PREVENTION  
IMMUNITY  
VACCINE

ANTIMETABOLITE  
NT AFLATOXIN

ANTIMYCIN  
BT ANTIBIOTIC  
RT POPULATION REMOVAL

APPENDAGE LOSS

APPENDICULARIAN

APPETITE  
RT DEMAND FEEDING  
FEEDING  
FOOD CONSUMPTION  
FOOD HABITS  
FOOD REQUIREMENT  
FOOD SELECTION

APPLICATION  
RT CONTINUOUS LIQUID DISCHARGE  
DISPENSER  
EQUIPMENT  
RATE OF APPLICATION

AQUACULTURAL AREA  
RT FISHERY MANAGEMENT  
HYDROGRAPHY  
LAND USE  
SITE SELECTION

AQUACULTURAL POLLUTION  
BT POLLUTION  
RT EFFLUENT  
HATCHERY  
POLLUTANT CONCENTRATION  
POLLUTION CONTROL

STICKWATER WASTE WASTE WATER AQUACULTURE WATER QUALITY	AQUATIC WEED CONTROL BIOCONTROL NATURAL FOOD SEAWEED
AQUACULTURE UF STATE OF THE ART OF AQUACULT. STATUS OF AQUACULTURE	AQUATIC WEED CONTROL UF WEED CUTTING
NT MARICULTURE KT HISTORY MANAGEMENT PLANNING PROBLEMS RECOMMENDATIONS RESEARCH	RT ALGAE AQUATIC WEED BIOCONTROL BLOOM CHEMCONTROL HERBICIDE HERBIVORE
AQUAFARM UF FARM DESIGN RT BIOENGINEERING COMMERCIAL FIRM CROP ROTATION LAND USE MANAGEMENT MARINE FACILITY RESEARCH FACILITY WASTE WATER AQUACULTURE WATER REQUIREMENT	ARCHOSARGUS USE SHEEPSHEAD
AQUARIUM BT EQUIPMENT RT AQUARIUM CULTURE CLOSED SYSTEM OPEN SYSTEM	ARCHOSARGUS RHOMBOIDALIS USE SEA BREAM
AQUARIUM CULTURE UF TANK CULTURE RT AQUARIUM CLOSED SYSTEM OPEN SYSTEM FISH INDIVIDUAL CULTURE PLASTIC POOL	ARCTIC CHAR UF SALVELINUS ALPINUS BT ANADROMOUS FISH CHAR
AQUATHOL	ARCTIC GRAYLING UF BLACK GRAYLING BT THYMALLUS ARCTICUS GRAYLING
AQUATIC INSECT USE INSECT	ARCTICA ISLANDICA USE OCEAN QUAHOG
AQUATIC WEED NT BUSHY POND WEED ELODIA RT ALGAE	ARGENTINA
	ARGININE BT AMINO ACID
	RT FEED COMPOSITION NUTRIENT REQUIREMENT PROTEIN
	ARGOPECTEN IRRADIANS USE BAY SCALLOP
	ARGOPECTIN GIBBUS USE CALICO SCALLOP
	ARGULOSIS BT DISEASE

ARISTICHTHYS NOBILIS  
USE BIGHEAD CARP

FERTILIZATION  
INDUCED SPAWNING  
NATURAL SPAWNING

ARIUS FELIS  
USE SEA CATFISH

ARTIFICIAL STREAM  
BT STREAM  
RT STREAM DEPTH

ARIZONA

ARK SHELL  
UF ANADARA BROUGHTONI  
ANADARA COMMERCIALIS  
BT MOLLUSK

ARTIFICIAL SUBSTRATE  
BT SUBSTRATE

ARKANSAS

ARMY WORM  
BT WORM

ARTIFICIAL UPWELLING  
BT UPWELLING  
RT DEEP SEA WATER  
WATER SUPPLY  
NUTRIENT

AROCLOR 1254  
BT PCB

ASCOPHYLLUM  
USE KELP

ARROW WORM  
BT WORM

ASCORBIC ACID  
RT FEED COMPOSITION  
NUTRIENT REQUIREMENT  
VITAMIN C  
VITAMIN DEFICIENCY

ARTEMIA SALINA  
USE BRINE SHRIMP

ASELLUS MILATARUS  
RT LIVE FOOD

ARTIFICIAL FERTILIZATION  
BT FERTILIZATION  
RT ARTIFICIAL SPAWNING

ASH  
RT FEED COMPOSITION

ARTIFICIAL FOOD  
NT ABERNATHY DIET  
MOIST DIET  
OREGON MOIST PELLET  
PELLET  
RT DIET  
DIETARY ADDITIVE  
FEED COMPOSITION  
FOOD REQUIREMENT  
MEAL  
NUTRIENT REQUIREMENT  
SINKING FEED  
WATER STABLE FEED

ASIA  
ASIATIC CLAM  
UF CORbicula FLUMinea  
BT CLAM

ARTIFICIAL SEA WATER  
USE SALINE WATER

ASTERIAS VULGARIS  
USE SEA STAR

ARTIFICIAL SPAWNING  
BT SPAWNING  
RT ARTIFICIAL FERTILIZATION  
DELAYED SPAWNING

ATHERINA BOYERI  
USE SAND SMELT

ATAXIA  
RT MOVEMENT  
SYMPTOM

ATHERINOPSIS CALIFORNIENSIS  
USE JACKSMELT

ATLANTIC COD

UF GADUS MORHUA	AUTOMATIC DEVICE
BT CODFISH	BT EQUIPMENT
MARINE FISH	RT CONTINUOUS LIQUID DISCHARGE
ATLANTIC CROAKER	DISPENSER
UF MICROPOGON UNDULATUS	FEEDER
ATLANTIC HERRING	AUXIS THAZARD
UF CLUPEA HARENGUS	USE FRIGATE MACKEREL
BT HERRING	
MARINE FISH	
RT PACIFIC HERRING	
ATLANTIC MENHADEN	AYU
UF BREVOORTIA TYRANNUS	UF PLEGOGLOSSUS ALTIVELIS
BT MARINE FISH	SWEET SMELT
ATLANTIC OCEAN	BT ANADROMOUS FISH
BT OCEAN	
RT COASTAL WATER	B VITAMINS
ATLANTIC OYSTER	USE VITAMIN B
USE EASTERN OYSTER	BACILLARY DYSENTERY
ATLANTIC SALMON	BT DISEASE
UF LANDLOCKED SALMON	
SALMO SALAR	BACILLIDIUM
BT ANADROMOUS FISH	BT MICROSPORIDIAN
SALMON	PARASITE
ATLANTIC SEA MUSSEL	BACILLUS
USE BLUE MUSSEL	BT BACTERIA
ATTACHMENT	RT DISEASE
RT REATTACHMENT	
SETTING	
ATULE MATE	BACTERIA
USE OMKA	UF MARINE BACTERIA
ATURE	NT AEROMONAS
BT MARINE FISH	BACILLUS
AUREOMYCIN	CHONDROCOCCUS COLUMNARIS
USE CHLORTETRACYCLINE	ESCHERICHIA COLI
AUSTRALIA	GAFFKYA HOMARI
AUSTRALIAN CRAYFISH	HETEROTROPH
USE MARROW	MYXOBACTERIA
AUSTRIA	NITRIFYING BACTERIA
	NITROGEN-FIXING BACTERIA
	PHOTOTROPHIC SULFUR BACTERIA
	PSEUDOMONADES
	PSEUDOMONAS
	SALMONELLA
	STAPHYLOCOCCUS
	RT ALGAE
	ANTIBIOTIC
	BACTERIA CULTURE
	BACTERIAL COLD-WATER DISEASE
	BACTERIAL GILL DISEASE
	BACTERIOLOGICAL SAMPLING
	BACTERIOLOGY

COLIFORM	RT BACTERIA
CONTAMINATION	BACTERIOLOGY
DEPURATION	
DISEASE	BACTERIOLOGY
DROPSY	RT BACTERIA
ENDOTOXIN	BACTERIA CULTURE
FUNGUS	BACTERIOLOGICAL SAMPLING
FURUNCULOSIS	MICROBIOLOGY
GAFFKAEMIA	
HEMORRHAGIC SEPTICEMIA	BAGRE MARINUS
HUMAN DISEASE	USE GAFFTOPSAIL CATFISH
INFECTION	
KIDNEY DISEASE	BAGO
MICROBIOLOGY	BT SHRIMP
NOCARDIOSIS	
PARASITE	BAIRDIELLA CHRYSURA
PHYTOPLANKTON	USE SILVER PERCH
PSEUDOKIDNEY DISEASE	
REDMOUTH	BAIRDIELLA ICISTIA
SENSITIVITY TESTING	USE GULF CROAKER
SEWAGE	
SEWAGE TREATMENT	BAIT
SPORE	NT LURE
VIBRIO	RT BAITFISH
VIRULENCE	BLOODWORM
	FISHING
BACTERIAL COLD-WATER DISEASE	HOOK AND LINE FISHING
BT DISEASE	MINNOW
RT BACTERIA	SPORT FISHING
MYXOBACTERIA	
BACTERIA CULTURE	BAITFISH
RT BACTERIA	RT BAIT
BACTERIOLOGY	COMMERCIAL FISHING
CONTINUOUS CULTURE	FRESH WATER FISH
CULTURE MEDIUM	FISH
MICROBIOLOGY	MINNOW
SENSITIVITY TESTING	SPORTFISHING
SPECIES ISULATION	
BACTERIAL GILL DISEASE	BALTIC SEA
BT DISEASE	
RT BACTERIA	BANANA PRAWN
GILL	UF PENAEUS MERGUIENSIS
GILL DESTRUCTION	BT PRAWN
MYXOBACTERIA	SHRIMP
BACTERIAL KD	
USE KIDNEY DESIGN	BARBUS AMPHIGRAMMA
BACTERIOLOGICAL SAMPLING	
BT SAMPLING	BARBUS HOLUBI
	USE SMALLMOUTH YELLOWFISH
	BARBUS TOR
	USE MAHSEER

BARLEY  
RT FEED COMPOSITION

BARNACLE  
BT CRUSTACEAN

BASKET CULTURE  
USE TRAY CULTURE

BASS  
BT FRESH WATER FISH  
NT BLACK BASS  
LARGEMOUTH BASS  
REDEYE BASS  
ROCK BASS  
SEA BASS  
SMALLMOUTH BASS  
SPOTTED BASS  
STRIPED BASS  
SUWANNEE BASS

BATCH CULTURE  
RT ALGAE CULTURE  
CONTINUOUS CULTURE  
DIALYSIS CULTURE

BAY  
USE CHESAPEAKE BAY  
DELAWARE BAY  
MINAMATA BAY  
MOBJACK BAY

BAY ANCHOVY  
UF ANCHOA MITCHILLI  
BT ANCHOVY  
MARINE FISH

BAY SCALLOP  
UF AFQUIPECTEN IRRADIANS  
ARGOPECTEN IRRADIANS  
BT SCALLOP

BAYLUSCIDE  
BT PESTICIDE  
TOXICANT

BAYTEX

BEEF HEART EXTRACT  
RT FEED COMPOSITION

## BEEF LIVER

BEHAVIOR  
UF AGGRESSION  
ETHOLOGY  
NT NOCTURNAL BEHAVIOR  
RT ACOUSTIC ATTRACTION  
AGGREGATION  
BIOLOGICAL COMPETITION  
CANNIBALISM  
CONDITIONED RESPONSE  
DEMAND FEEDING  
ECOLOGY  
FATIGUE  
FISH SCREEN  
FOOD CONSUMPTION  
FOOD HABITS  
HOMING  
INTERACTION  
JUMPING  
LIFE HISTORY  
MIGRATION  
NEST  
SENSORY STIMULATION  
SWIMMING

## BELGIUM

BELONE BELONE  
USE GARFISH

BENTHOS  
RT ALGAE  
BOTTOM  
BOTTOM CULTURE  
BOTTOM SAMPLING  
CLAM  
MAYFLY  
MUSSEL  
OYSTER  
PRODUCTIVITY

## BENZALDEHYDE

BIBLIOGRAPHY  
UF REFERENCE SYSTEM  
RT ABSTRACT  
HISTORY  
INFORMATION

BIG QUALICUM  
BT RIVER

BIGHEAD CARP  
UF HYPOPHTHALMICHTHYS NOBILIS  
ARISTICHTHYS NOBILIS  
BT CARP  
FRESH WATER FISH

BILLFISH  
BT MARINE FISH  
RT MARLIN

BINDER  
RT FEED COMPOSITION  
PELLET PREPARATION  
GELATIN

BIOASSAY  
RT POLLUTION  
TOXICITY  
WATER ANALYSIS

BIOCHEMICAL MARKING  
USE MARKING

BIOCHEMICAL OXYGEN DEMAND  
UF BOD  
RT CHLORINE  
OXYGEN  
POLLUTION  
WATER ANALYSIS  
WATER QUALITY

BIOCONTROL  
RT AQUATIC WEED CONTROL  
RT CHEMCONTROL  
POPULATION CONTROL  
PREDATOR CONTROL  
VIRUS

BIODEPOSITION  
USE DETRITUS

BIOENGINEERING  
UF ENGINEERING  
RT AQUAFARM  
CONSTRUCTION DETAIL  
DESIGN  
MARINE FACILITY  
MATERIAL  
RESEARCH FACILITY  
SITE SELECTION

BIOFILTER  
UF SUBGRAVEL FILTER  
BT EQUIPMENT  
FILTER  
RT CLOSED SYSTEM  
DENITRIFYING BACTERIA  
FILTRATION  
HETEROTROPH  
NITRIFYING BACTERIA  
WATER TREATMENT

BIOGENIC CAPACITY  
USE CARRYING CAPACITY

BIOLOGICAL COMPETITION  
UF COMPETITION  
RT BEHAVIOR  
ECOLOGY  
LIFE HISTORY  
PREDATION

BIOTIN  
BT VITAMIN B  
RT NUTRIENT REQUIREMENT

BIRD  
NT DUCK  
RT PREDATION

BISMARCK BROWN Y DYE  
BT DYE  
RT STAINING

BIVALVE  
USE MOLLUSK

BLACK BASS  
UF MICROPTERUS  
BT BASS  
FRESH WATER FISH  
NT LARGEMOUTH BASS  
REDEYE BASS  
SMALLMOUTH BASS  
SPOTTED BASS  
SUWANNEE BASS

BLACK BULLHEAD  
UF Ictalurus melas  
BT BULLHEAD CATFISH  
CATFISH  
FRESH WATER FISH

BLACK CARP  
UF MYLOPHARYNGODON PICEUS  
BT CARP  
FRESH WATER FISH

BLACK COD  
USE SABLEFISH

BLACK CRAPPIE  
UF POMOXIS NIGROMACULATUS  
BT CRAPPIE  
FRESH WATER FISH

BLACK GRAYLING  
USE ARCTIC GRAYLING

BLACK SEA

BLACK SPUT  
BT DISEASE

BLACKNOSE DACE  
UF RHINICHTHYS ATRATULUS  
BT FRESH WATER FISH

BLACKTAIL REDHORSE  
UF MOXOSTOMA POLCILURUM  
BT FRESH WATER FISH

BLACKTAIL SHINER  
UF NOTROPIS VENUSTUS  
BT FRESH WATER FISH

BLISTER  
RT DISEASE  
SYMPTOM

BLOOD  
RT ERYTHROCYTE  
FEED COMPOSITION  
HEAPOIESIS  
HEMATOLOGY  
PLASMA  
SERUM

BLOOD CHEMISTRY  
USE HEMATOLOGY

BLOODWORM  
BT POLYCHAETE  
WORM  
RT BAIT

## BENTHOS

BLOOM  
RT ALGAE  
AQUATIC WEED CONTROL  
EUTROPHICATION  
FERTILIZER  
PHYTOPLANKTON  
PLANKTON

BLUE CATFISH  
UF Ictalurus furcatus  
BT CATFISH  
FRESH WATER FISH

BLUE CRAB  
UF CALLINECTES SAPIDUS  
BT CRAB

BLUE GREEN ALGAE  
BT ALGAE

BLUE MUSSEL  
UF EDIBLE MUSSEL  
MYTILUS EDULIS  
ATLANTIC SEA MUSSEL  
BT MUSSEL

BLUE RINGED OCTOPUS  
UF HAPALOCHLAENA MACULOSA  
BT MOLLUSK

BLUEFIN TUNA  
UF THUNNUS THYNNUS  
BT MARINE FISH  
TUNA

BLUEGILL  
UF LEPOMIS MACROCHIRUS  
BT FRESH WATER FISH

BLUNTNOSE MINNOW  
UF PIMEPHALES NOTATUS  
BT FRESH WATER FISH  
MINNOW

BOAT  
BT EQUIPMENT

BOD  
USE BIOCHEMICAL OXYGEN DEMAND

BODY COMPOSITION  
BOIL DISEASE  
USE VIBRIO

BOLEOPHTHALMUS CHINENSIS  
USE MUD SKIPPER

BONE  
RT VERTEBRA

BONITO  
BT MARINE FISH  
NT STRIPED BONITO

BOTHRIOCEPHALUS SCORPII  
USE TAPEWORM

BOTTOM  
UF DEMERSAL ENVIRONMENT  
RT BENTHOS  
BOTTOM CULTURE  
BOTTOM SAMPLING  
POND BOTTOM

BOTTOM CULTURE  
UF SEABED FARMING  
RT BENTHOS  
BOTTOM  
OFF BOTTOM CULTURE

BOTTOM SAMPLING  
BT SAMPLING  
RT BENTHOS  
BOTTOM  
SAMPLING EQUIPMENT

BOWFIN  
UF AMIA CALVA  
BT FRESH WATER FISH

BRACHIONUS  
USE ROTIFER

BRACHIOPOD

BRACHYDANIO RERIO  
USE ZEBRA DANIO

BRANCHIOMYCES SANGUINIS  
USE BRANCHIOMYCOSIS

BRACKISH WATER  
BT SALINE WATER  
WATER

RT COASTAL WATER  
ESTUARY

GROUND WATER  
MARINE FISH  
POLLUTION

SALINITY  
WATER QUALITY

BRAM  
NT RICE BRAN  
WHEAT BRAN

RT FEED COMPOSITION

BRANCHIOMYCES  
USE BRANCHIOMYCOSIS

BRANCHIOMYCOSIS  
UF BRANCHIOMYCES  
BT DISEASE  
RT FUNGUS

BRANDING  
BT MARKING  
RT TAGGING

BREAM  
BT FRESH WATER FISH

BREVOORTIA TYRANNUS  
USE ATLANTIC MENHADEN

BRILL  
UF SCOPHTHALMUS RHOMBUS  
BT FLATFISH  
MARINE FISH

BRINE SHRIMP  
UF ARTEMIA SALINA  
BT CRUSTACEAN  
SHELLFISH  
SHRIMP

RT CULTURED FOOD  
LIVE FOOD

BRITAIN  
USE UNITED KINGDOM

BRITISH COLUMBIA

BRITISH COLUMBIA ABALONE UF HALIOTIS KAMTSCHATKANA BT ABALONE	BRYCON HENNI USE SABAleta
BROAD WHITEFISH UF COREGONUS NASUS BT FRESH WATER FISH	BRYOZOAN UF ECTOPROCT MOSS ANIMAL
BROOD STOCK UF PARENT STOCK RT FECUNDITY HATCHERY STOCK INDUCED SPAWNING SELECTIVE BREEDING	BUBBLE FENCE BT EQUIPMENT
BROOK TROUT UF SALVELINUS FONTINALIS BT ANADROMOUS FISH TROUT	BUCEPHALUS BT PARASITE
BROWN ALGAE BT ALGAE SEAWEED NT KELP SUGAR WRACK WAKAME	BUFFALOFISH UF ICTIOBUS BT FRESH WATER FISH
RT FUOIDEN LAMINARIN PHYTOPLANKTON SEAWEED USE	BULGARIA
BROWN BULLHEAD UF Ictalurus nebulosus BT BULLHEAD CATFISH CATFISH FRESH WATER FISH	BULLFROG UF RANA CATESBEIANA BT FROG
BROWN MUDFISH UF NEOCHANNA APODA BT FRESH WATER FISH	BULLHEAD CATFISH BT CATFISH FRESH WATER FISH
BROWN SHRIMP UF PENAEUS AZTECUS BT SHRIMP	NT BLACK BULLHEAD BROWN BULLHEAD YELLOW BULLHEAD
BROWN TROUT UF OHRID TROUT SALMO TRUTTA SEA TROUT BT FRESH WATER FISH TROUT	BUOY BT EQUIPMENT
	BURBOT UF LOTA LOTA BT FRESH WATER FISH
	BURMA
	BURNED SPOT DISEASE USE SHELL DISEASE
	BURROW
	BUSHY POND WEED BT AQUATIC WEED RT POND
	BUSINESS USE ECONOMICS
	BUTTER CLAM

UF SAXIDOMUS NUTTALLI  
BT CLAM  
  
BY-PRODUCT  
RT PROCESSING  
WASTE  
  
CADDISFLY  
BT INSECT  
  
CADMIUM  
BT HEAVY METAL  
METAL  
  
CAGE  
BT EQUIPMENT  
RT CAGE CULTURE  
  
CAGE CULTURE  
UF PEN CULTURE  
RT CAGE  
FISH  
FLOATING PEN  
  
CALBASU  
UF LABEO CALBAŞU  
BT CARP  
FRESH WATER FISH  
  
CALCIFICATION  
RT DECALCIFICATION  
  
CALCIUM  
  
CALICO CRAB  
UF HEPATUS EPHILITICUS  
BT CRAB  
  
CALICO SCALLOP  
UF ARGOPECTEN GIBBUS  
BT SCALLOP  
  
CALIFORNIA  
  
CALIFORNIA MUSSEL  
UF MYTILUS CALIFORNIANUS  
BT MUSSEL  
  
CALIFORNIA SPINY LOBSTER  
USE SPINY LOBSTER  
  
CALIGUS

CALLINECTES SAPIDUS  
USE BLUE CRAB  
  
CALORIE  
USE ENERGY  
  
CAMEROON  
  
CAMOUFLAGE  
RT PIGMENT  
  
CANADA  
  
CANCER  
UF CARCINOMA  
MELANOSARCOMA  
NEOPLASM  
RT ABNORMALITY  
CARCINOGEN  
HEPATOMA  
ONCOGENESIS  
TISSUE DAMAGE  
TUMOR  
  
CANCER ANTENNARIUS  
USE ROCK CRAB  
  
CANCER IRRORATUS  
USE ROCK CRAB  
  
CANCER MAGISTER  
USE DUNGENESS CRAB  
  
CANCER PAGARUS  
USE EDIBLE CRAB  
  
CANNIBALISM  
RT BEHAVIOR  
FOOD HABITS  
  
CANNING  
BT PROCESSING  
  
CARANX MATE  
USE OMAKA  
  
CARASSIUS AURATUS  
USE GOLDFISH  
  
CARASSIUS CARASSIUS  
USE CRUCIAN CARP

CARBOHYDRATE  
NT CELLULOSE  
GLUCOSE  
GLYCOGEN  
RT FEED COMPOSITION  
GLYCOPROTEIN  
LIPID  
NUTRIENT REQUIREMENT  
PROTEIN

CARBON  
NT LABELLED CARBON  
KT CARBON DIOXIDE  
DISSOLVED ORGANICS

CARBON DIOXIDE  
RT CARBON

CARCINOGEN  
RT CANCER  
ONCOGENESIS  
TUMOR

CARCINOMA  
USE CANCER

CARETTA CARETTA  
USE LOGGERHEAD TURTLE

CARIBBEAN  
RT PUERTO RICO

CARIDEAN SHRIMP  
USE SHRIMP

CARNIVORE  
RT FOOD WEB

CAROTENOID  
RT PIGMENT

CARP  
UF CATLA  
CHINESE CARP  
CIRRHINA  
CTENOPHARYNGODON  
CYPRINUS CARPIO  
HYPOPTHALMICHTHYS  
INDIAN CARP  
Labeo  
ROPSHIAN CARP

BT FRESH WATER FISH  
NT BIGHEAD CARP  
BLACK CARP  
CALBASU  
CRUCIAN CARP  
GRASS CARP  
ISRAELI CARP  
MINNOW  
MRIGAL  
MUD CARP  
ROHU  
SILVER CARP

CARP ERYTHRODERMATITIS  
USE DROPSY

CARRAGEENAN  
RT ALGAE  
IRISH MOSS  
RED ALGAE  
SEAWEED  
SEAWEED USE

CARRIER  
USE INFECTION

CARRYING CAPACITY  
UF BIOGENIC CAPACITY  
FISH LOADING  
RT INTENSIVE CULTURE  
PRODUCTIVITY  
STOCK DENSITY

CASE HISTORY  
RT EPIZOOTIOLOGY

CASEIN  
BT PROTEIN  
RT AMINO ACID  
PLASTIC

CASORON

CASPION SEA

CATADROMOUS FISH  
BT FISH  
NT AMERICAN EEL  
EEL  
EUROPEAN EEL  
GLASS EEL  
JAPANESE EEL

SWAMP EEL	CENTROPRISTIS PHILADELPHICA USE ROCK SEA BASS
CATARACT BT DISEASE RT EYE	CEPHALOLOBUS PENAEUS BT PROTOZOAN
CATCH RATE UF FISH PER HOUR FISHING TIME	CERATOMYXA SHASTA BT MYXOSPORIDIA PARASITE PROTOZOAN RT DISEASE
CATFISH BT FRESH WATER FISH NT BLACK BULLHEAD BLUE CATFISH BROWN BULLHEAD BULLHEAD CATFISH CHANNEL CATFISH FLATHEAD CATFISH GAFFTOPSAIL CATFISH SEA CATFISH WALKING CATFISH WHITE CATFISH YELLOW BULLHEAD	CERCARIA TENUANS BT TREMATODE  CERCARIAE USE TREMATODE  CESTODE BT FLATWORM PARASITE NT POLYPOCEPHALUS PROCHRISTIANELLA PENAEUS TAPEWORM
CATHETER BT EQUIPMENT	CEYLON USE SRI LANKA
CATLA USE CARP	CHAETOGNATH BT ZOOPLANKTON
CATOSTOMUS COMMERSONI USE WHITE SUCKER	CHAIN PICKEREL UF ESOX NIGER BT FRESH WATER FISH PIKE
CAULIFLOWER DISEASE USE PAPILLOMAS	CHALCALBURNUS CHALCOIDES USE SHEMAYA
CCV USE CHANNEL CATFISH; VIRUS	CHANOS CHANOS USE MILKFISH
CE USE DROPSY	CHANNEL CATFISH UF Ictalurus punctatus BT CATFISH FRESH WATER FISH
CELL CULTURE USE CYTOLOGY	CHAR BT ANADROMOUS FISH NT ARCTIC CHAR SEA CHAR
CELL YIELD	
CELLULOSE BT CARBOHYDRATE	
CENTRAL AMERICA	

CHASMISTES CUJUS USE CUI-UI	CHILE
CHEESE RT FEED COMPOSITION	CHILEAN MUSSEL BT MUSSEL
CHELONIA MYDAS USE GREEN TURTLE	CHILIDONICHTHYS KUMU USE GURNARD
CHEMCONTROL RT ACRIFLAVINE ANESTHETIC ANTIBIOTIC AQUATIC WEED CONTROL BIOCONTROL DI-N-BUTYL TIN OXIDE DISEASE TREATMENT DRUG LIME METHYLENE BLUE MALACHITE GREEN PESTICIDE POPULATION CONTROL PREDATOR CONTROL RATE OF APPLICATION	CHILODONELLA BT PARASITE PROTOZOAN RT DISEASE
CHEMICAL RESIDUE USE CHEMICAL; RESIDUE	CHILLING RT COOLANT COOLING TEMPERATURE CONTROL
CHEMICAL RT CHEMISTRY RESIDUE	CHINA SEA
CHEMISTRY RT ACIDITY ALKALINITY CHEMICAL	CHINESE CARP USE CARP
CHEMOSTAT BT EQUIPMENT RT ALGAE CULTURE CONTINUOUS CULTURE CONTINUOUS LIQUID DISCHARGE	CHINESE WATERCHESTNUT
CHERAX TENUIMANUS USE MARRON	CHINOOK SALMON UF UNCORHYNCHUS TSCHAWYTSCHA KING SALMON BT ANADROMOUS FISH SALMON
CHERRY SALMON USE MASU SALMON	CHINOOK SALMON VIRUS DISEASE USE SALMON VIRUS DISEASE
CHESAPEAKE BAY UF BAY	CHIONOECETES OPILO USE TANNER CRAB
	CHIRONOMIDAE BT AQUATIC INSECT
	CHITIN
	CHLAMYDOMONAS REINHARDTII BT ALGAE
	CHLORAMINE-T
	CHLORAMPHENICOL UF CHLOROMYCITIN BT DRUG

CHLORDANE	CHRISTMAS ISLAND
BT PESTICIDE	
NT ORGANOCHLORINE	
CHLORELLA	CHROMIC OXIDE
BT ALGAE	UF CR203
GREEN ALGAE	
CHLORIDE	CHROMIC SESQUIOXIDE
RT SALT	
CHLURINE	
CHLORINATED ALIPHATIC HYDROCARBON	CHROMIUM
BT ORGANOCHLORINE	BT METAL
CHLORINATED BENZENE	CHROMOSOME
	RT CYTOLOGY
	DNA
CHLORINATED HYDROCARBON	GENETICS
USE ORGANOCHLORINE	GENOTYPE
CHLORINATION	HYBRID
USE CHLORINE	MEIOSIS
 	MITOSIS
CHLORINE	PURINE
UF CHLORINATION	PYRIMIDINE
DECHLORINATION	
RT BIOLOGICAL OXYGEN DEMAND	CHRYSAORA QUINQUECIRRHA
CHLORIDE	USE SEA NETTLE
WATER PURIFICATION	
WATER TREATMENT	
CHLOROMYCETIN	CHYSOPHYS AURATUS
USE CHLORAMPHENICOL	USE SNAPPER
CHLOROPHYLL	CHUB
RT PLANT PIGMENT	BT FRESH WATER FISH
CHLORTETRACYCLINE	CHUM SALMON
UF AUREOMYCIN	UF ONCORHYNCHUS KETA
BT ANTIBIOTIC	BT ANADROMOUS FISH
	SALMON
CHOLESTEROL	CIGUATERA
UF CHOLESTEROL ESTER	BT DISEASE
 	RT HEALTH
CHOLESTEROL ESTER	HUMAN DISEASE
USE CHOLESTEROL	
CHONDROCOCCUS COLUMNARUS	CILIATE
BT BACTERIA	BT PROTOZOAN
CHORION	CIRCULATING POND
	BT POND
	RT POND CULTURE
	POND DESIGN
	CIRRHINA
	USE CARP
	CIRRHINA MOLITORELLA

USE MUD CARP

CIRRHINA MRIGALA  
USE MRIGAL

CISCO  
BT FRESH WATER FISH

CITRIC ACID

CLADOCERAN  
BT CRUSTACEAN  
PLANKTON  
ZOOPLANKTON  
NT DAPHNIA

CLAM

BT MOLLUSK  
NT ASIATIC CLAM  
BUTTER CLAM  
COOT CLAM  
GAPER CLAM  
GEM CLAM  
HARD CLAM  
HORSE CLAM  
JAPANESE SURF CLAM  
LITTLENECK CLAM  
MANILA CLAM  
NORTHERN QUAHOG  
OCEAN QUAHOG  
PINKNECK CLAM  
QUAHOG  
RAZOR CLAM  
SHORT NECKED CLAM  
SOFT SHELL CLAM  
SOUTHERN QUAHOG  
SUNRAY VENUS CLAM  
SURF CLAM

RT BENTHOS  
MUSSEL  
OYSTER

CLAM SHELL  
USE CLAM; SHELL

CLARIAS  
USE WALKING CATFISH

CLEANING  
RT SEDIMENT  
TROUGH CLEANER  
WASHING

CLEARING REAGENT  
RT WATER TREATMENT

CLEIDODISCUS  
BT PARASITE  
TREMATODE  
RT DISEASE

CLIMATE  
RT RAINFALL  
SEASON  
WEATHER

CLOSED SYSTEM  
RT AERATION  
AQUARIUM  
AQUARIUM CULTURE  
BIOPROCESS  
RECIRCULATED WATER  
WATER CIRCULATION

CLUPEA HARENGUS  
USE ATLANTIC HERRING  
PACIFIC HERRING

CO-RAL  
BT ORGANOPHOSPHATE  
PESTICIDE

COASTAL WATER  
BT WATER  
RT ATLANTIC OCEAN  
ESTUARY  
GULF COAST  
PACIFIC OCEAN  
SHALLOW WATER

COBALT  
BT METAL

COCCIDIA  
BT PARASITE  
PROTOZOA  
RT DISEASE

COCKLE  
BT MOLLUSK  
SHELLFISH

CODFISH  
BT MARINE FISH

NT ATLANTIC COD

COELENTERATE

NT CORAL

HYDROZOAN

JELLYFISH

SCYPHOZOA

SEA NETTLE

COLOR VISION

USE VISION

COHO SALMON

UF SILVER SALMON

ONCORHYNCHUS KISUTCH

BT ANADROMOUS FISH

SALMON

COLORIMETRY

RT WATER QUALITY

COLD WATER

BT WATER

RT DEEP SEA WATER

COLUMNARIS DISEASE

BT DISEASE

RT MYXOBACTERIA

COLIFORM

BT BACTERIA

RT HUMAN DISEASE

POLLUTION

SEWAGE

SEWAGE TREATMENT

COMMERCIAL APPLICATION

RT COMMERCIAL FIRM

COMMERCIAL FIRM

UF PRIVATE ENTERPRISE

RT AQUAFARM

COMMERCIAL APPLICATION

COMMERCIAL FISHING

ECONOMICS

FEF FISHING

INVESTMENT

MARINE FACILITY

MARKET

SUPPLIER

COLLAGEN

BT PROTEIN

COLLECTING

RT FISHING

HANDLING

HARVESTING

LIVE CAPTURE

MECHANICAL HARVESTING

RECAPTURE

SAMPLING

TRAP

COMMERCIAL FISHING

RT BAITFISH

COMMERCIAL FIRM

ELECTROFISHING

ELECTROSHOCKING

FISHERY

FISHERY MANAGEMENT

FISHING

FRESH WATER FISH

HANDLING

INTERNATIONAL CONTROL

MARINE FISH

OPEN WATER CULTURE

OVERFISHING

COLOMBIA

COLOR (OF MEAT)

USE CONSUMER ACCEPTABILITY

COLOR DEVELOPMENT

BT DEVELOPMENT

RT PIGMENT

COMMON PERCH

USE EURASIAN PERCH

COLOR MUTATION

RT GENETICS

PHENOTYPE

PIGMENT

COMMON PERIWINKLE

UF PERIWINKLE

LITTORINA LITTOREA

BT MOLLUSK

COMMON PRAWN  
UF PALAEMON SERRATUS  
BT PRAWN  
SHRIMP

COMMUNITY  
USE ECOLOGY

COMPETITION  
USE BIOLOGICAL COMPETITION

COMPETITIVE BIDDING  
RT LEGAL ASPECT

COMPLETE FOOD  
RT FEED COMPOSITION  
FOOD REQUIREMENT  
INCOMPLETE FOOD  
NUTRIENT REQUIREMENT

CONCH  
BT MOLLUSK  
SHELLFISH  
NT QUEEN CONCH  
RT WHELK

CONDITION  
UF CONDITION FACTOR  
CONDITION INDEX

CONDITION FACTOR  
USE CONDITION

CONDITION INDEX  
USE CONDITION

CONDITIONED RESPONSE  
RT ACOUSTIC ATTRACTION  
BEHAVIOR  
RECAPTURE  
SENSORY STIMULATION

CONDITIONING  
RT FATTENING  
INDUCED SPAWNING

CONGO

CONGO TILAPIA  
UF TILAPIA MELANOPLEURA  
BT FRESH WATER FISH

## TILAPIA

CONSTRAINTS  
USE PROBLEMS

CONSTRUCTION DETAIL  
RT BIOENGINEERING  
COST  
DESIGN  
EQUIPMENT  
MATERIAL  
PLASTIC

CONSUMER ACCEPTABILITY  
UF COLOR (OF MEAT)  
RT EDUCATION  
ODOR  
MARKET  
PROCESSING  
RESTAURANT USE  
SOCIAL ASPECT  
TASTE

CONTAMINATION  
NT GAMETIC CONTAMINATION  
RT BACTERIA  
DISEASE  
DISINFECTION  
FOULING  
INDUSTRIAL WASTE  
INFECTION  
POISON  
POLLUTION  
RADIOACTIVITY  
THERMAL POLLUTION  
TOXICITY

CONTINUOUS CULTURE  
RT ALGAE CULTURE  
BACTERIA CULTURE  
BATCH CULTURE  
CHEMOSTAT  
CULTURE MEDIUM  
CULTURED FOOD  
DIALYSIS CULTURE

CONTINUOUS LIQUID DISCHARGE  
RT APPLICATION  
AUTOMATIC DEVICE  
CHEMOSTAT  
RATE OF APPLICATION

CONTRACAECUM HABENA	BT SAMPLING
BT NEMATODE	COREGONUS ALBULA
CONTROLLED MASS SPAWNING	USE VENDACE
USE INDUCED SPAWNING	
COOK ISLANDS	COREGONUS ARTEDII
	USE LAKE HERRING
COOLANT	COREGONUS CLUPEAFORMIS
RT CHILLING	USE LAKE WHITEFISH
COOLING	
TEMPERATURE CONTROL	COREGONUS AUTUMNALIS
	USE OMUL
COOLING	COREGONUS LAVARETUS
RT CHILLING	USE POLLAN
COOLANT	
TEMPERATURE CONTROL	COREGONUS NASUS
COOLING WATERS	USE BROAD WHITEFISH
USE POWER STATION EFFLUENT	
COOT CLAM	COREGONUS PELED
UF MULINIA LATERALIS	USE PELYAD
BT CLAM	
COPEPOD	CORN
BT CRUSTACEAN	RT FEED COMPOSITION
ZOOPLANKTON	
NT ANCHOR WORM	CORYNEBACTERIUM
TISBE HELGOLANDICA	
RT DISEASE	COST
LIVE FOOD	RT CONSTRUCTION DETAIL
PLANKTON	ECONOMICS
	EQUIPMENT
	FEASIBILITY STUDY
	LABOR
	MODEL
COPPER	MARKETING
BT METAL	
RT COPPER SULFATE	COST MODEL
	USE COST; MODEL
COPPER SULFATE	
BT PESTICIDE	COSTA RICA
SULFATE	
RT COPPER	COSTIA
	BT PARASITE
CORAL	PROTOZOAN
BT COELENTERATE	RT COSTIASIS
NT SEA FAN	DISEASE
RT REEF	PROTOZOAN
CORBICULA FLUMINEA	
USE ASIATIC CLAM	COSTIASIS
CORE SAMPLING	BT DISEASE
	RT COSTIA

COTTONSEED CAKE  
RT COTTONSEED MEAL  
FEED COMPOSITION

COTTONSEED MEAL  
BT MEAL  
RT AFLATOXIN .  
COTTONSEED CAKE  
FEED COMPOSITION

CRAB  
BT CRUSTACEAN  
NT BLUE CRAB  
CALICO CRAB  
DUNGENESS CRAB  
EDIBLE CRAB  
HERMIT CRAB  
KING CRAB  
MUD CRAB  
OYSTER CRAB  
RED CRAB  
ROCK CRAB  
SHORE CRAB  
SOFT CRAB  
SPIDER CRAB  
STONE CRAB  
TANNER CRAB  
RT HORSESHOE CRAB

CRANGON CRANGON  
RT LIVE FOOD

CRAPPIE  
BT FRESH WATER FISH  
NT BLACK CRAPPIE  
WHITE CRAPPIE

CRASSOSTREA ANGULATA  
USE PORTUGUESE OYSTER

CRASSOSTREA COMMERCIALIS  
USE SYDNEY ROCK OYSTER

CRASSOSTREA ERADELIE  
USE SLIPPER OYSTER

CRASSOSTREA GIGAS  
USE JAPANESE OYSTER

CRASSOSTREA GLOMERATA  
USE ROCK OYSTER

CRASSOSTREA RHIZOPHORAE  
USE MANGROVE OYSTER

CRASSOSTREA VIRGINICA  
USE EASTERN OYSTER

CRAWFISH  
USE CRAYFISH

CRAYFISH  
UF CRAWFISH  
BT CRUSTACEAN  
NT MARRON  
NORTH AMERICAN CRAYFISH  
RED SWAMP CRAYFISH

CREDIT  
USE FINANCING

CROAKER  
BT MARINE FISH  
NT ATLANTIC CROAKER  
GULF CROAKER

CROP ROTATION  
RT AQUAFARM  
LAND USE  
MANAGEMENT  
MIXED CULTURE  
RICE

CROWDING  
USE STOCK DENSITY

CRUCIAN CARP  
UF CARASSIUS CARASSIUS  
BT CARP  
FRESH WATER FISH

CRUSTACEAN  
UF SHELLFISH  
NT AMPHIPOD  
BARNACLE  
BRINE SHRIMP  
CLADOCERAN  
COPEPOD  
CRAB  
CRAYFISH  
DAPHNIA  
ISOPOD  
LOBSTER

SHRIMP	AGAR
RT PARASITE	BACTERIA CULTURE
CRYOGENIC PRESERVATION	CONTINUOUS CULTURE
UF CRYOPROTECTANT	SALINE WATER
BT PRESERVATION	
RT DMSO	CULTURED FOOD
FREEZING	RT ALGAE
STORAGE TEMPERATURE	ALGAE CULTURE
CRYOPROTECTANT	BRINE SHRIMP
USE CRYOGENIC PRESERVATION	CONTINUOUS CULTURE
CTENOPHARYNGODON	LIVE FOOD
USE CARP	
CTENOPHARYNGODON IDELLA	CURRENT (WATER)
USE GRASS CARP	NT EQUATORIAL CURRENT
CTENOPHARYNGODON IDELLUS	RT FLOW
USE GRASS CARP	GROUND WATER
CTENOPOMA MURIEI	STREAM
CTENOPHORE	TIDE
BT JELLYFISH	WATER CIRCULATION
CUBA	CUTRINE
CUI-UI	CUTTHROAT TROUT
UF CHASMISTES CUJUS	UF SALMO CLARKI
BT FRESH WATER FISH	BT FRESH WATER FISH
CULICIDAE	TROUT
USE MOSQUITO	
CULTCH	CYPRINODON VARIEGATUS
RT CULTCH-FREE TECHNIQUE	USE SHEEPSHEAD MINNOW
OYSTER	
SETTING	CYPRINUS CARPIO
SHELL BAG	USE CARP
SPAT	
SPATFALL MONITORING	CYPRUS
SYNTHETIC CULTCH	
CULTCH-FREE TECHNIQUE	CYST
RT CULTCH	
OYSTER	CYTOTOLOGY
SYNTHETIC CULTCH	UF CELL CULTURE
CULTURE MEDIUM	RT CHROMOSOME
RT ALGAE CULTURE	DNA
	GENETICS
	HISTOLOGY
	MEIOSIS
	MICROSCOPE
	MITOSIS
	PURINE
	PYRIMIDINE
	RESISTANCE
	RNA
	SECTIONING
	STAINING

CYTOPHAGA

CZECHOSLOVAKIA

DAB

UF LIMANDA LIMANDA  
BT FLATFISH  
MARINE FISH

DACTYLOGYROSIS

BT DISEASE  
RT DACTYLOGYRUS

DACTYLOGYRUS

BT PARASITE  
TREMATODE  
RT DISEASE  
DACTYLOGYROSIS

DAM

RT ENCLOSURE

DANUBE SALMON

UF HUCHO HUCHO  
BT ANADROMOUS FISH  
SALMON

DAPHNIA

BT CLADOCERA  
CRUSTACEAN  
PLANKTON  
ZOOPLANKTON  
RT LIVE FOOD

DATA SYSTEM

RT INFORMATION

DDE

BT PESTICIDE

DDT

BT ORGANOCHLORINE  
PESTICIDE

DECALCIFICATION

RT CALCIFICATION

DECHLORINATION

USE CHLORINE

DEEP SEA WATER

BT SEA WATER  
WATER

RT ARTIFICIAL UPWELLING  
COLD WATER  
UPWELLING  
NUTRIENT  
OFFSHORE

DEFORMITY  
USE ABNORMALITY

DEHYDRATION  
RT MOISTURE

DELAWARE

DELAWARE BAY  
UF BAY

DELAWARE BAY DISEASE  
USE MSX

DELAYED SPAWNING

BT SPAWNING  
RT ARTIFICIAL SPAWNING  
INDUCED SPAWNING  
NATURAL SPAWNING

DEMAND

USE MARKET

DEMAND FEEDING

BT FEEDING  
RT APPETITE  
BEHAVIOR  
FOOD REQUIREMENT

DEMERSAL ENVIRONMENT  
USE BOTTOM

DENITRIFYING BACTERIA

BT BACTERIA  
RT BIOFILTER  
NITRATE  
NITROGEN

DENMAN ISLAND DISEASE  
BT DISEASE

DENMARK

DENSITY

USE STOCK DENSITY	DETrital FEEDING
DEPIGMENTATION	RT SEDIMENT
USE PIGMENT	
DEPTH	DEVELOPMENT
NT STREAM DEPTH	NT COLOR DEVELOPMENT
RT WATER COLUMN	RT ANATOMY
	LARVA
DEPURATION	LIFE HISTORY
RT BACTERIA	MATURITY
DETOXIFICATION	METAMORPHOSIS
DISEASE PREVENTION	MOLTING
HUMAN DISEASE	MORPHOLOGY
POLLUTION	POSTLARVA
DERMO	DEXON
UF DERMOCYSTIDIUM	DI-N-BUTYL TIN OXIDE
BT DISEASE	RT CHEMCONTROL
RT FUNGUS	DISEASE TREATMENT
DERMOCYSTIDIUM	DIABETES
USE DERMO	BT DISEASE
DESALINATION	RT SEKOKE DISEASE
BT WATER TREATMENT	
RT ELECTRODES	DIAGNOSIS
SALINE WATER	RT DISEASE
SALINITY	DISEASE DETECTION
SALINITY CONTROL	HEALTH SPECIALIST
SEA WATER	SYMPTOM
WATER PURIFICATION	VITAMIN DEFICIENCY SYNDROM
WATER QUALITY	
WATER SOFTENER	
DESIGN	DIALYSIS CULTURE
RT BIGENGINEERING	DIATOM
CONSTRUCTION DETAIL	UF MARINE DIATOM
EQUIPMENT	BT ALGAE
DETERGENT	PHYTOPLANKTON
RT POLLUTION	PLANKTON
DETOXIFICATION	RT ALGAE CULTURE
RT DEPURATION	BATCH CULTURE
POLLUTION	CONTINUOUS CULTURE
DETrital FEEDING	DIAZINON
USE DETRitus	BT PESTICIDE
DETRitus	DICENTRARCHUS
UF BIGDEPOSITION	DIELDREN
	BT ORGANOCHLORINE
	PESTICIDE
	DIET

NT ABERNATHY DIET	RT PROTOZOAN
RT ARTIFICIAL FOOD	DIPTEREX
DIETARY ADDITIVE	RT DRUG
DIETARY DEFICIENCY	DISC ABALONE
DIETARY EXCESS	USE JAPANESE ABALONE
FEED COMPOSITION	DISEASE
LIVE FOOD	UF PATHOLOGY
NUTRIENT REQUIREMENT	NT ABER DISEASE
 	ALGAE COLLAR
DIETARY ADDITIVE	AMBER DISEASE
RT ARTIFICIAL FOOD	ANEMIA
DIET	ARGULOSIS
DIETARY DEFICIENCY	BACILLARY DYSENTERY
DIETARY EXCESS	BACTERIAL COLD-WATER DISEASE
FEED COMPOSITION	BACTERIAL GILL DISEASE
UF FOOD SUPPLEMENT	BLACK SPOT
NUTRIENT REQUIREMENT	BRONCHIOMYCOSIS
 	CATARACT
DIETARY DEFICIENCY	CIGUATERA
NT VITAMIN DEFICIENCY	COLUMNARIS DISEASE
RT ABNORMALITY	COSTIASIS
DIET	DACTYLOGYROSIS
DIETARY ADDITIVE	DIABETES
INCOMPLETE FOOD	DENMAN ISLAND DISEASE
NUTRIENT REQUIREMENT	DERMO
SYMPTOM	DROPSY
VITAMIN DEFICIENCY SYNDROME	ENTERIC CESTODIASIS
 	ENTERITIS
DIETARY EXCESS	ERYTHRODERMATITIS
RT DIET	EXOPHTHALMIA
DIETARY ADDITIVE	FURUNCULOSIS
SYMPTOM	FUSARIOSIS
 	GAFFKAEMIA
DIETHYLSTILBESTROL	GAS-BUBBLE DISEASE
 	GILL DISEASE
DIGESTIBILITY	GRAY CRAB DISEASE
USE DIGESTION	GREEN SPOT ROTTING
 	GRUNT FIN AGENT
DIGESTION	HEMATOPOIETIC NECROSIS
UF DIGESTIBILITY	HEMORRHAGIC SEPTICEMIA
RT EVACUATION	HUMAN DISEASE
FOOD HABITS	HYDROCEPHALUS
INTESTINAL TRACT	ICH
NUTRIENT	INFECTIOUS PANCREATIC NECROSIS
NUTRIENT REQUIREMENT	KIDNEY DISEASE
TRYPSIN	LAGENIDIUM
URINE	LERNAESIS
 	LIGULOSIS
DINOFLAGELLATE	LIPOID HEPATIC DEGENERATION
BT ALGAE	
PHYTOPLANKTON	
PLANKTON	

LORDOSIS	DISEASE PREVENTION
LYMPHOCYSTIS	DISEASE TREATMENT
MALPEQUE DISEASE	DRUG
MSX	ENDOTOXIN
MUSCULAR DYSTROPHY	EPIZOOTIC
MYCELIAL DISEASE	GYRODACTYLUS
MYCOBACTERIOSIS	HEALING
NECROSIS	HEALTH SPECIALIST
NOCARDIOSIS	HENNEGUYA
OPEN JAW SYNDROME	HUMAN DISEASE
PAPILLOMAS	IMMUNITY
PARALYTIC SHELLFISH DISEASE	INFECTION
PSEUDOKIDNEY DISEASE	INJURY
RED SPOT DISEASE	MASS MORTALITY
RED WASTING DISEASE	MYXOBACTERIA
REDMOUTH	MYXOSOMA CEREBRALIS
SALMON VIRUS DISEASE	NUTRIENT REQUIREMENT
SCOLIOSIS	PARASITE
SEASIDE DISEASE	POLLUTION
SEKOKE DISEASE	PSEUDOMONAS
SEPTICEMIA	RESISTANCE
SHELL DISEASE	SCYPHERION LUMPI
SOFT SHELL DISEASE	SCYPHIDIUM
SPINNING DEATH	SHOCK
SPOROCYTOPHAGA DISEASE	SYMPTOM
TUBERCULOSIS	TRICHODINA
ULCERATIVE DERMAL NECROSIS	TRICHOPHYRA
VELVET DISEASE	VIRULENCE
VIBRIO	VIRUS
VIRAL HEMORRHAGIC SEPTICEMIA	VITAMIN DEFICIENCY SYNDROME
VISCERAL GRANULOMA	
WHIRLING DISEASE	DISEASE CONTROL
WHITE WASTING DISEASE	RT ANTIBIOTIC
ZOOTHAMNIUM	DISEASE
RT ABNORMALITY	DISEASE DETECTION
AEROMONAS	DISEASE PREVENTION
AMOEBA	DISEASE TREATMENT
ANCHOR WORM	EPIZOOTIC
BACTERIA	IMMUNITY
BACILLUS	IRRADIATION
BLISTER	ULTRAVIOLET
CERATOMYXA SHASTA	PARASITE
CHILODUNELLA	
CLEIDODISCUS	DISEASE DETECTION
COCCIDIA	RT DIAGNOSIS
CONTAMINATION	DISEASE
COPEPOD	DISEASE CONTROL
COSTIA	DISEASE PREVENTION
DACTYLOGYRUS	DISEASE TREATMENT
DIAGNOSIS	SYMPTOM
DISEASE CONTROL	VITAMIN DEFICIENCY SYNDROME
DISEASE DETECTION	

DISEASE LAW	WATER QUALITY
USE DISEASE; LEGAL ASPECT	
DISEASE PREVENTION	DISSOLVED ORGANIC CARBON
RT ANTIGEN	USE DISSOLVED ORGANICS
DEPURATION	 
DISEASE	DISSOLVED ORGANICS
DISEASE CONTROL	UF DISSOLVED CARBON
DISEASE DETECTION	DISSOLVED ORGANIC CARBON
DISEASE TREATMENT	RT CARBON
DISINFECTION	DOM UPTAKE
HUMAN DISEASE	WATER ANALYSIS
IMMUNITY	WATER QUALITY
INFECTION	 
PROPHYLACTIC	DISSOLVED OXYGEN
STERILIZATION	USE OXYGEN
VACCINE	 
 	DISSOLVED SOLIDS
DISEASE TREATMENT	RT SALT
RT ANTIBIOTIC	WATER ANALYSIS
CHEMCONTROL	 
DI-N-BUTYL TIN OXIDE	DISTRIBUTION
DISEASE	RT MIGRATION
DISEASE CONTROL	POPULATION
DISEASE DETECTION	 
DISEASE PREVENTION	DISTURBANCE
DRUG	 
HEALING	DIURON
INJECTION	 
RECOVERY	DMSO
RESISTANCE	RT CRYOGENIC PRESERVATION
TOLERANCE	SPERM
 	DNA
DISINFECTION	RT CHROMOSOME
RT CONTAMINATION	CYTOTOLOGICAL STUDY
DISEASE PREVENTION	GENETICS
INFECTION	PURINE
MBU-3	PYRIMIDINE
STERILIZATION	 
 	DOG FISH
DISPENSER	BT MARINE FISH
BT EQUIPMENT	NT SPINY DOGFISH
RT APPLICATION	 
AUTOMATIC DEVICE	DOLPHIN
FEEDER	BT MARINE FISH
 	DOM UPTAKE
DISSOLVED CARBON	RT DISSOLVED ORGANICS
USE DISSOLVED ORGANICS	 
 	DOMESTICATION
DISSOLVED GAS	 
RT GAS SUPERSATURATION	DOROSOMA CEPEDIANUM
WATER ANALYSIS	

USE GIZZARD SHAD	INJECTION INSULIN RESISTANCE SENSITIVITY TESTING TOLERANCE
DOROSOMA PETENENSE	
USE THREADFIN SHAD	
<b>DOSAGE</b>	
NT SUBLETHAL DOSAGE	DRYING
RT DRUG	RT PROCESSING
INJECTION	
RATE OF APPLICATION	
DOWICIDE A	DUCK
DRAGONFLY	BT BIRD
BT INSECT	
DRAINING	DULSE
RT HARVESTING	UF RHODYMINIA
DREDGE OYSTER	BT RED ALGAE
UF OSTREA LUTARIA	
BT OYSTER	DUNALIELLA TERTIOLECTA
DREDGING	BT ALGAE
DRILL	PLANKTON
USE OYSTER DRILL	DUNGENESS CRAB
<b>DROPSY</b>	UF CANCER MAGISTER
UF CARP ERYTHRODERMATIS	MARKET CRAB
CE	BT CRAB
HYDROPS	
IDC	DUSKY STRIPE SHINER
INFECTIOUS ABDOMINAL DROPSY	UF NOTROPIS PILSBRYI
INFECTIOUS ASCITES	BT FRESH WATER FISH
INFECTIOUS DROPSY	
RUBLLA	
BT DISEASE	<b>DWARF</b>
RT BACTERIA	RT ABNORMALITY
HEMORRHAGIC SEPTICAEMIA	STUNTING
<b>DRUG</b>	
NT ADRENALINE	DYE
ANTIBIOTIC	UF STAIN
RT ANESTHETIC	NT ACETOCARMINE
CHEMCONTROL	ACRIDINE ORANGE
DIPTEREX	ALIZARIN RED
DISEASE	ANILINE BLUE
DISEASE TREATMENT	BISMARCK BROWN Y DYE
DOSAGE	EOSIN B
DRUG RESISTANCE	FLUORESCENT DYE
ESTROGEN	METHYL ORANGE
	METHYLENE BLUE
	NEUTRAL RED
	NILE BLUE
	RHODAMINE B
	ROSE BENGAL
	THIOFLAVINE-S
	TRYPAN BLUE
	RT MARKING TECHNIQUE

EASTERN OYSTER	RESEARCH
UF AMERICAN OYSTER	RESOURCES
ATLANTIC OYSTER	RESTORATION
CRASSOSTREA VIRGINICA	SOCIAL ASPECT
BT OYSTER	WATER REQUIREMENT
ECHINODERM	ECTOCOmmENSAL
NT SEA CUCUMBER	RT COMMENSAL
SEA STAR	
SEA URCHIN	ECTOPARASITE
	USE PARASITE
ECOLOGY	
UF COMMUNITY	ECTOPROCT
ENVIRONMENT	USE BRYOZOAN
ENVIRONMENTAL IMPACT	
HABITAT	
RT BEHAVIOR	ECUADOR
BIOLOGICAL COMPETITION	EDIBLE CRAB
FOOD WEB	UF CANCER PAGURUS
INTERACTION	BT CRAB
LIFE HISTORY	
MIGRATION	EDIBLE MUSSEL
POLLUTION	USE BLUE MUSSEL
POPULATION	
PREDATION	EDUCATION
PREDATOR CONTROL	RT CONSUMER ACCEPTABILITY
POPULATION CONTROL	INFORMATION
PRODUCTIVITY	RESEARCH
WATER QUALITY	SOCIAL ASPECT
ECONOMICS	EEL
UF BUSINESS	BT CATADEROMOUS FISH
NT FINANCING	NT AMERICAN EEL
INVESTMENT	ELVER
MARKET	EUROPEAN EEL
RT COMMERCIAL FIRM	GLASS EEL
COST	JAPANESE EEL
EXPLOITATION	SWAMP EEL
EXPORT	
FEASIBILITY STUDY	EFFLUENT
IMPORT	NT POWER STATION EFFLUENT
INSURANCE	RT AQUACULTURAL POLLUTION
LABOR	INDUSTRIAL WASTE
LEGAL ASPECT	POLLUTION
MANAGEMENT	SEWAGE
MANPOWER	SEWAGE TREATMENT
MODEL	STICKWATER
PILOT PROGRAM	THERMAL POLLUTION
PLANNING	WASTE
POLITICAL ASPECT	WATER PURIFICATION
PRODUCTION	WATER TREATMENT

EGG	
RT EMBRYO	ELODEA
FECUNDITY	BT AQUATIC WEED
GAMETE	
GROWTH	
HATCHING	ELVER
HATCHING JAR	BT EEL
INCUBATION	RT FRY
OOCYTE	GLASS EEL
OOGENESIS	
OVARY	EMBAYMENT CULTURE
OVUM	RT ENCLOSURE
REPRODUCTION	
VIABILITY	EMBRYO
WATER HARDENING	RT EGG
YOLK SAC	INCUBATION
EICOSATETRAENOIC ACID	EMERGENCY AERATION
RT NUTRIENT REQUIREMENT	RT AERATION
ELECTRIC FEEDING	OXYGEN
USE FEEDER	WATER TREATMENT
ELECTRICAL ACTIVITY	ENCLOSURE
RT ELECTRODES	RT DAM
ELECTROPHORESIS	EMBAYMENT CULTURE
ELECTRODES	
RT DESALINATION	ENDOSULFAN
ELECTRICAL ACTIVITY	USE THIODAN
ELECTROFISHING	
RT COMMERCIAL FISHING	ENDOTOXIN
ELECTROSHOCKING	BT TOXIN
FISHING	RT DISEASE
ELECTRONARCOSIS	BACTERIA
UF GALVANONARCOSIS	
RT ANESTHETIC	ENDRIN
ELECTROSHOCKING	BT ORGANOCHLORINE
ELECTROPHORESIS	PESTICIDE
UF IMMUNOELECTROPHORESIS	
RT ELECTRICAL ACTIVITY	ENERGY
ELECTROSHOCKING	UF CALORIE
RT COMMERCIAL FISHING	METABOLIZABLE ENERGY
ELECTRONARCOSIS	RT FOOD CONVERSION
FISH BARRIER	LIGHT
HANDLING	NUTRIENT REQUIREMENT
MARKING	PHOTOSYNTHESIS
SHOCK	
	ENGINEERING
	USE BIOENGINEERING
	ENGLAND
	USE UNITED KINGDOM
	ENGRAULIS MORDAX

USE NORTHERN ANCHOVY	EQUATORIAL CURRENT
ENRICHMENT SOLUTION	BT CURRENT (WATER)
RT NUTRIENT	
ENTERIC CESODIASIS	EQUIPMENT
BT DISEASE	NT AGITATOR
ENTERIC REDMOUTH	AIRLIFT PUMP
USE REDMOUTH	AQUARIUM
ENTERITIS	AUTOMATIC DEVICE
BT DISEASE	BIOFILTER
ENVIRONMENT	BOAT
USE ECOLOGY	BUBBLE FENCE
ENVIRONMENTAL IMPACT	BUOY
USE ECOLOGY	CAGE
ENZYME	CATHETER
NT TRYPSIN	CHEMOSTAT
EOPSETTA GRIGORJEWI	DISPENSER
USE ROUNDNOSE FLOUNDER	FIELD EQUIPMENT
EOSIN B	FISH BOX
BT DYE	FISH SCREEN
RT STAINING	FLOAT
EPIDERMAL PAPILLOMAS	FLOATING PEN
USE PAPILLOMAS	FRY TRAP
EPISTYLIS	GILL NET
BT PROTOZOAN	HATCHING JAR
EPIZOOTIC	HEMACYTOMETER
RT DISEASE	INCUBATOR
DISEASE CONTROL	LIGHT METER
EPIZOOTIOLOGY	LIGHT TRAP
INFECTION	LIQUID NITROGEN GENERATION SYS
MASS MORTALITY	LIVE BOX
PARASITE	LIVE CAR
VIRUS	LOBSTER POT
EPIZOOTIOLOGY	MARIOTTE BOTTLE
RT CASE HISTORY	MBU-3
EPIZOOTIC	MICROFILM READER
HEALTH SPECIALIST	MICROSCOPE
INFECTION	PLANKTON NET
PARASITE	PLASTIC POOL
SPECIES SPECIFICITY	PUMP
VIRULENCE	RIFFLE SIFTER
	SANDBLAST GUN
	SHELL BAG
	SLIDE RULE
	SUBMERSIBLE RAFT
	SUCTION DEVICE
	TANK COVER
	TRAP
	WATER SOFTENER
RT	CONSTRUCTION DETAIL
	CONSTRUCTION DETAIL
	CUST

DESIGN	ETHOLOGY
HANDLING	USE BEHAVIOR
MATERIAL	
MECHANICAL HARVESTING	ETHYLENE OXIDE
SUPPLIER	RT STERILIZATION
ERM	EUBOTHRIUM CRASSUM
USE REDMOUTH	USE TAPEWORM
ERYTHROCYTE	EUCOPOD
RT BLOOD	BT PLANKTON
HEMATOLOGY	ZOOPLANKTON
ERYthrodermatitis	EUPHAUSIA SUPERBA
BT DISEASE	USE KRILL
ERYTHROMYCIN	EUPHAUSIID
BT ANTIBIOTIC	BT CRUSTACEAN
DRUG	PLANKTON
 	ZOOPLANKTON
ESCAPE AREA	NT KRILL
RT JUMPING	 
 	EUPLEURA CAUDATA
ESCHERICHIA COLI	USE OYSTER DRILL
BT BACTERIA	 
 	EURASIAN PERCH
ESOCID	UF PERCA FLUVIATILIS
USE PIKE	BT FRESH WATER FISH
ESOX LUCIUS	EUROPE
USE NORTHERN PIKE	 
 	EUROPEAN EEL
ESOX MASQUINONGY	UF ANGUILLA ANGUILLA
USE MUSKELLUNGE	BT CATADROMOUS FISH
 	EEL
ESOX NIGER	 
USE CHAIN PICKEREL	EUROPEAN LOBSTER
 	UF HOMARUS VULGARIS
ESTROGEN	HOMARUS GAMMARUS
BT HORMONE	BT LOBSTER
RT DRUG	 
 	EUROPEAN OYSTER
ESTUARY	UF OSTREA EDULIS
RT BRACKISH WATER	BT OYSTER
COASTAL WATER	 
SHALLOW WATER	EUTROPHICATION
 	RT AGE
ETHEOSTOMA SPECTABILE	ALGAE
USE ORANGETHROAT DARTER	BLOOM
 	FERTILIZER
ETHER	MASS MORTALITY
	OXYGEN

PLANKTON POLLUTION PRODUCTIVITY WATER QUALITY	EXOPHTHALMIA EYESTALK VISION
EUTHYNUS PELAMIS USE SKIPJACK TUNA	EYESTALK UF EYESTALK ABLATION RT EYE
EVACUATION RT DIGESTION	EYESTALK ABLATION USE EYESTALK
EVOLUTION RT PHYLOGENY	FALL FISH UF SEMOTILUS CORPORALIS BT FRESH WATER FISH
EXCELSIOR MAT	FAO ACTIVITIES USE INTERNATIONAL ASSISTANCE
EXERCISE RT FATIGUE STAMINA RATING SWIMMING	FAR EAST
EXOPHTHALMIA UF POPEYE BT DISEASE RT EYE	FARM DESIGN USE AQUAFARM
EXOSKELETON USE SHELL	FARM MANAGEMENT USE AQUAFARM; MANAGEMENT
EXPLOITATION RT ECONOMICS HARVESTING LEASE MANAGEMENT POPULATION PRODUCTIVITY RECRUITMENT	FATHEAD MINNOW UF PIMEPHALES PROMELAS BT FRESH WATER FISH MINNOW
EXPORT RT ECONOMICS IMPORT	FATIGUE RT BEHAVIOR EXERCISE STAMINA RATING
EXTENSIVE CULTURE USE LOW DENSITY CULTURE	FATS USE LIPIDS
EXTRACTION TECHNIQUE RT SPORE	FATTENING RT CONDITIONING
EXTRAPALLIAL FLUID	FATTY ACID NT METHYL LINOLENATE RT LINOLEIC ACID LINOLENIC ACID LIPID
EYE RT CATARACT	FEASIBILITY STUDY RT COST ECONOMICS MODEL

PILOT PROGRAM  
SITE SELECTION  
SPECIES SELECTION

FEATHER MEAL  
BT MEAL  
RT FEED COMPOSITION

FECES

FECUNDITY  
UF FERTILITY  
RT BROOD STOCK  
EGG  
INFERTILITY  
POPULATION  
PRODUCTIVITY  
SELECTIVE BREEDING

FEDERAL JURISDICTION  
USE JURISDICTION

FEE FISHING  
RT COMMERCIAL FIRM  
POND CULTURE  
RECREATION  
SPORT FISHING

FEED COMPOSITION  
RT ABERNATHY DIET  
ARGININE  
ASCORBIC ACID  
ASH  
BARLEY  
BEEF HEART EXTRACT  
BINDER  
BLOOD  
BRAN  
CARBOHYDRATE  
CHEESE  
COMPLETE FOOD  
CORN  
COTTONSEED CAKE  
COTTONSEED MEAL  
DIET  
DIETARY ADDITIVE  
FEATHER MEAL  
FOOD PREPARATION  
FIBER  
FISH MEAL  
FISH MEAT  
GELATIN

GLUCOSAMINE  
GLUTAMIC ACID  
GLYCINE  
GROUND FISH  
HERRING MEAL  
HERRING OIL  
HISTIDINE  
INCOMPLETE FOOD  
LIPID  
MEAL  
MEAT MEAL  
METHIONINE  
NUTRIENT REQUIREMENT  
OATS  
OREGON MOIST PELLET  
PEA  
PEANUT OIL  
PELLET  
PROTEIN  
RICE BRAN  
SHRIMP MEAL  
SOY MEAL  
TRYPTOPHAN  
VEGETABLE FEED  
VITAMIN  
VITAMIN A  
VITAMIN B  
VITAMIN C  
VITAMIN E  
WATER STABLE FEED  
WHEAT BRAN  
WHEAT GERM

FEED CONVERSION  
USE FOOD CONVERSION

FEEDER  
RT AUTOMATIC DEVICE  
BT EQUIPMENT  
DISPENSER  
WATER TREATMENT

FEEDING  
NT DEMAND FEEDING  
FORCE FEEDING  
RT APPETITE  
FOOD CONVERSION  
FOOD REQUIREMENT  
NUTRIENT REQUIREMENT  
PRODUCTION  
STARVATION

FENITROTHION  
BT ORGANOPHOSPHATE  
PESTICIDE

SIEVE DESIGN  
WATER PURIFICATION  
WATER TREATMENT

FERROUS CHLORIDE  
USE IRON COMPOUNDS

FILTRATION  
USE FILTER

FERTILITY  
USE FECUNDITY

FIN

FERTILIZATION  
NT ARTIFICIAL FERTILIZATION  
RT ARTIFICIAL SPAWNING  
EGG  
INDUCED SPAWNING  
NATURAL SPAWNING  
PRODUCTIVITY  
REPRODUCTION  
SELECTIVE BREEDING  
SPERM

FINANCING  
UF CREDIT  
FUNDING  
BT ECONOMICS  
RT INSURANCE  
INVESTMENT  
MANAGEMENT  
PLANNING

FERTILIZER  
NT SUPERPHOSPHATE  
UREA  
RT BLOOM  
EUTROPHICATION  
MANURING  
NUTRIENT  
PRODUCTIVITY  
SEWAGE  
SEWAGE TREATMENT  
WASTE WATER AQUACULTURE  
WATER TREATMENT

FINGERLING  
USE FRY

FIBER  
RT FEED COMPOSITION

FINLAND

FIELD EQUIPMENT  
BT EQUIPMENT  
RT PLANKTON NET  
TRAP

FINTROL-5

FIJI

FILTER  
UF FILTRATION  
RT SEWAGE  
SAND FILTER  
BT EQUIPMENT  
NT BIOFILTER  
SEWAGE  
SEWAGE TREATMENT

FISH  
NT ANADROMOUS FISH  
CATADROMOUS FISH  
FRESH WATER FISH  
MARINE FISH  
ORNAMENTAL FISH  
RT AQUARIUM CULTURE  
BAITFISH  
CAGE CULTURE  
FISHERY  
FORAGE FISH  
MASS MORTALITY  
POPULATION  
TRASH FISH

FISH BARRIER  
RT ELECTROSHOCKING  
FISH SCREEN  
HANDLING  
MIGRATION  
PLASTIC BARRIER  
SHOCK

FISH BOX  
BT EQUIPMENT  
RT PACKAGING

FISH LOADING	HATCHERY
USE CARRYING CAPACITY	LARVA
 	LEGAL ASPECT
FISH MEAL	MASS MORTALITY
BT MEAL	OPEN WATER CULTURE
NT HERRING MEAL	OVERFISHING
RT ARTIFICIAL FOOD	POND CULTURE
FEED COMPOSITION	POPULATION
GROUND FISH	POPULATION ESTIMATE
MEAT MEAL	PREDATION
TRASH FISH	PREDATOR CONTROL
 	STOCKING
FISH MEAT	WORLD FOOD SUPPLY
RT FEED COMPOSITION	YEARLING
GROUND FISH	 
TRASH FISH	FISHERY WASTE
 	USE WASTE
FISH OIL	 
BT OIL	FISHING
 	RT BAIT
FISH PER HOUR	COLLECTING
USE CATCH RATE	COMMERCIAL FISHING
 	ELECTROSHOCKING
FISH PROTEIN CONCENTRATE	FLOAT
RT TRASH FISH	HOOK AND LINE FISHING
 	LURE
FISH PUMP	OVERFISHING
BT PUMP	SPORTFISHING
FISH RECOVERY	FISHING TIME
USE RECAPTURE	USE CATCH RATE
FISH SCREEN	FISHKILL
BT EQUIPMENT	USE MASS MORTALITY
RT BEHAVIOR	 
FISH BARRIER	FIXING
HANDLING	 
 	FLATFISH
FISH STOCKING	BT MARINE FISH
USE STOCKING	NT BRILL
 	DAB
FISHERY	FLounder
RT COMMERCIAL FISHING	HALIBUT
FISHERY MANAGEMENT	LEMON SOLE
HATCHERY	PLAICE
 	ROUNDNOSE FLounder
FISHERY MANAGEMENT	SAND FLounder
BT MANAGEMENT	SOLE
RT AQUACULTURAL AREA	SUMMER FLounder
FISHERY	TURBOT
FISHING TIME	WINTER FLounder
HARVESTING	

FLATHEAD CATFISH	WATER VOLUME
UF PLYODICTIS OLIVARIS	
BT CATFISH	FLUKE
FRESHWATER FISH	USE TREMATODE
FLATWORM	FLUORESCENT DYE
BT WORM	BT DYE
NT CESTODE	RT MARKING
PLANARIAN	SANDBLAST GUN
TAPEWORM	STAINING
FLAVOBACTERIUM	FLUORESCENT LIGHT
 	BT LIGHT
FLAVOR	FLUTA ALBA
USE TASTE	USE SWAMP EEL
FLOAT	FOOD CHAIN
BT EQUIPMENT	USE FOOD WEB
RT FISHING	
FLOATING PEN	FOOD CONSUMPTION
BT EQUIPMENT	RT APPETITE
RT CAGE CULTURE	BEHAVIOR
 	FOOD DENSITY
FLOCCULANT	FOOD HABITS
UF PLUIFLOCK	FOOD PREFERENCE
RT SYNTHETIC POLYMER	
WATER TREATMENT	
FLOODWATER	FOOD CONVERSION
 	UF FEED CONVERSION
FLORIDA	RT ENERGY
 	FEEDING
FLORIDA POMPANO	PROTEIN CONVERSION
UF TRICHINOTUS CAROLINUS	
BT MARINE FISH	
FLounder	FOOD DENSITY
BT FLATFISH	RT FOOD CONSUMPTION
MARINE FISH	LIVE FOOD
NT ROUNDNOSE FLOUNDER	
SAND FLOUNDER	
SOUTHERN FLOUNDER	
SUMMER FLOUNDER	
WINTER FLOUNDER	
RT SOLE	
FLOW	FOOD HABITS
RT CURRENT (WATER)	RT APPETITE
MOVEMENT	BEHAVIOR
WATER	CANNIBALISM
WATER CIRCULATION	DIGESTION
	FOOD CONSUMPTION
	FOOD PREFERENCE
	FOOD SELECTION
	STOMACH
	FOOD ORGANISM
	USE LIVE FOOD
	FOOD PELLET
	USE PELLET

FOOD PREFERENCE  
RT FOOD CONSUMPTION  
FOOD HABITS  
FOOD SELECTION  
NATURAL FOOD

FOOD PREPARATION  
RT ABERNATHY DIET  
FEED COMPOSITION  
FREEZE DRIED FOOD  
PELLET PREPARATION

FOOD REQUIREMENT  
RT ABERNATHY DIET  
APPETITE  
ARTIFICIAL FOOD  
COMPLETE FOOD  
DEMAND FEEDING  
FEEDING  
INCOMPLETE FOOD  
NUTRIENT REQUIREMENT

FOOD SELECTION  
RT APPETITE  
FOOD HABITS  
FOOD PREFERENCE

FOOD SUPPLEMENT  
USE DIETARY ADDITIVE

FOOD WEB  
UF FOOD CHAIN  
TROPHIC LEVEL  
RT CARNIVORE  
ECOLOGY  
HERBIVORE  
LIVE FOOD  
MIXED CULTURE  
PRODUCTIVITY

FORAGE FISH  
RT FISH  
HERBIVORE  
PREDATION

FORCE FEEDING  
BT FEEDING

FORMALIN

FOULING

RT ALGAE  
CONTAMINATION  
POLLUTION

FRANCE

FRANCISELLA TULARENSIS  
USE TULAREMIA

FREEZE DRIED FOOD  
RT FOOD PREPARATION  
FROZEN FOOD  
PRESERVATION

FREEZING  
RT CRYOGENIC PRESERVATION  
MASS MORTALITY  
STORAGE TEMPERATURE  
WINTERKILL

FRENCH GRUNT  
UF HAEMULON FLAVOLINEATUM  
BT MARINE FISH

FRENCH POLYNESIA

FRESH WATER  
BT WATER  
RT FRESH WATER FISH  
FRESH WATER PRODUCTION  
GROUND WATER  
INLAND WATER  
LAKE  
POND  
RESERVOIR  
STREAM

FRESH WATER FISH  
BT FISH  
NT AMUR PIKE  
ARCTIC GRAYLING  
BASS  
BIGHEAD CARP  
BLACK BASS  
BLACK BULLHEAD  
BLACK CARP  
BLACK CRAPPIE  
BLACKNOSE DACE  
BLACKTAIL REDHORSE  
BLACKTAIL SHINER  
BLUE CATFISH  
BLUEGILL

BLUNTNOSE MINNOW	NORTHERN SQUAWFISH
BOWFIN	OMUL
BREAM	ORANGETHROAT DARTER
BROAD WHITEFISH	PADDLEFISH
BROOK TROUT	PERCH
BROWN BULLHEAD	PIKE
BROWN MUDFISH	PIKE-PERCH
BROWN TROUT	PIRAHNA
BUFFALOFISH	POLAN
BULLHEAD CATFISH	PUMPKINSEED
BURBOT	RAINBOW TROUT
CALBASU	REDEAR SUNFISH
CARP	REDEYE BASS
CATFISH	ROACH
CHAIN PICKEREL	ROCK BASS
CHANNEL CATFISH	ROHU
CHUB	RUDD
CISCO	SABALATA
CONGO TILAPIA	SHEMAYA
CRAPPIE	SILVER CARP
CROAKER	SILVERSIDE
CRUCIAN CARP	SMALLMOUTH BASS
CUI-UI	SPOTTED BASS
CUTTHROAT TROUT	SQUAWFISH
DUSKY STRIPE SHINER	STERLET
EURASIAN PERCH	STONEROLLER
FALL FISH	STURGEON
FATHEAD MINNOW	SUWANNEE BASS
FLATHEAD CATFISH	TENCH
GILT HEAD BREAM	THREE-SPINED STICKLEBACK
GOLDEN SHINER	TIGER MUSKELLUNGE
GOLDFISH	TILAPIA
GRASS CARP	VENDACE
GRAYLING	VIMBA
GREEN SUNFISH	WALKING CATFISH
IDE	WALLEYE
ISRAELI CARP	WARMOUTH
LAKE HERRING	WELS
LAKE TROUT	WHITE BASS
LAKE WHITEFISH	WHITE CATFISH
LARGEMOUTH BASS	WHITE CRAPPIE
LOACH	WHITE SUCKER
MAHSEER	YELLOW BULLHEAD
MANGUARI	YELLOW PERCH
MINNOW	ANADROMOUS FISH
MOUNTAIN WHITEFISH	BAITFISH
MOZAMBIQUE MOUTHBROODER	CATADROMOUS FISH
MRIGAL	COMMERCIAL FISHING
MUD CARP	MARINE FISH
MUSKELLUNGE	ORNAMENTAL FISH
NILE TILAPIA	SPORT FISHING
NORTHERN PIKE	

RT

FRESH WATER PRAWN	JUVENILE
BT PRAWN	
BT SHRIMP	FUCOIDEN
RT FRESH WATER SHRIMP	RT ALGAE
GIANT FRESHWATER PRAWN	BROWN ALGAE
	SEAWEED
	SEAWEED USE
FRESH WATER PRODUCTION	
RT FRESH WATER	FUGU RUBRIPES
	USE PUFFER
FRESH WATER SHRIMP	FUNDING
RT FRESH WATER PRAWN	USE FINANCING
GIANT FRESHWATER PRAWN	
BT SHRIMP	FUNDULUS HETEROCLITUS
	USE MUMMICHOG
FRESH WATER SPONGE	FUNGUS
BT SPONGE	UF MYCOSIS
	BT PARASITE
FRIGATE MACKEREL	NT LAGENIDIUM
UF AUXIS THAZARD	SAPROLEGNIA
BT MARINE FISH	YEAST
FROG	RT AFLATOXIN
BT AMPHIBIAN	BACTERIA
NT BULLFROG	BRANCHIOMYCOSIS
LEOPARD FROG	DERMO
FROZEN FOOD	MOLD
RT FREEZE DRIED FOOD	PHYTOPLANKTON
STORAGE	RED WASTING DISEASE
STORAGE TEMPERATURE	SPORE
FROZEN SERUM	FURUNCULOSIS
BT SERUM	BT DISEASE
RT STORAGE	RT BACTERIA
STORAGE TEMPERATURE	
FRY	FUSARIOSIS
UF FINGERLING	BT DISEASE
RT ELVER	
FRY TRAP	FUTURE
GLASS EEL	USE PLANNING
GROWTH	
JUVENILE	GADUS MORHUA
LARVA	USE ATLANTIC COD
LIVE FOOD	
NURSERY	GADUS VIRENS
SEED	USE POLLACK
FRY TRAP	GAFFKAEMIA
BT EQUIPMENT	UF AEROCOCCUS VIRIDANS
TRAP	GAFFKYA HOMARI
RT FRY	PEDIOCOCCUS HOMARI

PINK TAIL	
RED TAIL	GEM CLAM
BT DISEASE	UF GEMMA GEMMA
RT BACTERIA	BT CLAM
SEPTICEMIA	
GAFFKYA HOMARI	GEMMA GEMMA
USE GAFFKAEMIA,	USE GEM CLAM
GAFFTOPSAIL CATFISH	GENERAL ADAPTATION SYNDROME
UF BAGRE MARINUS	USE STRESS
BT CATFISH	GENETICS
MARINE FISH	NT POPULATION GENETICS
GALVANONARCOSIS	RT ABNORMALITY
USE ELECTRONARCOSIS	CHROMOSOME
GAMETE	COLOR MUTATION
RT EGG	CYTOTOLOGY
GAMETIC CONTAMINATION	DNA
GENETICS	GAMETE
SPERM	GAMETIC CONTAMINATION
GAMETIC CONTAMINATION	HERITABILITY
BT CONTAMINATION	HYBRID
RT GAMETE	INBREEDING
GENETICS	IRRADIATION
GAMMA RAY	MEIOSIS
RT RADIOACTIVITY	MITOSIS
RADIOGRAPHING	MUTATION
RADIOISOTOPE	PHENOTYPE
GAPER CLAM	POLYMORPHISM
BT CLAM	RESISTANCE
GARFISH	SELECTIVE BREEDING
UF BELONE BELONE	TOLERANCE
BT MARINE FISH	GENOTYPE
GAS SUPERSATURATION	RT CHROMOSOME
RT DISSOLVED GAS	GENETICS
GAS-BUBBLE DISEASE	HYBRID
BT DISEASE	INBREEDING
GASTEROSTEUS ACULEATUS	PHENOTYPE
USE THREE-SPINED STICKLEBACK	POLYMORPHISM
GELATIN	SELECTIVE BREEDING
BT BINDER	GEORGIA
RT FEED COMPOSITION	GERMANY
	GIANT FRESHWATER PRAWN
	UF GIANT MALAYSIAN PRAWN
	MACROBRACHIUM ROSENBERGII
	BT PRAWN
	SHRIMP
	RT FRESH WATER PRAWN

FRESH WATER SHRIMP	
GIANT GOBY	GLASS EEL
UF OXYELEOTRIS MARMORATUS	BT CATAUDROMOUS FISH
BT GOBY	EEL
MARINE FISH	RT ELVER
GIANT KELP	GLUCOSAMINE
USE KELP	RT FEED COMPOSITION
GIANT MALAYSIAN PRAWN	NUTRIENT REQUIREMENT
USE GIANT FRESHWATER PRAWN	GLUCOSE
GIANT SCALLOP	BT CARBOHYDRATE
USE SEA SCALLOP	GLUING
GIBBULA CINERARIA	RT ADHESION
USE SNAIL	REATTACHMENT
GILL	GLUTAMIC ACID
RT BACTERIAL GILL DISEASE	RT FEED COMPOSITION
GILL DESTRUCTION	NUTRIENT REQUIREMENT
GILL EXCRETION	GLUTARALDEHYDE
GILL HYPERPLASIA	GLYCERIN
GILL NET	RT PRESERVATION
OPERCULA	GLYCINE
GILL DESTRUCTION	BT AMINO ACID
RT BACTERIAL GILL DISEASE	RT FEED COMPOSITION
GILL	NUTRIENT REQUIREMENT
SYMPTOM	PROTEIN
GILL EXCRETION	GLYCOGEN
RT GILL	BT CARBOHYDRATE
GILL HYPERPLASIA	GLYCOPROTEIN
RT GILL	BT POLYSACCHARIDE
GILL NET	RT CARBOHYDRATE
BT EQUIPMENT	PROTEIN
NET	GOBY
RT GILL	BT MARINE FISH
GILT HEAD BREAM	NT GIANT GOBY
UF SPARUS AURATUS	MARBLE GOBY
BT FRESH WATER FISH	MUD SKIPPER
GIZZARD SHAD	SAND GOBY
UF DOROSOMA CEPEDIANUM	GOLDEN MULLET
BT ANADROMOUS FISH	UF MUGIL AURATUS
SHAD	BT MARINE FISH
	MULLET
	GOLDEN SHINER

UF NOTEMIGONUS CRYSOLEUCAS  
BT FRESH WATER FISH

GOLDFISH  
UF JAPANESE IMPERIALS  
CARASSIUS AURATUS  
BT FRESH WATER FISH

GONAD  
NT OVARY  
TESTIS  
RT GONADOSOMATIC INDEX  
MATURITY  
OOGENESIS  
SPERMATOGENESIS

GONADOSOMATIC INDEX  
RT GONAD  
GONADOTROPIN

GONADOTROPIN  
UF HGC  
HUMAN CHORIONIC GONADOTROPIN  
RT GONAD  
GONADOSOMATIC INDEX  
INDUCED SPAWNING  
PITUITARY

GONYAULAX  
BT PLANKTON  
RT PARALYTIC SHELLFISH POISONING

GOVERNMENT AGENCY  
RT INTERAGENCY COOPERATION  
INTERNATIONAL ASSISTANCE  
JURISDICTION

GRACILARIA  
USE RED ALGAE

GRADING  
RT MEASURING INSTRUMENT  
SIZE  
SORTING

GRASS CARP  
UF AMUR CARP  
CTENOPHARYNGODON IDELLA  
CTENOPHARYNGODON IDELLUS  
WHITE AMUR  
BT CARP  
FRESH WATER FISH

GRAVEL

GRAVITY

GRAY CRAB DISEASE  
UF PARAMOEBA PERNICIOSA  
BT DISEASE

GRAYLING  
BT FRESH WATER FISH  
NT ARCTIC GRAYLING

GREASY-BACK PRAWN  
UF METAPENAEUS MONOCEROS  
BT PRAWN  
SHRIMP

GREAT BRITAIN  
USE UNITED KINGDOM

GREAT LAKES

GREECE

GREEN ABALONE  
UF HALIOTIS FULGENS  
BT ABALONE

GREEN ALGAE  
BT ALGAE  
NT CHLORELLA  
SEA LETTUCE  
RT PHYTOPLANKTON  
SEAWEED  
SEAWEED USE

GREEN MUSSEL  
UF MYTILUS VIRIDIS  
PERNA CANALICULUS  
BT MUSSEL

GREEN SPOT ROTTING  
BT DISEASE

GREEN SUNFISH  
UF LEPOMIS CYANELLUS  
BT FRESH WATER FISH

GREEN TURTLE  
UF CHELONIA MYDAS  
BT REPTILE

SEA TURTLE	RT VIRUS
TURTLE	
GREGARINE	GUATEMALA
BT PARASITE	
GREY MULLET	GULF COAST
USE MULLET	RT COASTAL WATER
	GULF OF MEXICO
GROUND BEEF	GULF CROAKER
	UF BAIRDIELLA ICISTIA
GROUND FISH	BT MARINE FISH
RT FEED COMPOSITION	GULF KINGFISH
FISH MEAL	UF MENTICRIRRHUS LITTORALIS
FISH MEAT	BT MARINE FISH
TRASH FISH	GULF OF MARSEILLES
GROUND WATER	GULF OF MEXICO
BT WATER	RT GULF COAST
RT BRACKISH WATER	GUPPY
CURRENT (WATER)	UF POECILIA RETICULATA
FRESH WATER	LEBISTES RETICULATUS
WATER SUPPLY	BT ORNAMENTAL FISH
WELL WATER	
GROWTH	GURNARD
RT AGE	UF CHELIDONICHTHYS KUMU
EGG	BT MARINE FISH
FRY	
GROWTH STIMULANT	GUTHION
LARVA	BT ORGANOPHOSPHATE
LENGTH	PESTICIDE
LIFE HISTORY	TOXICANT
MOLTING	
POSTLARVA	GYMNOSPORE
SIZE	BT PARASITE
WEIGHT	
GROWTH CONTROL	GYRODACTYLUS
RT GROWTH STIMULANT	BT PARASITE
STARVATION	TREMATODE
	RT DISEASE
GROWTH STIMULANT	HABITAT
RT GROWTH	USE ECOLOGY
GROWTH CONTROL	
GRUNION	HADDOCK
UF LURESTHES TENUIS	UF MELANOGRAMMUS AEGLEFINUS
BT MARINE FISH	BT MARINE FISH
GRUNT FIN AGENT	HAEMULON FLAVOLINEATUM
BT DISEASE	USE FRENCH GRUNT

HALIBUT	HARENGULA PENSACOLAE
BT FLATFISH	USE SCALED SARDINE
MARINE FISH	
HALIOTIS CORRUGATA	HARVEST
USE PINK ABALONE	USE PRODUCTION
HALIOTIS DISCUS	HARVESTING
USE JAPANESE ABALONE	NT MECHANICAL HARVESTING
HALIOTIS FULGENS	RT COLLECTING
USE GREEN ABALONE	DRAINING
HALIOTIS KAMTSCHATKANA	EXPLOITATION
USE BRITISH COLUMBIA ABALONE	POPULATION
HALIOTIS RUFESCENS	PRODUCTION
USE RED ABALONE	PRODUCTIVITY
HALIOTIS SORENSENII	RECRUITMENT
USE WHITE ABALONE	SPORT FISHING
HANDLING	STANDING CROP
RT AIR SHIPMENT	HATCHERY
COLLECTING	RT AQUACULTURAL POLLUTION
COMMERCIAL FISHING	FISHERY
ELECTROSHOCKING	HANDLING
EQUIPMENT	HATCHERY STOCK
FISH BARRIER	WATER REQUIREMENT
FISH SCREEN	HATCHERY STOCK
HATCHERY	RT BROOD STOCK
LIVE BOX	HATCHERY
LIVE CAR	HATCHING
MIGRATION	RT EGG
MORTALITY	HATCHING JAR
SHOCK	INCUBATION
STRESS	HATCHING JAR
TRANSPORT	BT EQUIPMENT
HAPALOCHLAENA MACULOSA	RT EGG
USE BLUE RINGED OCTOPUS	HATCHING
HAPLOSPORIDIAN	INCUBATION
BT PROTOZOAN	HAWAII
HARD CLAM	HCG
UF MERETRIX LUSORIA	USE GONADOTROPIN
BT CLAM	HEAD
HARD CLAM (ATLANTIC)	RT SKULL
USE NORTHERN QUAHOG	HEALING
	RT DISEASE
	DISEASE TREATMENT

<b>INJURY</b>	<b>MICROHEMATOCRIT</b>
<b>RECOVERY</b>	
<b>HEALTH</b>	<b>HEMATOLOGY</b>
RT CIGUATERA	UF BLOOD CHEMISTRY
<b>HEALTH SPECIALIST</b>	RT ANEMIA
SAFETY	BLOOD
<b>HEALTH SPECIALIST</b>	ERYTHROCYTE
RT DIAGNOSIS	HEMACYTOMETER
DISEASE	HEMAPOIESIS
EPIZOOTIOLOGY	HEMATOCRIT
HEALTH	HEMOGLOBIN
<b>HEARING</b>	HEMOLYMPH
RT ACOUSTIC ATTRACTION	M INDEX
<b>HEART</b>	PLASMA
HEAT TOLERANCE	SERUM
USE TEMPERATURE; TOLERANCE	<b>HEMATOPOIETIC NECROSIS</b>
<b>HEATING</b>	IF IHN
USE HEAT	INFECTIOUS HEMATOPOIETIC NECRO
<b>HEAT</b>	DT DISEASE
UF HEATING	RT HEMAPOIESIS
<b>HEAVY METAL</b>	VIRUS
BT METAL	<b>HEMATOXYLIN</b>
NT CADMIUM	HEMOGLOBIN
LEAD	RT ANEMIA
MERCURY	HEMATOLOGY
NICKEL	HEMOLYMPH
SILVER	RT HEMATOLOGY
ZINC	SERUM
RT POLLUTION	<b>HEMORRHAGE</b>
HELOSTOMA TEMMINCKI	RT HEMORRHAGIC SEPTICEMIA
USE KISSING GOURAMI	<b>HEMORRHAGIC SEPTICEMIA</b>
HEMACYTOMETER	BT DISEASE
BT EQUIPMENT	NT VIRAL HEMORRHAGIC SEPTICEMIA
RT HEMATOLOGY	RT BACTERIA
HEMAPOIESIS	DROPSY
RT BLOOD	HEMORRHAGE
HEMATOLOGY	VIBRIO
HEMATOPOIETIC NECROSIS	<b>HENNEGUYA</b>
<b>HEMATOCRIT</b>	BT MYXOSPORIDIA
RT HEMATOLOGY	PARASITE
	PROTOZOAN
	RT DISEASE
	<b>HEPATOMA</b>
	RT AFLATOXIN

CANCER	HETEROTROPH
HEPATOPANCREAS	BT BACTERIA
HEPATUS EPHILITICUS	RT BIOFILTER
USE CALICO CRAB	HIGH DENSITY CULTURE
HEPTACHLOR	USE INTENSIVE CULTURE
BT ORGANOCHLORINE	HISTIDINE
PESTICIDE	BT AMINO ACID
HERBICIDE	RT FEED COMPOSITION
UF ALGICIDE	NUTRIENT REQUIREMENT
BT PESTICIDE	PROTEIN
POISON	HISTOLOGY
NT PARAQUAT	RT CYTOLOGY
RT ANTIBIOTIC	HISTORY
AQUATIC WEED CONTROL	RT AQUACULTURE
HERBIVORE	BIOGRAPHY
RT AQUATIC WEED CONTROL	LIFE HISTORY
FOOD WEB	MARICULTURE
FORAGE FISH	HOLLAND
HERITABILITY	USE NETHERLANDS
RT GENETICS	HOMARUS AMERICANUS
PHENOTYPE	USE AMERICAN LOBSTER
POLYMORPHISM	HOMARUS GAMMARUS
SELECTIVE BREEDING	USE EUROPEAN LOBSTER
HERMAPHRODITE	HOMARUS VULGARIS
HERMIT CRAB	USE EUROPEAN LOBSTER
UF PAGURUS LONGICARPUS	HOMING
BT CRAB	RT BEHAVIOR
HERRING	MIGRATION
UF CLUPEA HARENGUS	OPEN WATER CULTURE
BT MARINE FISH	RECAPTURE
NT ATLANTIC HERRING	HONDURAS
PACIFIC HERRING	HONG KONG
HERRING MEAL	HOOK AND LINE FISHING
BT FISH MEAL	RT BAIT
MEAL	FISHING
RT FEED COMPOSITION	LURE
HERRING	SPORT FISHING
HERRING OIL	HOOKING MORTALITY
BT OIL	
RT FEED COMPOSITION	
HERRING	

USE HOOK AND LINE FISHING; MORTALITY  
 HORMONE  
 RT INDUCED SPAWNING  
 PITUITARY  
 NT ESTRUGEN  
 HORSE CLAM  
 BT CLAM  
 HORSESHOE CRAB  
 RT CRAB  
 HOUTING  
 USE PELYAD  
 HUCHO HUCHO  
 USE DANUBE SALMON  
 HUMAN CHORIONIC GONADOTROPIN  
 USE GONADOTROPIN  
 HUMAN DISEASE  
 BT DISEASE  
 NT BACILLARY DYSENTERY  
 GASTROENTERITIS  
 TULAREMIA  
 RT BACTERIA  
 CIGUATERA  
 COLIFORM  
 DEPURATION  
 DISEASE PREVENTION  
 POLLUTION  
 HUNGARY  
 HURRICANE  
 RT WEATHER  
 HYBRID  
 RT CHROMOSOME  
 GENETICS  
 GENOTYPE  
 HYBRID VIGOR  
 SELECTIVE BREEDING  
 HYBRID VIGOR  
 RT HYBRID  
 SELECTIVE BREEDING  
 HYDROGEN SULFIDE  
 BT SULFIDE

HYDROCARBON  
 RT ORGANOCHLORINE  
 POLLUTION  
 HYDROCEPHALUS  
 BT DISEASE  
 HYDROELECTRIC POWER PLANT  
 USE HYDROPOWER  
 HYDROGRAPHY  
 RT AQUACULTURAL AREA  
 MEASUREMENT  
 WATER  
 HYDROID  
 USE HYDROZOOAN  
 HYDROPOWER  
 UF HYDROELECTRIC POWER PLANT  
 POTENTIAL HYDROPOWER  
 RT POWER STATION EFFLUENT  
 RESOURCES  
 THERMAL POLLUTION  
 TURBINE  
 HYDROPS  
 USE DROPSY  
 HYDROZOOAN  
 UF HYDROID  
 BT CORAL  
 HYPERGLYCEMIA  
 RT ADRENALINE  
 HYPERPROSOPON ARGENTEUM  
 USE WALLEYE SURFPERCH  
 HYPOPHTHALMICHTHYS  
 USE CARP  
 HYPOPHTHALMICHTHYS MOLITRIX  
 USE SILVER CARP  
 HYPOPHTHALMICHTHYS NOBILIS  
 USE BIGHEAD CARP  
 HYPOPHYSATION  
 USE PITUITARY

HYPOPHYSIS  
USE PITUITARY

ICE COVER  
RT WINTERKILL

ICELAND

ICH  
UF ICHTHYOPHTHIRIASIS  
ICHTHYOPHTHIRIUS MULTIFILIIS  
WHITE SPOT DISEASE  
BT DISEASE

ICHTHYOPHTHIRIASIS  
USE ICH

ICHTHYOPHTHIRIUS MULTIFILIIS  
USE ICH

ICTALURUS CATUS  
USE WHITE CATFISH

ICTALURUS FURCATUS  
USE BLUE CATFISH

ICTALURUS MELAS  
USE BLACK BULLHEAD

ICTALURUS NATALIS  
USE YELLOW BULLHEAD

ICTALURUS NEBULOSUS  
USE BROWN BULLHEAD

ICTALURUS PUNCTATUS  
USE CHANNEL CATFISH

ICTIOBUS  
USE BUFFALO FISH

IDC  
USE DROPSY

IDE  
UF LEUCISCUS IDUS  
BT FRESH WATER FISH

IDENTIFICATION  
RT SPECIES ISOLATION  
TAXONOMY

IHN  
USE HEMATOPOIETIC NECROSIS

IMMERSION STAINING  
BT MARKING  
STAINING

IMMOBILIZATION  
RT ANESTHETIC

IMMUNITY  
UF ORAL IMMUNIZATION  
RT ANTIBODY  
ANTIGEN  
DISEASE  
DISEASE CONTROL  
DISEASE PREVENTION  
VACCINE

IMMUNOELECTROPHORESIS  
USE ELECTROPHORESIS

IMPORT  
RT ECONOMICS  
EXPORT

INBREEDING  
RT BROOD STOCK  
GENETICS  
GENOTYPE  
SELECTIVE BREEDING

INCOMPLETE FOOD  
RT COMPLETE FOOD  
DIETARY DEFICIENCY  
FEED COMPOSITION  
FOOD REQUIREMENT  
NUTRIENT REQUIREMENT

INCUBATION  
RT EGG  
EMBRYO  
HATCHING  
HATCHING JAR  
INCUBATOR

INCUBATOR  
BT EQUIPMENT  
RT INCUBATION

INDIA

	PATHOLOGY
INDIAN CARP	
USE CARP	
INDIAN OCEAN	INFECTIOUS ABDOMINAL DROPSY
BT OCEAN	USE DROPSY
INDIAN SALMON	INFECTIOUS ASCITES
BT ANADROMOUS FISH	USE DROPSY
SALMON	
INDIVIDUAL CULTURE	INFECTIOUS DROPSY
RT AQUARIUM CULTURE	USE DROPSY
INDO-PACIFIC	INFECTIOUS HEMATOPOIETIC NECROSIS
	USE HEMATOPOIETIC NECROSIS
INDONESIA	INFECTIOUS PANCREATIC NECROSIS
INDUCED SPAWNING	UF IPN
UF CONTROLLED MASS SPAWNING	BT DISEASE
BT SPAWNING	RT VIRUS
RT ARTIFICIAL SPAWNING	
BROOD STOCK	INFERTILITY
CONDITIONING	USE FECUNDITY
DELAYED SPAWNING	
FERTILIZATION	INFORMATION
GONADOTROPIN	RT ABSTRACT
HORMONE	BIBLIOGRAPHY
NATURAL SPAWNING	DATA SYSTEM
PITUITARY	EDUCATION
PMS	
SYNAHORIN	INFRARED PHOTOGRAPHY
	BT PHOTOGRAPHY
INDUSTRIAL WASTE	INHIBITION
BT WASTE	
RT CONTAMINATION	INJECTION
EFFLUENT	RT DISEASE TREATMENT
PHENOL	DOSAGE
POLLUTANT CONCENTRATION	DRUG
POLLUTION	PITUITARY
SEWAGE	
SEWAGE TREATMENT	INJURY
	RT DISEASE
INFECTION	HEALING
UF CARRIER	INFECTION
RT BACTERIA	SHOCK
CONTAMINATION	
DISEASE	INK PERfusion
DISINFECTION	
EPIZOOTIC	INLAND WATER
EPIZOOTIOLOGY	BT WATER
INFECTION SOURCE	RT FRESH WATER
INJURY	LAKE
	NAVIGABLE WATER

POND	INTERNATIONAL ASSISTANCE
RESERVOIR	UF FAO ACTIVITIES
RIVER	RT GOVERNMENT AGENCY
STILL WATER	
 INSECT	INTERNATIONAL CONTROL
NT CADDISFLY	RT COMMERCIAL FISHING
DRAGONFLY	JURISDICTION
MAYFLY	LEGAL ASPECT
MIDGE	WATER RIGHTS
MOSQUITO	 INTERTIDAL AREA
WATER BEETLE	RT INTERTIDAL CULTURE
RT LARVA	MARSH
LIVE FOOD	SALT MARSH
NATURAL FOOD	TIDE
PESTICIDE	 INTERTIDAL CULTURE
INSECTICIDE	RT INTERTIDAL AREA
USE PESTICIDE	 INTESTINAL TRACT
INSPECTION	RT DIGESTION
KT LEGAL ASPECT	 INVESTMENT
MANAGEMENT	BT ECONOMICS
INSULIN	RT COMMERCIAL FIRM
RT DRUG	FINANCING
INSURANCE	INSURANCE
RT ECONOMICS	 IONIZING RADIATION
FINANCING	RT RADIO ACTIVITY
INVESTMENT	 IPN
INTENSIVE CULTURE	USE INFECTIOUS PANCREATIC NECROSIS
UF HIGH DENSITY CULTURE	 IRAN
RT CARRYING CAPACITY	 IRELAND
STOCK DENSITY	 IRISH MOSS
INTERACTION	BT RED ALGAE
RT BEHAVIOR	SEAWEED
MIXED CULTURE	RT CARRAGEENAN
INTERAGENCY COOPERATION	SEAWEED USE
RT GOVERNMENT AGENCY	 IRISH SEA
MANAGEMENT	 IRON
INTERMOLT	BT METAL
USE MOLTING	RT IRON COMPOUND
INTERMEDIATE HOST	 IRON COMPOUND
RT LIFE HISTORY	RT IRON
PARASITE	

IRRADIATION	UF PATINOPECTEN YESOENSIS
RT DISEASE CONTROL	BT SCALLOP
GENETICS	JAPANESE SHRIMP
STERILIZATION	UF PENAEUS JAPONICUS
ULTRAVIOLET	BT SHRIMP
 IRRIGATION	 JAPANESE SURF CLAM
 ISHIDAI	BT CLAM
UF OPLEGNATUS FASCIATUS	JASUS EDWARDSII
BT MARINE FISH	USE SPINY LOBSTER
 ISOPOD	 JAVA TILAPIA
BT CRUSTACEAN	USE MOZAMBIQUE MOUTHBROODER
 ISRAEL	 JELLYFISH
ISRAELI CARP	BT COELENTERATE
BT CARP	SCYPHOZOAN
FRESH WATER FISH	NT CTENOPHORE
 ITALY	SEA NETTLE
 IVORY COAST	 JORDAN
JACKSMELT	 JUGLONE
UF AHERINOPSIS CALIFORNIENSIS	JUMBO TIGER SHRIMP
BT MARINE FISH	USE SUGPO
 JAMAICA	 JUMPING
 JAPAN	RT BEHAVIOR
JAPANESE ABALONE	ESCAPE AREA
UF DISC ABALONE	 JURISDICTION
HALIOTIS DISCUS	UF FEDERAL JURISDICTION
BT ABALONE	STATE JURISDICTION
 JAPANESE EEL	RT GOVERNMENT AGENCY
BT CATAUDROMOUS FISH	INTERNATIONAL CONTROL
EEL	LEGAL ASPECT
 JAPANESE IMPERIALS	POLLUTION CONTROL
USE GOLDFISH	WATER RIGHTS
 JAPANESE OYSTER	 JUVENILE
UF CRASSOSTREA GIGAS	RT FRY
PACIFIC OYSTER	FRY TRAP
BT OYSTER	LARVA
 JAPANESE SCALLOP	NURSERY
	SEED
	YEARLING
	KARMEX D L

KATSUWONUS PELAMIS  
USE SKIPJACK

KD  
USE KIDNEY DISEASE

KELP  
UF ASCOPHYLLUM  
MACROCYSTIS  
NEROCYSTIS LUTKEANA  
BT ALGAE  
BROWN ALGAE  
SEAWEED  
NT KOMBU  
SUGAR WRACK  
WAKAME

KENYA

KERGUELEN ISLANDS

KIDNEY  
RT KIDNEY DISEASE

KIDNEY DISEASE  
UF BACTERIAL KD  
KD  
BT DISEASE  
RT BACTERIA  
KIDNEY

KILLING TECHNIQUE  
UF SLAUGHTER METHOD  
RT PROCESSING

KING CRAB  
UF PARALITHODES CAMSCHATICA  
BT CRAB

KING PRAWN  
UF PENAEUS LATISULCATUS  
BT SHRIMP

KING SALMON  
USE CHINOOK SALMON

KISSING GOURAMI  
UF HELOSTOMA TEMMINCKI  
BT ORNAMENTAL FISH

KOKANEE SALMON  
USE SOCKEYE SALMON

KOMBU  
BT KELP

KOREA

KRILL  
UF EUPHAUSIA SUPERBA  
BT CRUSTACEAN  
EUPHAUSIID

LABEL  
RT MARKETING  
PACKAGING

LABELLED CARBON  
BT CARBON

LABEO  
USE CARP

LABEO CALBASU  
USE CALBASU

LABEO ROHITA  
USE ROHU

LABOR  
RT COST  
ECONOMICS  
MANAGEMENT  
MANPOWER

LABORATORY  
RT MARINE FACILITY  
RESEARCH FACILITY

LABYRINTHOMYXA  
USE DERMO

LACTOBACILLUS  
BT BACTERIA  
RT PSEUDOKIDNEY DISEASE

LAGENIDIUM  
BT DISEASE  
FUNGUS

LAGOON  
RT LAKE  
OCEAN  
RESERVOIR

SEWAGE TREATMENT	
SHALLOW WATER	
WATER	
WATER SUPPLY	
LAGODON RHOMBOIDES	LANDLOCKED SALMON
USE PINFISH	USE ATLANTIC SALMON
LAKE	LARGEMOUTH BASS
BT WATER	UF MICROPTERUS SALMOIDES
RT FRESH WATER	BT BASS
INLAND WATER	BLACK BASS
LAGOON	FRESH WATER FISH
POND	
RESERVOIR	
LAKE HERRING	LARVA
UF COREGONUS ARTEDII	UF PROLARVA
BT FRESH WATER FISH	RT DEVELOPMENT
LAKE TROUT	FRY
UF SALVELINUS NAMAYCUSH	GROWTH
BT FRESH WATER FISH	INSECT
TROUT	JUVENILE
LAKE WHITEFISH	NURSERY
UF COREGONUS CLUPEIFORMIS	POSTLARVA
BT FRESH WATER FISH	SEED
LAMINARIA	TROCHOPHORE
USE SUGAR WRACK	LATEOLABRAX JAPONICUS
LAMINARIN	USE SEA PERCH
RT ALGAE	LATES CALCARIFER
BROWN ALGAE	USE SEA BASS
SEAWEED	LAVER
SEAWEED USE	UF NORI
LAND	PORPHYRA
RT AQUACULTURAL AREA	PORPHYRA TENERA
LAND USE	BT ALGAE
LAND USE	RED ALGAE
RT AQUACULTURAL AREA	LEAD
AQUAFARM	BT HEAVY METAL
CROP ROTATION	METAL
LAND	RT POLLUTION
MANAGEMENT	LEASE
RESOURCES	RT EXPLOITATION
RICE	LEGAL ASPECT
SITE SELECTION	WATER RIGHTS
TARO	LEBISTES RETICULATUS
	USE GUPPY
	LEECH
	BT WORM
	LEGAL ASPECT

RT COMPETITIVE BIDDING	USE REDEAR SUNFISH
ECONOMICS	
FISHERY MANAGEMENT	LERNEA
INSPECTION	USE ANCHOR WORM
INTERNATIONAL CONTROL	
JURISDICTION	LERNAESIS
LEASE	BT DISEASE
LICENSE	
MANAGEMENT	LESOTHO
PERMIT	
POACHING	LETHAL LIMIT
POLITICAL ASPECT	RT ORGANOCHLORINE
POLLUTION CONTROL	ORGANOPHOSPHATE
PROBLEMS	PESTICIDE
PROPERTY RIGHTS	PESTICIDE TOXICITY
PUBLIC	RESISTANCE
RESIDENCY	SALINITY
RIPARIAN RIGHTS	TEMPERATURE
WATER RIGHTS	TOLERANCE
 	TOXICITY
LEIOSTOMUS XANTHURUS	WATER TEMPERATURE
USE SPOT	
 	LETTUCE
LEMON SOLE	
UF MICROSTOMUS KITT	LEUCISCUS IDUS
BT FLATFISH	USE IDE
MARINE FISH	
SOLE	LEUCOTHRIX
 	LEUKOCYTE
LENGTH	
RT GROWTH	LEURESTHES TENUIS
MEASUREMENT	USE GRUNION
SIZE	
WIDTH	LIBINA EMARGINATA
 	USE SPIDER CRAB
LEOPARD FROG	
UF RANA PIPIENS	LICE
BT FROG	
 	LICENSE
LEPIDOSTEUS ATRACTOSTEUS	RT LEGAL ASPECT
USE MANGUARI	PERMIT
 	LICHIA GLAUCA
LEPOMIS CYANELLUS	
USE GREEN SUNFISH	LIFE CYCLE
 	USE LIFE HISTORY
LEPOMIS GIBBOSUS	
USE PUMPKINSEED	LIFE HISTORY
 	UF LIFE CYCLE
LEPOMIS MACROCHIRUS	RT BEHAVIOR
USE BLUEGILL	BIOLOGICAL COMPETITION
LEPOMIS MICROLOPHUS	

DEVELOPMENT	SOLE
ECOLOGY	LINOLEIC ACID
GROWTH	RT FATTY ACID
HISTORY	LINOLENIC ACID
INTERMEDIATE HOST	NUTRIENT REQUIREMENT
MIGRATION	
LIGHT	LINOLENIC ACID
NT FLUORESCENT LIGHT	RT FATTY ACID
RT ENERGY	LINOLEIC ACID
LIGHT TRAP	NUTRIENT REQUIREMENT
PHOTOELECTRIC DEVICE	
PHOTOPERIOD	 
PHOTOSYNTHESIS	LIPID
ULTRAVIOLET	UF FATS
 	NT OIL
LIGHT METER	RT CARBOHYDRATE
BT EQUIPMENT	FATTY ACID
RT MEASUREMENT	FEED COMPOSITION
	PROTEIN
 	LIPOID HEPATIC DEGENERATION
LIGHT TRAP	BT DISEASE
BT EQUIPMENT	
TRAP	LIQUID NITROGEN
FIELD EQUIPMENT	BT NITROGEN
RT LIGHT	
PHOTOTAXIS	LITHOPHAGA BISULCATA
 	USE MAHOGANY DATE MUSSEL
LIGULOSIS	LITTLENECK CLAM
BT DISEASE	BT CLAM
 	LITTORINA LITTOREA
LIMANDA LIMANDA	USE COMMON PERIWINKLE
USE DAB	
 	LIVE BOX
LIME	BT EQUIPMENT
UF QUICKLIME	RT HANDLING
RT CHEMCONTROL	LIVE CAR
PREDATOR CONTROL	
 	LIVE CAPTURE
LIMPET	RT COLLECTING
BT MOLLUSK	RECAPTURE
	SAMPLING
 	LIVE CAR
LIMULUS POLYPHEMUS	BT EQUIPMENT
USE HORSESHOE CRAB	RT HANDLING
	LIVE BOX
 	LINDANE
BT ORGANOCHLORINE	
PESTICIDE	LIVE CAR
 	BT EQUIPMENT
LINED SOLE	RT HANDLING
UF ACHIRUS LINEATUS	LIVE FOOD
BT FLATFISH	UF FOOD ORGANISM
MARINE FISH	

RT ALGAE	RT SCOLIOSIS
ASELLUS MILATARUS	SPINE
BRINE SHRIMP	
COPEPOD	LOTA LOTA
CRANGON CRANGON	USE BURBOT
CULTURED FOOD	
DAPHNIA	LOUISIANA
DIET	
FOOD DENSITY	LOW DENSITY CULTURE
FOOD WEB	UF EXTENSIVE CULTURE
FRY	RT POND CULTURE
INSECT	STOCK DENSITY
MEALWORM	
NATURAL FOOD	LUCIOPERCA LUCIOPERCA
NUTRIENT REQUIREMENT	USE PIKE-PERCH
PLANKTON	
PHYTOPLANKTON	LUGWORM
SHRIMP MEAL	UF ARENICOLA CRISTATA
ZOOPLANKTON	ARENICOLA BRASILIENSIS
 LIVER	BT POLYCHAETE
LOACH	WORM
UF MISGURNUS FOSSILIS	LUMBRICILLUS
BT FRESH WATER FISH	BT WORM
 LOBSTER	LUPIN
BT CRUSTACEAN	
NT AMERICAN LOBSTER	LURE
EUROPEAN LOBSTER	BT BAIT
NORWAY LOBSTER	RT FISHING
ROCK LOBSTER	HOOK AND LINE FISHING
SPINY LOBSTER	SPORTFISHING
 LOBSTER POT	LUXEMBOURG
BT EQUIPMENT	
 LOGGERHEAD TURTLE	LYMPHOCYSTIS
UF CARETTA CARETTA	BT DISEASE
BT REPTILE	RT TUMOR
SEA TURTLE	VIRUS
TURTLE	
 LONG ISLAND SOUND	LYRODUS PEDICELLATUS
	USE SHIPWORM
 LONG-LINE CULTURE	M INDEX
BT OFF BOTTOM CULTURE	RT HEMATOLOGY
RT RAFT CULTURE	
ROPE CULTURE	MACCULLOCHELLA PEELI
 LORDOSIS	USE MURRAY COD
BT DISEASE	
 MACKEREL	
	BT MARINE FISH
	NT PACIFIC MACKEREL

RT TUNA	MANAGEMENT
MACROBRACHIUM ROSENBERGII USE GIANT FRESHWATER PRAWN	NT FISHERY MANAGEMENT
MACROCYSTIS USE KELP	RT AQUACULTURE
MADAGASCAR	AQUAFARM
MAGNESIUM BT METAL	CROP ROTATION
MAHOGANY DATE MUSSEL UF LITHOPHAGA BISULCATA BT MUSSEL	ECONOMICS
MAHSEER UF BARBUS TOR MAHSIER TOR KHUNDREE TOR TOR BT FRESH WATER FISH	EXPLOITATION
MAHSIER USE MAHSEER	FINANCING
MAINE BT NEW ENGLAND	INSPECTION
MAINE LOBSTER USE AMERICAN LOBSTER	LAND USE
MALACHITE GREEN RT CHEMCONTROL	LEGAL ASPECT
MALATHION BT ORGANOPHOSPHATE BT PESTICIDE	PLANNING
MALAWI	POLITICAL ASPECT
MALAYSIA	PROBLEMS
MALPEQUE DISEASE BT DISEASE	PRODUCTIVITY
MALTA	RECOMMENDATIONS
MAMMAL RT PORPOISE	SOCIAL ASPECT
	MANGANESE
	BT METAL
	MANGROVE CRAB
	USE MUD CRAB
	MANGROVE OYSTER
	UF CRASSOSTREA RHIZOPHORAE
	BT OYSTER
	MANGROVE SWAMP
	MANGUARI
	UF LEPIDOSTEUS ATRACTOSTEUS
	BT FRESH WATER FISH
	MANILA CLAM
	UF TAPES SEMIDECUSSATA
	BT CLAM
	MANPOWER
	RT ECONOMICS
	LABOR
	MANAGEMENT
	MANTLE
	RT SHELL
	MANURING
	RT FERTILIZER
	MAP
	RT SURVEY

MARBLE GOBY	DOLPHIN
UF OXGELEOTRIS MARMORATA	FLATFISH
BT GOBY	FLORIDA POMPANO
MARINE FISH	FLOUNDER
MARICULTURE	FRENCH GRUNT
BT AQUACULTURE	FRIGATE MACKEREL
RT HISTORY	GAFFTOPSAIL CATFISH
MARINE FACILITY	GARFISH
MARINE FISH	GIANT GOBY
RESEARCH	GOBY
MARINA	GOLDEN MULLET
USE POLLAN	GRUNION
MARINE ALGAE	GULF CROAKER
USE ALGAE	GULF KINGFISH
MARINE BACTERIA	GURNARD
USE BACTERIA	HADDOCK
MARINE DIATOM	HALIBUT
USE DIATOM	HERRING
MARINE FACILITY	ISHIDAI
RT AQUAFARM	JACKSMELT
BIOENGINEERING	LEMON SOLE
COMMERCIAL FIRM	LAKE WHITEFISH
LABORATORY	LINED SOLE
MARICULTURE	MACKEREL
OPEN SYSTEM	MARBLE GOBY
RESEARCH	MARLIN
RESEARCH FACILITY	MENHADER
MARINE FISH	MILKFISH
BT FISH	MINNOW
NT ALBACORE	MOI
ANCHOVY	MOSQUITO FISH
ATLANTIC COD	MUD SKIPPER
ATLANTIC CROAKER	MULLET
ATLANTIC HERRING	MUMMICHOOG
ATLANTIC MENHADEN	MURRAY COD
ATURE	NEHU
BAY ANCHOVY	NORTHERN ANCHOVY
BILLFISH	NORTHERN PUFFER
BLUEFIN TUNA	NORTHERN SENNET
BONITO	OMAKA
BRILL	PACIFIC HERRING
CODFISH	PACIFIC MACKEREL
CROAKER	PACIFIC SARDINE
DAB	PEARL SPOT
DOG FISH	PERCH

	RABBITFISH	SALINE WATER
	RED DRUM	SEA WATER
	ROCK SEA BASS	
	ROUNDNOSE FLOUNDER	MARINE RESOURCES
	SABLEFISH	USE RESOURCES
	SAND FLOUNDER	
	SAND GOBY	MARINE SEDIMENT
	SEA PERCH	USE SEDIMENT
	SCALED SARDINE	
	SEA BASS	MARINE SNAIL
	SEA BREAM	USE SNAIL
	SEA CATFISH	
	SEA LAMPREY	MARINE YEAST
	SHEEPSHEAD	USE YEAST
	SHEEPSHEAD MINNOW	
	SILVERSIDE	MARIOTLE BOTTLE
	SILVER PERCH	BT EQUIPMENT
	SKIPJACK	
	SMALLMOUTH YELLOWFISH	MARKET
	SMELT	UF DEMAND
	SNAKEHEAD	MARKETING
	SNAPPER	BT ECONOMICS
	SNOOK	RT COMMERCIAL FIRM
	SPRAT	CONSUMER ACCEPTABILITY
	SOLE	PLANNING
	SOUTHERN FLOUNDER	RESTAURANT USE
	SPANISH MACKEREL	
	SPINY DOGFISH	MARKET CRAB
	SPOT	USE DUNGENESS CRAB
	SPOTTED SEATROUT	
	STRIPED BONITO	MARKETING
	STRIPED MULLET	USE MARKET
	SUMMER FLOUNDER	
	SWORDFISH	MARKING
	TARPON	UF BIOCHEMICAL MARKING
	THIN LIPPED MULLET	RT BRANDING
	TUNA	DYE
	TURBOT	ELECTROSHOCKING
	WALLEYE SURFPERCH	FLUORESCENT DYE
	WHITE MULLET	IMMERSION STAINING
	WHITING	TAGGING
	WINTER FLOUNDER	PLASTIC DISK
	YELLOWFIN TUNA	RADIOISOTOPE
	YELLOWTAIL	RADIOTELEMETRY
RT	ANADROMOUS FISH	SANDBLAST GUN
	BRACKISH WATER	STAINING
	CATADROMOUS FISH	TRACKING TECHNIQUE
	COMMERCIAL FISHING	
	FRESH WATER FISH	MARLIN
	MARICULTURE	BT MARINE FISH
	OCEAN	RT BILLFISH
	ORNAMENTAL FISH	

MARRON  
 UF AUSTRALIAN CRAYFISH  
 CHERAX TENUIMANUS  
 BT CRAYFISH

MARSH  
 NT SALT MARSH  
 RT INTERTIDAL AREA  
 SHALLOW WATER  
 TIDE  
 TIDELAND

MARYLAND

MASS MORTALITY  
 UF FISHKILL  
 BT MORTALITY  
 RT DISEASE  
 EPIZOOTIC  
 EUTROPHICATION  
 FREEZING  
 MORTALITY  
 PARASITE  
 PESTICIDE TOXICITY  
 POLLUTION  
 PREDATION  
 SUMMERKILL  
 WINTERKILL

MASS SELECTION  
 USE SELECTIVE BREEDING

MASSACHUSETTS  
 BT NEW ENGLAND

MASU SALMON  
 UF CHERRY SALMON  
 ONCORHYNCHUS MASOU  
 BT ANADROMOUS FISH  
 SALMUN

MATERIAL  
 RT BIOENGINEERING  
 CONSTRUCTION DETAIL  
 PLASTIC  
 EQUIPMENT

MATURITY  
 RT DEVELOPMENT  
 GONAD  
 SYNAHORIN

MAURITIUS  
 MAYFLY  
 BT INSECT

MBU-3  
 BT EQUIPMENT  
 RT DISINFECTION  
 ULTRAVIOLET

MEAL  
 NT COTTONSEED MEAL  
 FEATHER MEAL  
 FISH MEAL  
 HERRING MEAL  
 MEAT MEAL  
 SHRIMP MEAL  
 SOY MEAL  
 SQUID MEAL  
 SUNFLOWER OIL SEED MEAL  
 RT ARTIFICIAL FOOD  
 FEED COMPOSITION

MEALWORM  
 RT LIVE FOOD

MEASUREMENT  
 RT HYDROGRAPHY  
 LENGTH  
 LIGHT METER  
 RADIOTELEMETRY  
 RESPIROMETER  
 SAMPLING  
 SIZE  
 SURVEY  
 WEIGHING METHOD

MEAT MEAL  
 BT MEAL  
 RT FEEDING COMPOSITION  
 FISH MEAL

MECHANICAL HARVESTING  
 BT HARVESTING  
 RT COLLECTING  
 EQUIPMENT

MEDICINE  
 USE DRUG

MEDITERRANEAN	CADMIUM CHROMIUM COBALT COPPER HEAVY METAL IRON LEAD MAGNESIUM MANGANESE MERCURY NICKEL POTASSIUM SILVER SODIUM VANADIUM ZINC
MEDITERRANEAN MUSSEL UF MYTILUS GALLOPROVINCIALIS BT MUSSEL	
MEIOSIS RT CHROMOSOME CYTOLOGY GENETICS MITOSIS	
MELANOGRAMMUS AEGLEFINUS USE HADDOCK	
MELANOSARCOMA USE CANCER	
MENHADEN BT MARINE FISH	METAMORPHOSIS RT DEVELOPMENT MORPHOLOGY
MENIPPE MERCENARIA USE STONE CRAB	METAPENAEUS MONOCEROS USE GREASY-BACK PRAWN
MENTICRIRRHUS LITTORALIS USE GULF KINGFISH	METAZOAN
MEPACRINE	METHIONINE BT AMINO ACID RT FEED COMPOSITION NUTRIENT REQUIREMENT PROTEIN
MERCENARIA CAMPECHIENSIS USE SOUTHERN QUAHOG	METHOXYCHLOR BT ORGANOCHLORINE PESTICIDE
MERCENARIA MERCENARIA USE NORTHERN QUAHOG	METHYL ESTER
MERCURY BT HEAVY METAL METAL	METHYL LINOLENATE BT FATTY ACID RT NUTRIENT REQUIREMENT
MERETRIX LUSORIA USE HARD CLAM	METHYL ORANGE BT DYE STAINING
METABOLITE RT AMMONIA WATER CONDITIONING	METHYLENE BLUE BT DYE RT CHEMCONTROL STAINING
METABOLIZABLE ENERGY USE ENERGY	METHYLTESTOSTERONE
METAL NT ALUMINUM	

MEXICO

MICHIGAN

MICROBIAL ORE CONCENTRATION

MICROBIOLOGY

RT BACTERIA

BACTERIA CULTURE

BACTERIOLOGY

VIRUS

MICROCYSTIS

MICROFILM READER

BT EQUIPMENT

MICROHEMATOCRIT

RT HEMATOCRIT

MICRONESIA

MICROPHALLUS PYGMAEUS

BT PARASITE

TREMATODE

MICROPOGON UNDULATUS

USE ATLANTIC CROAKER

MICROPTERUS

USE BLACK BASS

MICROPTERUS COOSAE

USE REDEYE BASS

MICROPTERUS DOLOMIEUI

USE SMALLMOUTH BASS

MICROPTERUS NOTIUS

USE SUWANNEE BASS

MICROPTERUS PUNCTULATUS

USE SPOTTED BASS

MICROPTERUS SALMOIDES

USE LARGEMOUTH BASS

MICROSTOMUS KITT

USE LEMON SOLE

MICROSCOPE

BT EQUIPMENT  
RT CYTOLOGY  
PHOTOMICROGRAPHY

MICROSPORIDIAN

BT PARASITE

PROTOZOAN

NT BACILLIDIUM

OCTOSPOREA

STEMPHELLIA

THELOHANIA

MIDDLE EAST

MIDGE

BT INSECT

MIDWEST

RT NEBRASKA

OKLAHOMA

MIGRATION

RT BEHAVIOR

ECOLOGY

FISH BARRIER

HANDLING

HOMING

LIFE HISTORY

MOVEMENT

POPULATION

MILKFISH

UF CHANOS CHANOS

BT MARINE FISH

MINAMATA BAY

UF BAY

MINCHINIA NELSONI

USE MSX

MINERAL

MINNESOTA

MINNOW

BT FRESH WATER FISH

MARINE FISH

NT BLUNTNOSE MINNOW

FATHEAD MINNOW

SHEEPSHEAD MINNOW

RT BAIT

BAIT FISH	OREGON MOIST PELLET
CARP	
MIREX	MOLD
BT PESTICIDE	RT FUNGUS
MISGURNUS FOSSILIS	MOLLUSK
USE LOACH	UF BIVALVE
MISSISSIPPI	NT ABALONE
MITOSIS	ARK SHELL
RT CHROMOSOME	CLAM
CYTOTOLOGY	COCKLE
GENETICS	COMMON PERIWINKLE
MEIOSIS	CONCH
MIXED CULTURE	LIMPET
UF MULTIPLE SPECIES CULTURE	MUSSEL
POLYCULTURE	OCTOPUS
RT CROP ROTATION	OPISTHOBRANCH
FOOD WEB	OYSTER
INTERACTION	OYSTER DRILL
MULTIPLE NURSING	QUAHOG
MOBILITY	SCALLOP
MOBJACK BAY	SNAIL
UF BAY	SQUID
MODEL	TOPSHELL
RT COST	WHELK
ECONOMICS	
FEASIBILITY STUDY	MOLTING
PLANNING	UF INTERMOLT
MODIOLUS MODIOLUS	RT DEVELOPMENT
USE NORTHERN HORSE MUSSEL	GROWTH
MOI	MORPHOLOGY
UF POLYDACTYLUS SEXFILIS	SGFT CRAB
THREAD FIN	
BT MARINE FISH	MONOCHRYYSIS LUTHERI
MOIST DIET	BT ALGAE
BT ARTIFICIAL FOOD	MONOGENEA
RT MOISTURE	USE TREMATODE
OREGON MOIST PELLET	MORACCO
MOISTURE	MORONE AMERICANA
RT DEHYDRATION	USE WHITE PERCH
KT MOIST DIET	MORONE CHRYSOPS
	USE WHITE BASS
	MORONE LABRAX
	USE SEA BASS
	MORONE SAXATILIS
	USE STRIPED BASS

MORPHOLOGY  
RT ANATOMY  
DEVELOPMENT  
METAMOPHOSIS  
MOLTING

MORTALITY  
NT MASS MORTALITY  
RT ANESTHETIC  
HANDLING  
PESTICIDE  
POISON  
POLLUTION  
POPULATION  
PREDATION  
RESISTANCE  
STRESS  
SUMMERKILL  
SURVIVAL  
TOLERANCE  
TOXICANT  
TOXICITY  
VIABILITY  
WINTERKILL

MOSQUITO  
UF CULCIDAE  
BT INSECT

MOSQUITOFISH  
UF GAMBUSIA AFFINIS  
BT MARINE FISH

MOSS ANIMAL  
USE BRYOZOAN

MOTHER-OF-PEARL OYSTER  
UF PINCTATA MAXIMA  
BT OYSTER

MOTILITY  
RT MOVEMENT

MOUNTAIN WHITEFISH  
UF PROSUPIUM WILLIAMSONI  
BT FRESH WATER FISH

MOVEMENT  
RT ATAXIA  
FLOW  
MIGRATION

MOTILITY  
WATER CIRCULATION

MOXOSTOMA POECILURUM  
USE BLACKTAIL REDHORSE

MOZAMBIQUE MOUTHBROODER  
UF JAVA TILAPIA  
TILAPIA MOSSAMBICA  
BT FRESH WATER FISH  
TILAPIA

MRIGAL  
UF CIRRHINA MRIGALA  
BT CARP  
FRESH WATER FISH

MS-222  
RT ANESTHETIC

MSX  
UF DELAWARE BAY DISEASE  
MINCHINIA NELSONI  
BT DISEASE

MUCUS  
RT POLYSACCHARIDE

MUD BLISTER

MUD CARP  
UF CIRRHINA MOLITORELLA  
BT CARP  
FRESH WATER FISH

MUD CRAB  
UF MANGROVE CRAB  
RHITHOPANOPEUS HARRISII  
SCYLLA SERRATA  
BT CRAB

MUD SKIPPER  
UF BOLEOPHTHALMUS CHINENSIS  
BT MARINE FISH  
GOBY

MUGIL SALIENS

MUGIL AURATUS  
USE GOLDEN MULLET

MUGIL CAPITO

USE THIN LIPPED MULLET

MUGIL CEPHALUS

USE STRIPED MULLET

MUGIL CUREMA

USE WHITE MULLET

MUGIL RAMADA

USE THIN LIPPED MULLET

MUGIL SALIENS

MULINIA LATERALIS

USE COOT CLAM

MULLET

UF GREY MULLET

BT MARINE FISH

NT GOLDEN MULLET

STRIPED MULLET

THIN LIPPED MULLET

WHITE MULLET

MULTIPLE NURSING

RT MIXED CULTURE

MULTIPLE SPECIES CULTURE

USE MIXED CULTURE

MUMMICHOOG

UF FUNDULUS HETEROCLITUS

BT MARINE FISH

MURRAY COD

UF MACCULLOCHELLA PEELI

BT MARINE FISH

MUSCLE

RT MUSCLE PROTEIN

MUSCLE

MUSCLE PROTEIN

BT PROTEIN

RT MUSCLE

MUSCULAR DYSTROPHY

BT DISEASE

MUSKELLUNGE

UF ESOX MASQUINONGY

BT FRESH WATER FISH

PIKE

MUSSEL

BT MOLLUSK

NT BLUE MUSSEL

CALIFORNIA MUSSEL

CHILEAN MUSSEL

GREEN MUSSEL

MAHOGANY DATE MUSSEL

MEDITERRANEAN MUSSEL

NORTHERN HORSE MUSSEL

RIBBED MUSSEL

UNIONID MUSSEL

RT BENTHOS

CLAM

OYSTER

MUTATION

RT GENETICS

MYA ARENARIA

USE SOFT SHELL CLAM

MYCELIAL DISEASE

BT DISEASE

MYCOBACTERIOSIS

BT DISEASE

RT BACTERIAL COLD-WATER DISEASE

BACTERIAL GILL DISEASE

COLUMNARIS DISEASE

SPOROCYTOOPHAGA DISEASE

MYCOSIS

USE FUNGUS

MYLOPHARYNGODON PICEUS

USE BLACK CARP

MYOGEN

MYRIOPHYLLUM

MYSIS

MYTILUS CALIFORNIANUS

USE CALIFORNIA MUSSEL

MYTILUS EDULIS

USE BLUE MUSSEL

MYTILUS GALLOPROVINCIALIS

USE MEDITERRANEAN MUSSEL  
MYTILUS VIRIDIS  
USE GREEN MUSSEL

MYXOBACTERIA  
BT BACTERIA

MYXOSOMA CEREBRALIS  
BT MYXOSPORIDIA  
RT DISEASE  
PARASITE  
PROTOZOAN  
SPORE  
WHIRLING DISEASE

MYXOSPORIDIA  
BT PARASITE  
PROTOZOAN  
NT CERATOMYXA SHASTA  
HENNEGUYA  
MYXOSOMA CEREBRALIS  
RT WHIRLING DISEASE

NANOPHYETUS SALMINCOLA  
BT TREMATODE

NATAL

NATURAL EFFECT

NATURAL FOOD  
KT AMPHIPOD  
AQUATIC WEED  
FOOD PREFERENCE  
INSECT  
LIVE FOOD

NATURAL RESOURCES  
USE RESOURCES

NATURAL SPAWNING  
BT SPAWNING  
RT ARTIFICIAL SPAWNING  
DELAYED SPAWNING  
FERTILIZATION  
INDUCED SPAWNING  
SEASON

NAUPLIUS

NAVIGABLE WATER

BT WATER  
RT INLAND WATER  
NAVIGATION  
OCEAN  
RIVER

NAVIGATION  
RT NAVIGABLE WATER  
PUBLIC

NEAR EAST

NEBRASKA  
RT MIDWEST

NECROSIS  
BT DISEASE  
NT INFECTIOUS PANCREATIC NECROSIS

NEHU  
UF STOLEPHORUS PURPUREUS  
BT MARINE FISH

NEKTON  
RT ZOOPLANKTON

NEMATODE  
UF ROUNDWORM  
BT PARASITE  
WORM  
NT CENTRACAEUM HABENA  
VINEGAR EELWORM

NEMATOPSIS PENAEUS  
BT PARASITE  
PROTOZOAN

NEOCHANNA APODA  
USE BROWN MUDFISH

NEOMYSIS

NEOPLASM  
USE CANCER

NEOMYCIN  
BT ANTIBIOTIC

NEOTHUNNUS MACROPTERUS  
USE YELLOWFIN TUNA

NEPHROPS NORVEGICUS

USE NORWAY LOBSTER	NIFURPIRINAL BT NITROFURAN RT P 7138
NEPAL	
NEREOCYSTIS LUTKEANA	NIGERIA
USE KELP	
NERVOUS SYSTEM	NILE BLUE BT DYE RT STAINING
NEST	
RT BEHAVIOR	NILE TILAPIA UF TILAPIA NILOTICA BT FRESH WATER FISH TILAPIA
NET	
UF SEINE	NITRATE RT DENITRIFYING BACTERIA
NT GILL NET	RT NITRITE
PLANKTON NET	NITROGEN NUTRIENT NUTRIENT REQUIREMENT WATER QUALITY
NETHERLANDS	
UF HOLLAND	NITRIFYING BACTERIA BT BACTERIA NITROGEN
NEUTRAL RED	RT AMMONIA BIOFILTER
BT DYE	
RT STAINING	NITRITE RT NITRATE NITROGEN
NEVADA	
NEW ENGLAND	NITROFURAN NT NIFURPIRINOL P 7138
RT ATLANTIC COAST	
NT MAINE	NITROGEN NT LIQUID NITROGEN
MASSACHUSETTS	RT AMMONIA
NEW HAMPSHIRE	DENITRIFYING BACTERIA
VERMONT	NITRATE NITRIFYING BACTERIA NITRITE NITROGEN-FIXING BACTERIA
NEW GUINEA	
NEW HAMPSHIRE	NITROREDUCTASE ACTIVITY
BT NEW ENGLAND	
NEW JERSEY	NOCARDIOSIS BT DISEASE
NEW SOUTH WALES	RT BACTERIA
NEW YORK	
NEW ZEALAND	
NICKEL	
BT HEAVY METAL	
METAL	
NICOTINE	

NOCTURNAL BEHAVIOR  
BT BEHAVIOR

NORI  
USE LAVER

NORTH AMERICA

NORTH AMERICAN CRAYFISH  
UF PACIFASTACUS TROWBRIDGII  
WESTERN NORTH AMERICAN CRAYFISH  
BT CRAYFISH

NORTH CAROLINA

NORTH SEA SOLE  
USE SOLE

NORTH VIETNAM  
BT VIETNAM

NORTHERN ANCHOVY  
UF ENGRAULIS MORDAX  
BT ANCHOVY  
MARINE FISH

NORTHERN HORSE MUSSEL  
UF MODIOLUS MODIOLUS  
BT MUSSEL

NORTHERN LOBSTER  
USE AMERICAN LOBSTER

NORTHERN PIKE  
UF ESOX LUCIUS  
BT FRESH WATER FISH  
PIKE

NORTHERN PUFFER  
UF SPHOEROIDES MACULATUS  
BT MARINE FISH

NORTHERN QUAHOG  
UF MERCENAKIA MERCENARIA  
HARD CLAM (ATLANTIC)  
BT CLAM  
QUAHOG

NORTHERN SENNET  
UF SPHYRAENA BOREALIS  
BT MARINE FISH

NORTHERN SQUAWFISH  
UF PTYCHOCHIELUS OREGONENSIS  
BT FRESH WATER FISH  
SQUAWFISH

NORTHWEST  
RT OREGON  
WASHINGTON

NORWAY

NORWAY LOBSTER  
UF NEPHROPS NORVEGICUS  
BT LOBSTER

NOTEMIGDNUS CRYSOLEUCAS  
USE GOLDEN SHINER

NOTOBANCHUS

NOTROPIS PILSBRYI  
USE DUSKY STRIPE SHINER

NOTROPIS VENUSTUS  
USE BLACKTAIL SHINER

NOVOBIOCIN  
BT ANTIBIOTIC

NOVOBIOCIN  
BT ANTIBIOTIC

NURSERY  
RT FRY  
JUVENILE  
LARVA  
SEED

NUTRIENT  
RT ARTIFICIAL UPWELLING  
DEEP SEA WATER  
DIGESTION  
ENRICHMENT SOLUTION  
FERTILIZER  
NITRATE  
PHOSPHATE  
PRODUCTIVITY  
WASTE WATER AQUACULTURE  
WATER SUPPLY

NUTRIENT REQUIREMENT  
RT ABERNATHY DIET

ALPHA TOCOPHEROL	OFFSHORE
ARGININE	OPEN WATER CULTURE
ARTIFICIAL FOOD	SEA WATER
ASCORBIC ACID	TIDE
BIOTIN	
CARBOHYDRATE	OCEAN FARMING
COMPLETE FOOD	USE OPEN WATER CULTURE
DIET	
DIETARY ADDITIVE	OCEAN QUAHOG
DIETARY DEFICIENCY	UF ARCTICA ISLANDICA
DIGESTION	BT CLAM
DISEASE	QUAHOG
ENERGY	
FEED COMPOSITION	OCTOPUS
FEEDING	BT MOLLUSK
FOOD REQUIREMENT	NT BLUE RINGED OCTOPUS
GLUCOSAMINE	
GLUTAMIC ACID	OCTOSPOREA
GLYCINE	BT MICROSPURIDIAN
HISTIDINE	PARASITE
INCOMPLETE FOOD	
EICOSATETRAENOIC ACID	ODONATE
LINOLEIC ACID	
LIPID	ODONTHESTES BONARIENSIS
LIVE FOOD	USE SILVER SIDE
METHIONINE	
METHYL LINOLENATE	ODOR
NITRATE	UF SMELL
PHOSPHATE	RT CONSUMER ACCEPTABILITY
PRODUCTIVITY	
PROTEIN	OFF BOTTOM CULTURE
PROTEIN CONVERSION	UF SUSPENDED CULTURE
SILICATE	THREE DIMENSIONAL CULTURE
TRYPTOPHAN	VERTICAL CULTURE
VITAMIN	NT LONG-LINE CULTURE
VITAMIN A	RACK CULTURE
VITAMIN B	RAFT CULTURE
VITAMIN C	ROPE CULTURE
VITAMIN DEFICIENCY	TRAY CULTURE
VITAMIN E	BOTTOM CULTURE
	VERTICAL SUBSTRATE
OATS	
RT FEED COMPOSITION	OFFAL
OCEAN	USE WASTE
NT ANTARTIC OCEAN	
ATLANTIC OCEAN	OFFSHORE
INDIAN OCEAN	RT DEEP SEA WATER
PACIFIC OCEAN	OCEAN
RT LAGOON	OPEN WATER CULTURE
MARINE FISH	RESOURCES
NAVIGABLE WATER	UPWELLING

OHRID TROUT  
USE BROWN TROUT

OIL

UF SEED OIL  
BT LIPID  
NT FISH OIL  
HERRING OIL  
PARAFFIN OIL  
SQUID LIVER OIL  
PEANUT OIL  
SOY OIL

OKLAHOMA  
RT MIDWEST

OLISTHODISCUS CARTERAE  
BT PLANKTON

OLYMPIA OYSTER  
UF OSTREA LURIDA  
BT OYSTER

OMAKA

UF ATULE MATE  
CARANX MATE  
BT MARINE FISH

OMUL

UF COREGONUS AUTUMNALIS  
BT FRESH WATER FISH

ON-SITE EQUIPMENT  
USE FIELD EQUIPMENT

ONCOGENESIS

RT CANCER  
CARCINOGEN  
TUMOR

ONCORHYNCHUS GORBUSCHA  
USE PINK SALMON

ONCORHYNCHUS KETA  
USE CHUM SALMON

ONCORHYNCHUS KISUTCH  
USE COHO SALMON

ONCORHYNCHUS MASOU  
USE MASU SALMON

ONCORHYNCHUS NERKA  
USE SOCKEYE SALMON

ONCORHYNCHUS TSHAWYTSCHA  
USE CHINOOK SALMON

OOCYTE

RT EGG  
OOGENESIS  
OVARY  
OVULATION  
OVUM

OODINUM OCELLATUM  
USE VELVET DISEASE

OOGENESIS

RT EGG  
GONAD  
OOCYTE  
OVUM  
SPERMATOGENESIS  
VITELLOGENESIS

OPECOCOLOIDES FIMBRIATUS  
BT PARASITE  
TREMATODE

OPEN JAW SYNDROME  
BT DISEASE  
RT ABNORMALITY

OPEN SYSTEM  
RT AQUARIUM CULTURE  
CLOSED SYSTEM

OPEN WATER CULTURE  
UF OCEAN FARMING  
RT COMMERCIAL FISHING  
OCEAN  
OFFSHORE  
HOMING  
FISHERY MANAGEMENT  
RECAPTURE

OPERCULA

RT GILL  
OPERCULAR RATE

OPERCULAR RATE  
RT OPERCULA

OPHOCEPHALUS TADIANUS USE SNAKEHEAD	BT PESTICIDE NT CO-RAL FENITROTHION GUTHION MALATHION
OPISTHOBRANCH BT MOLLUSK	RT LETHAL LIMIT ORGANOCHLORINE PCB SUBLETHAL DOSAGE
OPILEGNATHUS, FASCIATUS USE ISHIDAI	ORNAMENTAL FISH UF TROPICAL FISH
ORAL IMMUNIZATION USE IMMUNITY	BT FISH NT GUPPY KISSING GOURAMI ZEBRA DANIO
ORANGE THROAT DARTER UF ETHEOSTOMA SPECTABILE BT FRESH WATER FISH	RT FRESH WATER FISH MARINE FISH
OREGON RT NORTHWEST	ORTHOPISTIS CHRYSOPTERA USE PIGFISH
OREGON MOIST PELLET BT ARTIFICIAL FOOD RT FEED COMPOSITION MOIST DIET MOISTURE PELLET PELLET PREPARATION	OSLOFJORD OSMOREGULATION RT SALINITY
ORGANIC WASTE USE WASTE	OSTREA EDULIS USE EUROPEAN OYSTER
ORGANOCHLORINE UF CHLORINATED HYDROCARBON BT PESTICIDE NT ALDRIN CHLORINATED ALIPHATIC HYDROCAR CHLORDANE DDT DIELDRIN ENDRIN HEPTACHLOR LINDANE METHOXYCHLOR THIODAN TOXAPHENE	OSTREA LURIDA USE OLYMPIA OYSTER
RT HYDROCARBON LETHAL LIMIT ORGANOPHOSPHATE PCB SUBLETHAL DOSAGE	OTOLITH OVARIAN FLUID RT OVARY
ORGANOPHOSPHATE	OVARY BT GONAD RT EGG OOCYTE OVARIAN FLUID OVULATION
	OVERFISHING RT COMMERCIAL FISHING FISHERY MANAGEMENT FISHING

OVERWINTERING  
RT SEASON

OVULATION  
RT OOCYTE  
OVARY  
OVUM

OVUM  
RT EGG  
EGG PRODUCTION  
OOCYTE  
OOGENESIS  
OVULATION

OXYELEOTRIS MARMORATA  
USE MARBLE GORBY

OXYELEOTRIS MARMORATUS  
USE GIANT GOBY

OXYGEN  
RT AERATION  
BIOCHEMICAL OXYGEN DEMAND  
EMERGENCY AERATION  
EUTROPHICATION  
OXYGENATION  
OZONE  
WATER ANALYSIS  
WATER QUALITY

OXYGENATION  
RT AERATION  
OXYGEN  
WATER PURIFICATION  
WATER TREATMENT

OXYTETRACYCLINE  
UF TERRAMYCIN  
BT ANTIBIOTIC  
DRUG

OYSTER  
BT MOLLUSK  
NT DREDGE OYSTER  
EASTERN OYSTER  
EUROPEAN OYSTER  
JAPANESE OYSTER  
MANGROVE OYSTER  
MOTHER-OF-PEARL OYSTER  
OLYMPIA OYSTER

PEARL OYSTER  
PORTUGUESE OYSTER  
ROCK OYSTER  
SEED OYSTER  
SLIPPER OYSTER  
SYDNEY ROCK OYSTER  
RT BENTHOS  
CLAM  
CULTCH  
CULTCH FREE TECHNIQUE  
MUSSEL  
OYSTER DRILL  
SETTING

OYSTER CRAB  
UF PINNOTHERES OSTREUM  
BT CRAB  
PARASITE

OYSTER DRILL  
UF EUPLERA CANDATA  
UROSALPINX CINEREA  
BT MOLLUSK  
RT OYSTER

OYSTER SHELL  
USE SHELL

OZONE  
RT OXYGEN  
WATER PURIFICATION  
WATER TREATMENT

P-7138  
BT NITROFURAN  
RT NIFURPIRINOL

PACIFASTACUS TROWBRIDGII  
USE NORTH ATLANTIC CRAYFISH

PACIFIC HERRING  
UF CLUPEA HARENGUS  
BT HERRING  
MARINE FISH  
RT ATLANTIC HERRING

PACIFIC MACKEREL  
BT MACKEREL  
MARINE FISH

PACIFIC OCEAN  
BT OCEAN

RT COASTAL WATER	
PACIFIC OYSTER USE JAPANESE OYSTER	PARAFFIN OIL BT OIL
PACIFIC SALMON USE SALMON	PARAGUAY
PACIFIC SARDINE UF SARDINOPS CAERULEUS BT MARINE FISH	PARALICHTHYS DENTATUS USE SUMMER FLOUNDER
PACKAGING RT FISH BOX LABEL PROCESSING	PARALICHTHYS LETHOSTIGMA USE SOUTHERN FLOUNDER
PADDLEFISH BT FRESH WATER FISH	PARALITHODES CAMSCHATICA USE KING CRAB
PAGURUS LONGICARPUS USE HERMIT CRAB	PARALYTIC SHELLFISH POISONING BT DISEASE RT GONYAULAX
PALAEMON SERRATUS USE COMMON PRAWN	PARAMOeba PERNICIOSA USE GRAY CRAB DISEASE
PALAEMONID SHRIMP USE SHRIMP	PARAQUAT BT HERBICIDE PESTICIDE
PANAMA	PARASITE
PANDALID SHRIMP USE SHRIMP	UF ECTOPARASITE NT ANCHOR WORM
PANDALOPSIS DISPAR USE SIDE STRIPE	BACILLIDIUM BUCEPHALUS
PANDALUS PLATYCEROS USE SPOT PRAWN	CERATOMYXA SHASTA CESTODE
PANULIRUS INTERRUPTUS USE SPINY LOBSTER	CHILODONELLA CLEIDODISCUS
PANULIRUS LONGIPES USE ROCK LOBSTER	COCCIDIA COSTIA
PAPILLOMAS UF CAULIFLOWER DISEASE EPIDERMAL PAPILLOMAS BT DISEASE RT TUMOR VIRUS	DACTYLOGYRUS FUNGUS GREGARINE GYMNOSPORE GYRODACTYLUS HAPLOSPORIDIAN HENNEGUYA MICROPHALLUS PYGMAEUS MICROSPORIDIA MYXOSOMA CEREBRALIS MYXOSPORIDIA NEMATODE NEMATOPSIS PENAEUS OCTOSPOREA OPECOLLOIDES FIMBRIATUS

OYSTER CRAB	PEARL
PERITRICH CILIATE	RT PEARL OYSTER
PLEISTOPHORA	
SCYPHIDA	
STEMPHILLIA	PEARL OYSTER
THELOMANIA	UF PTERIA MARGARITIFERA
TREMATODE	BT OYSTER
TRICHODINA	
TRICHOPHYRA	
RT ABER DISEASE	PEARL SPOT
BACTERIA	BT MARINE FISH
CRUSTACEAN	SPOT
DISEASE	
DISEASE CONTROL	PECTEN MAXIMUS
EPIZOOTIC	USE SCALLOP
EPIZOOTOLOGY	
INTERMEDIATE HOST	PEDIOCOCCUS HOMARI
MASS MORTALITY	USE GAFFKAEMIA
PROTOZOAN	
WORM	PELAGIC ENVIRONMENT
	BT ENVIRONMENT
PARENT STOCK	PELLET
USE BROOD STOCK	UF FOOD PELLET
PARROTS FEATHER	BT ARTIFICIAL FOOD
PASTEURIZATION	RT FEED COMPOSITION
	OREGON MOIST PELLET
PATINOPECTEN CAURINUS	PELLET PREPARATION
USE WEATHERVANE SCALLOP	BT
PATINOPECTEN YESSOENSIS	RT BINDER
USE JAPANESE SCALLOP	FOOD PREPARATION
PATHOLOGY	OREGON MOIST PELLET
USE DISEASE	PELLET
PAUNCH MANURE	
PCB	PELTORHAMPHUS NOVAEZULANIDAE
UF POLYCHLORINATED BIPHENYL	USE SOLE
BT PESTICIDE	
NT AROCLOR 1254	PELYAD
RT ORGANUCHLORINE	UF COREGONUS PELED
ORGANOPHOSPHATE	HOUTING
PEA	BT ANADROMOUS FISH
RT FEED COMPOSITION	
PEANUT OIL	PEN CULTURE
BT OIL	USE CAGE CULTURE
RT FEED COMPOSITION	
	PENAEID SHRIMP
	USE SHRIMP
	PENAEUS AZTECUS
	USE BROWN SHRIMP

PENAEUS DUORARUM USE PINK SHRIMP	RT ALGAE STANDING CROP
PENAEUS FLUVATIS USE WHITE SHRIMP	PERITRICH CILIATE BT PARASITE
PENAEUS JAPONICUS USE JAPANESE SHRIMP	PERIWINKLE USE COMMON PERIWINKLE
PENAEUS LATISULCATUS USE KING PRAWN	PERMIT RT LEGAL ASPECT LICENSE
PENAEUS MERGUIENSIS USE BANANA PRAWN	PERNA CANALICULUS USE GREEN MUSSEL
PENAEUS MONODON USE SUGPO	PERU
PENAEUS PENICILLATUS USE RED-TAILED PRAWN	PESTICIDE UF INSECTICIDE BT POISON NT ABATE ALDRIN BAYLUSCIDE CHLORDANE CO-KAL DDE DDT DIAZINON DIELDRIN ENDRIN FENITROTHION GUTHION HEPTACHLOR HERBICIDE INSECTICIDE LINDANE MALATHION METHOXYCHLOR MIREX ORGANOCHLORINE ORGANOPHOSPHATE PARAQUAT PCB ROtenone SEVIN TDE TEA SEED THIODAN TOBACCO SEED TOXAPHENE RT CHEMCONTROL
PENICILLIN BT ANTIBIOTIC	
PENNSYLVANIA	
PEPTIDE RT AMINO ACID	
PERCA FLAVESCENS USE YELLOW PERCH	
PERCA FLUVIATILIS USE EURASIAN PERCH	
PERCH BT FRESH WATER FISH MARINE FISH	
PERIODICITY RT PHOTOPERIOD	
PERIOSTRACUM RT SHELL	
PERIPHYTON	

COPPER SULFATE	NT INFRARED PHOTOGRAPHY
INSECT	PHOTOMICROGRAPHY
LETHAL LIMIT	
MASS MORTALITY	PHOTOMICROGRAPHY
MORTALITY	BT PHOTOGRAPHY
POLLUTION	RT MICROSCOPE
RATE OF APPLICATION	
RESIDUE	PHOTOPERIOD
SPINNING DEATH	RT LIGHT
SUBLETHAL DOSAGE	PERIODICITY
TOLERANCE	PIGMENT
TOXICANT	
TOXICITY	PHOTOSYNTHESIS
	RT ENERGY
PETROMYZON MARINUS	LIGHT
USE SEA LAMPREY	
PH-	PHOTOTAXIS
RT ACIDITY	RT LIGHT
ALKALINITY	LIGHT TRAP
	PHOTOTROPHIC SULFUR BACTERIA
PHAEODACTYLUM TRICORNUTUM	BT BACTERIA
BT ALGAE	
PLANKTON	PHYLOGENY
	RT EVOLUTION
PHENOL	TAXONOMY
RT INDUSTRIAL WASTE	
POLLUTION	PHYTOHEMAGGLUTININ (PHA)
PHENOTYPE	
RT COLOR MUTATION	PHYTOPLANKTON
GENETICS	BT PLANKTON
GENOTYPE	NT DIATOM
HERITABILITY	DINOFLAGELLATE
POLYMORPHISM	RT ALGAE
SELECTIVE BREEDING	BACTERIA
	BLOOM
PHILIPPINES	BROWN ALGAE
	FUNGS
PHOSPHATE	GREEN ALGAE
RT NUTRIENT	LIVE FOOD
NUTRIENT REQUIREMENT	RED ALGAE
PHOSPHORUS	
PHOTOCOPY	PIGFISH
PHOTOELECTRIC DEVICE	UF ORTHOPRISTIS CHRYSOPTERA
BT EQUIPMENT	
RT LIGHT	BT MARINE FISH
PHOTOGRAPHY	
	PIGMENT
	UF DEPIGMENTATION
	NT PLANT PIGMENT
	RT CAMOUFLAGE
	CAROTENOID
	COLOR DEVELOPMENT

COLOR MUTATION	PINK SHRIMP
DEPIGMENTATION	UF PENAEUS DUORARUM
PHOTOPERIOD	BT SHRIMP
PIGMENTATION	
PIGMENTATION	PINK TAIL
USE PIGMENT	USE GAFFKAEMIA
PIKE	PINKNECK CLAM
UF ESOCID	BT CLAM
BT FRESH WATER FISH	PINNOTHERES OSTREUM
NT CHAIN PICKEREL	USE OYSTER CRAB
MUSKELLUNGE	
NORTHERN PIKE	PIPELINE CANAL
TIGER MUSKELLUNGE	
PIKE-PERCH	PIRANHA
UF LUCIOPERCA LUCIOPERCA	BT FRESH WATER FISH
BT FRESH WATER FISH	
PILE PERCH	PITUITARY
UF RHACOCHILUS VACCA	UF HYPOPHYSIS
BT MARINE FISH	HYPOPHYSATION
PILOT PROGRAM	RT GONADOTROPIN
BT PROGRAM	HORMONE
RT ECONOMICS	INDUCED SPAWNING
FEASIBILITY STUDY	INJECTION
RESEARCH	PMS
PIMEPHALES NOTATUS	PLACOPECTEN MAGELLANICUS
USE BLUNTNOSE MINNOW	USE SEA SCALLOP
PIMEPHALES PROMELAS	PLAICE
USE FATHEAD MINNOW	UF PLEURONECTES PLATESSA
PINCTATA MAXIMA	BT FLATFISH
USE MOTHER-OF-PEARL OYSTER	MARINE FISH
PINFISH	PLANARIAN
UF LAGUDON RHOMBOIDES	BT FLATWORM
BT MARINE FISH	
PINK ABALONE	PLANCHET
UF HALIOTIS CORRUGATA	
BT ABALONE	PLANKTON
PINK SALMON	NT CLADOCERAN
UF ONCORHYNCHUS GORBUSCHA	DAPHNIA
BT ANADROMOUS FISH	EUCOPEPOD
SALMON	DIATOM
	DINOFLAGELLATE
	EUPHAUSIID
	GONYAULAX
	OLISTHODISCUS CARTERAE
	PHAEODACTYLM TRICORNUTUM
	PHYTOPLANKTON
	PODOCOPA

SKELETONEMA COSTATUM	RT FISH BARRIER
TISBE HELGOLANDICA	PLASTIC
ZOOPLANKTON	
RT ALGAE	PLASTIC DISK
BLOOM	BT TAGGING
COPEPOD	RT MARKING
EUTROPHICATION	PLASTIC
LIVE FOOD	
PLANKTON NET	PLASTIC POOL
PRODUCTIVITY	BT EQUIPMENT
PROTOZOAN	RT AQUARIUM CULTURE
STANDING CROP	PLASTIC POND CULTURE
PLANKTON NET	
BT EQUIPMENT	PLECOGLOSSUS ALTIVELIS
NET	USE AYU
RT FIELD EQUIPMENT	
PLANKTON	PLEISTOPHORA
PLANNING	BT PARASITE
UF FUTURE	PROTOZOAN
POTENTIAL	
RT AQUACULTURE	PLEUROCONDES PLANIPES
ECONOMICS	USE RED CRAB
FINANCING	
MANAGEMENT	PLEURONECTES PLATESSA
MARKET	USE PLAICE
MODEL	
PROBLEMS	PLYODICTIS OLIVARIS
RECOMMENDATIONS	USE FLATHEAD CATFISH
PLANT PIGMENT	PMS
BT PIGMENT	UF PREGNANT MARE SERUM
RT CHLOROPHYLL	RT INDUCED SPAWNING
	PITUITARY
PLANT PROTEIN	
BT PROTEIN	POACHING
PLASMA	RT LEGAL ASPECT
RT BLOOD	PUBLIC
HEMATOLOGY	WATER RIGHTS
SERUM	
PLASTIC	PODOCOPA
RT CASEIN	BT PLANKTON
CONSTRUCTION DETAIL	ZOOPLANKTON
MATERIAL	
PLASTIC BARRIER	POECILIA RETICULATA
PLASTIC DISK	USE GUPPY
PLASTIC POOL	
PLASTIC BARRIER	POISON
	NT HERBICIDE
	PESTICIDE
	RT CONTAMINATION
	MORTALITY

SQUOXIN	DETOXIFICATION
TOXICANT	DISEASE
TOXICITY	ECOLOGY
TOXIN	EFFLUENT
POLAND	EUTROPHICATION
POLE CULTURE	FOULING
RT ALGAE CULTURE	HUMAN DISEASE
POLITICAL ASPECT	HYDROCARBON
RT ECONOMICS	INDUSTRIAL WASTE
LAND USE	LEAD
LEGAL ASPECT	LETHAL LIMIT
MANAGEMENT	MASS MORTALITY
PROBLEMS	MORTALITY
PUBLIC	PESTICIDE
SOCIAL ASPECT	PHENOL
POLLACHIOS VIRENS	POLLUTANT CONCENTRATION
USE POLLOCK.	POLLUTION CONTROL
POLLAN	POWER STATION EFFLUENT
UF COREGONUS LAVARETUS	RADIOACTIVITY
MARINA	RED MUD
BT FRESH WATER FISH	SEWAGE
POLLOCK	SEWAGE TREATMENT
UF GADUS VIRENS	STICKWATER
POLLACHIOS VIRENS	SUBLETHAL DOSAGE
SAITHE	TASTE
BT MARINE FISH	Thermal POLLUTION
POLLUTANT CONCENTRATION	TOLERANCE
RT AQUACULTURAL POLLUTION	TOXICITY
INDUSTRIAL WASTE	TURBIDITY
POLLUTION	WASTE
SUBLETHAL DOSAGE	WASTE WATER AQUACULTURE
TOXICITY	WATER
POLLUTION	WATER QUALITY
UF WATER POLLUTION EFFECT	POLLUTION CONTROL
NT AQUACULTURAL POLLUTION	RT AQUACULTURAL POLLUTION
	JURISDICTION
	LEGAL ASPECT
RT ACIDITY	POLLUTION
BIOASSAY	WASTE WATER AQUACULTURE
BIOCHEMICAL OXYGEN DEMAND	WATER QUALITY
BRACKISH WATER	WATER TREATMENT
COLIFORM	
CONTAMINATION	
DEPURATION	
DETERGENT	
POLYCHAETE	POLYCHLORINATED BIPHENYL
BT WORM	USE PCB
NT BLOODWORM	
LUGWORM	
POLYCULTURE	

USE MIXED CULTURE	RT CIRCULATING POND
POLYDACTYLUS SEXFILIS	FEE FISHING
USE MOI	FISH
POLYELECTROLYTE	LOW DENSITY CULTURE
POLYETHYLENE	PLASTIC POOL
POLYMORPHISM	POND
RT GENETICS	POND BOTTOM
GENOTYPE	
HERITABILITY	POPEYE
PHENOTYPE	USE EXOPHTHALMIA
POLYPOCEPHALUS	POPULATION
BT CESTODE	RT EXPLOITATION
POLYSACCHARIDE	FECUNDITY
NT GLYCOGEN	GENETICS
RT MUCUS	GENOTYPE
POLYSTREAM	HABITAT
POMPANO	HARVESTING
UF TRACHINOTUS OVATUS	HERITABILITY
BT MARINE FISH	INBREEDING
RT FLORIDA POMPANO	MASS SELECTION
POMOXIS ANNULARIS	POPULATION
USE WHITE CRAPPIE	MIGRATION
POMOXIS NIGROMACULATUS	MORTALITY
USE BLACK CRAPPIE	POPULATION CONTROL
POND	POPULATION REMOVAL
RT BUSHY POND WEED	POPULATION SIZE
CIRCULATING POND	SEX RATIO
FRESH WATER	SPECIES INTRODUCTION
INLAND WATER	STANDING CROP
LAKE	STOCK DENSITY
POND BOTTOM	SURVIVAL
POND CULTURE	WILD STOCK
RESERVOIR	POPULATION CONTROL
POND BOTTOM	RT BIOCONTROL
RT BOTTOM	CHEMCONTROL
POND	ECOLOGY
POND CULTURE	POPULATION
SOIL	PREDATOR CONTROL
POND CULTURE	STANDING CROP
	STOCK DENSITY
	POPULATION REMOVAL
	RT ANTIMYCIN
	POPULATION
	ROTELONE
	SQUOXIN
	PORPHYRA
	USE LAVER

PORPHYRA TENERA USE LAVER	RT   BIOLOGICAL COMPETITION BIRD ECOLOGY FORAGE FISH MASS MORTALITY MORTALITY PREDATOR CONTROL REPTILE
PORPOISE RT   MAMMAL	
PORTUGUESE OYSTER UF   CRASSOSTREA ANGULATA BT   OYSTER	PREDATOR CONTROL RT   AGGREGATE COVER BIOCONTROL CHEMCONTROL ECOLOGY LIME PREDATION POPULATION CONTROL
POSTLARVA RT   DEVELOPMENT GROWTH LARVA	
POTASH	PREGNANT MARE SERUM USE PMS
POTASSIUM BT   METAL RT   POTASSIUM PERMANGANATE	PREPARATION
POTASSIUM PERMANGANATE RT   POTASSIUM	PRESERVATION NT   CRYOGENIC PRESERVATION RT   FREEZE DRIED FOOD GLYCERIN SODIUM BISULFITE
POTENTIAL USE PLANNING	
POTENTIAL HYDROPOWER USE HYDROPOWER	PRIMARY PRODUCTIVITY USE PRODUCTIVITY
POWER STATION EFFLUENT UF   COOLING WATERS BT   EFFLUENT RT   HYDROPOWER POLLUTION THERMAL POLLUTION WASTE WATER AQUACULTURE	PRIVATE ENTERPRISE USE COMMERCIAL FIRM
PRAIRIE	PROBLEMS UF   CONSTRAINTS RISKS RT   AQUACULTURE LEGAL ASPECT MANAGEMENT PLANNING POLITICAL ASPECT RECOMMENDATIONS SOCIAL ASPECT
PRAWN BT   SHRIMP NT   BANANA PRAWN COMMUN PRAWN FRESH WATER PRAWN GIANT FRESHWATER PRAWN GREASY-BACK PRAWN RED TAILED PRAWN SPOT PRAWN TIGER PRAWN	PROCAMBARUS CLARKI USE RED SWAMP CRAYFISH
PREDATION	PROCESSING RT   BY-PRODUCT CANNING

CONSUMER ACCEPTABILITY	PUBLIC
DRYING	WATER RIGHTS
KILLING TECHNIQUE	
SALTING	PROPHYLACTIC
SMOKING	RT DISEASE PREVENTION
PACKAGING	
SHUCKING	PROPOSAL
SKINNING	USE RESEARCH
STICKWATER	
PROCHRISTIANELLA PENAEUS	PROSOPIUM WILLIAMSONI
BT CESTODE	USE MOUNTAIN WHITEFISH
PRODUCTION	PROTEIN
UF HARVEST	NT CASEIN
RT ECONOMICS	COLLAGEN
FEEDING	MUSCLE PROTEIN
HARVESTING	PLANT PROTEIN
PRODUCTIVITY	SOY PROTEIN
 	RT AMINO ACID
PRODUCTIVITY	ARGININE
UF PRIMARY PRODUCTIVITY	CARBOHYDRATE
RT ALGAE	FEED COMPOSITION
BENTHOS	GLYCENE
CARRYING CAPACITY	GLYCUPROTEIN
ECOLOGY	HISTIDINE
EUTROPHICATION	LIPID
EXPLOITATION	METHIONINE
FECUNDITY	NUTRIENT REQUIREMENT
FERTILIZATION	PROTEIN CONVERSION
FERTILIZER	TRYPTOPHAN
FOOD WEB	WORLD FOOD SUPPLY
HARVESTING	 
MANAGEMENT	PROTEIN CONVERSION
NUTRIENT	RT AMINO ACID
NUTRIENT REQUIREMENT	FOOD CONVERSION
PLANKTON	PROTEIN
PRODUCTION	 
STANDING CROP	PROTOZOAN
WATER ANALYSIS	NT AMOEBA
 	CEPHALOBUS PENAEUS
PROGRAM	CERATOMYXA SHASTA
NT PILOT PROGRAM	CHILODONELLA
 	CILIATE
PROJECT SUMMARY	COSTIA
USE RESEARCH	EPISTYLIS
 	HAPLOSPORIDIAN
PROLARVA	HENNEGUYA
USE LARVA	MYXOSPORIDIUM
 	MYXOSOMA CEREBRALIS
PROPERTY RIGHTS	NEMATOPSIS PENAEUS
RT LEGAL ASPECT	PLISTOPHORA
	SCYPHIDA

	TRICHODINA	PUBLIC USE
	TRICHOphrya	USE PUBLIC
RT	DINOFLAGELLATE	
	PARASITE	PUERTO RICO
	PLANKTON	RT CARIBBEAN
	ZOOPLANKTON	
	PSEUDOKIDNEY DISEASE	PUFFER
BT	DISEASE	UF FUGU RUBRIPES
RT	BACTERIA	BT MARINE FISH
	PSEUDOMONAD	PUGET SOUND
	PSEUDOMONADES	PUMP
	BT BACTERIA	BT EQUIPMENT
	PSEUDOMONAS	NT AIRLIFT PUMP
	BT BACTERIA	FISH PUMP
	DISEASE	RT TURBINE
	PSEUDOPLEURONECTES AMERICANUS	PUMPKINSEED
	USE WINTER FLounder	UF LEPOMIS GIBBOSUS
	PTERIA MARGARITIFERA	BT FRESH WATER FISH
	USE PEARL OYSTER	PURIFLOC
	PTYCHOCHIILUS OREGONENSIS	USE FLOCULLANT
	USE SQUAWFISH	
	PUBLIC	PURINE
	UF PUBLIC DOMAIN	RT CHROMOSOME
	PUBLIC INTEREST	CYTOTOLOGY
	PUBLIC RIGHTS	DNA
	PUBLIC USE	RNA
RT	LEGAL ASPECT	URIC ACID
	NAVIGATION	
	POACHING	PYRIDOXINE
	POLITICAL ASPECT	PYRIMIDINE
	PROPERTY	RT CHROMOSOME
	RECREATION	CYTOTOLOGY
	SOCIAL ASPECT	DNA
	WATER RIGHTS	RNA
	PUBLIC DOMAIN	QUAHOG
	USE PUBLIC	BT CLAM
	PUBLIC INTEREST	NT NORTHERN QUAHOG
	USE PUBLIC	SOUTHERN QUAHOG
	PUBLIC RIGHTS	QUEEN CONCH
	USE PUBLIC	BT CONCH
		RT WHELK
		QUEEN SCALLOP
		BT SCALLOP

QUICKLIME	RT LONG-LINE CULTURE
USE LIME	SUBMERSIBLE RAFT
QUINALDINE	RAINBOW TROUT
QUININE	UF SALMO GAIRDNERI
RABBITFISH	SALMO IRIDEUS
UF SIGANUS CANICULATUS	SALMO SHASTA
SIGANUS LINEATUS	STEELHEAD TROUT
SIGANUS ORAMIN	BT FRESH WATER FISH
SIGANUS RIVULATUS	TROUT
BT MARINE FISH	RAINFALL
RACEWAY CULTURE	RT CLIMATE
RACK CULTURE	WEATHER
UF STICK CULTURE	RANA CATESBEIANA
BT OFF BOTTOM CULTURE	USE BULLFROG
RADIO TELEMETRY	RANA PIPIENS
RT MARKING	USE LEOPARD FROG
MEASUREMENT	RAPID TECHNIQUE
TAGGING	RT STANDARD PROCEDURE
TRACKING	RATE OF APPLICATION
RADIOACTIVITY	RT APPLICATION
RT CONTAMINATION	CHEMCONTROL
GAMMA RAY	CONTINUOUS LIQUID DISCHARGE
IONIZING RADIATION	DOSAGE
POLLUTION	PESTICIDE
RADIOGRAPHING	RAZOR CLAM
RADIOISOTOPE	BT CLAM
URANIUM	REATTACHMENT
WATER QUALITY	RT ATTACHMENT
X-RAY	GLUING
RADIOGRAPHING	SETTING
RT GAMMA RAY	RECAPTURE
RADIOACTIVITY	UF FISH RECOVERY
RADIOISOTOPES	RT COLLECTING
RADIOISOTOPE	CONDITIONED RESPONSE
RT GAMMA RAY	HOMING
MARKING	LIVE CAPTURE
RADIOACTIVITY	OPEN WATER CULTURE
RADIOGRAPHING	RECIRCULATED WATER
TAGGING	RT AERATION
TRACKING	CLOSED SYSTEM
RAFT CULTURE	WATER CIRCULATION
BT OFF BOTTOM CULTURE	WATER TREATMENT

RECLAMATION  
USE RESTORATION

RECOMMENDATIONS  
RT AQUACULTURE  
MANAGEMENT  
PLANNING  
PROBLEMS

RECOVERY  
RT HEALING  
DISEASE TREATMENT

RECREATION  
RT FEE FISHING  
PUBLIC  
SOCIAL ASPECT  
SPORT FISHING

RECRUITMENT  
RT EXPLOITATION  
HARVESTING  
SIZE  
WILD STOCK

RED ABALONE  
UF HALIOTIS RUFESCENS  
BT ABALONE

RED ALGAE  
UF GRACILARIA  
BT ALGAE  
SEAWEED  
NT DULSE  
IRISH MOSS  
RT AGAR  
CARRAGEENAN  
LAVER  
PHYTOPLANKTON  
SEAWEED USE

RED BELLY  
USE VIBRIO

RED CRAB  
UF PLEUROCONDES PLANIPES  
BT CRAB

RED DISEASE  
USE VIBRIO

RED DRUM  
UF REDFISH  
SCIAENOPS OCELLATA  
BT MARINE FISH

RED MUD  
RT POLLUTION

RED PEST  
USE VIBRIO

RED SPOT DISEASE  
BT DISEASE

RED SWAMP CRAYFISH  
UF PROCAMBARUS CLARKI  
BT CRAYFISH

RED TAIL  
USE GAFFKAEMIA

RED TIDE

RED WASTING DISEASE  
BT DISEASE  
RT FUNGUS

RED-TAILED PRAWN  
UF PENAEUS PENICILLATUS  
BT PRAWN  
SHrimp

REDEAR SUNFISH  
UF LEPOMIS MICROPOLUS  
BT FRESH WATER FISH

REDEYE BASS  
UF MICROPTERUS COOSAE  
BT BLACK BASS  
FRESH WATER FISH

REDFISH  
USE RED DRUM

REDMOUTH  
UF ENTERIC REDMOUTH  
ERM  
RM  
BT DISEASE  
RT BACTERIA

REEF

RT CORAL SEDIMENT	RESISTANCE
REFERENCE SYSTEM USE BIBLIOGRAPHY	UF SUSCEPTIBILITY
REHABILITATION USE RESTORATION	RT ANTIBIOTIC CYTOLOGY DISEASE DRUG DISEASE TREATMENT GENETICS LETHAL LIMIT MORTALITY SALINITY SENSITIVITY TESTING SPECIES SPECIFICITY SUBLETHAL DOSAGE SURVIVAL TOLERANCE TOXICITY
REPTILE	
NT ALLIGATOR GREEN TURTLE LOGGERHEAD TURTLE SEA TURTLE TURTLE	
RT PREDATION NEST	
RESEARCH	RESOURCES
UF PROJECT SUMMARY PROPOSAL	UF MARINE RESOURCES NATURAL RESOURCES WATER RESOURCES
RT ABSTRACT AQUACULTURE ECONOMICS EDUCATION MARICULTURE MARINE FACILITY PILOT PROGRAM RESEARCH FACILITY	RT AQUACULTURAL AREA ECONOMICS LAND USE OFF SHORE WATER SUPPLY
RESEARCH FACILITY	RESPIROMETER
RT AQUAFARM BIOENGINEERING LABORATORY MARINE FACILITY RESEARCH	RT MEASUREMENT RESPIRATION
RESERVOIR	RESTAURANT USE
RT FRESH WATER INLAND WATER LAGOON LAKE POND SEDIMENT WATER	RT CONSUMER ACCEPTABILITY MARKET TASTE
RESIDENCY	RESTORATION
RT LEGAL ASPECT	UF RECLAMATION REHABILITATION RT ECONOMICS
RESIDUE	RHACOCHILUS VACCA USE PILE PERCH
RT CHEMICAL PESTICIDE	RHINICHTHYS ATRATUS USE BLACKNOSE DACE
	RHITHROPODEUS HARRISII USE MUD CRAB

RHODAMINE B  
BT DYE  
RT STAINING

RHODYMINIA  
USE DULSI

RHOMBOSOLEA PLEBIA  
USE SAND FLOUNDER

RHOMBUS MAXIMUS  
USE TURBOT

RIBBED MUSSEL  
BT MUSSEL

RICE BRAN  
BT BRAN  
RT FEED COMPOSITION

RICE  
RT CROP ROTATION  
LAND USE

RIFFLE SIFTER  
BT EQUIPMENT

RIPARIAN RIGHTS  
BT WATER RIGHTS  
RT LEGAL ASPECT

RISKS  
USE PROBLEMS

RIVER  
BT WATER  
NT BIG QUALICUM  
RT INLAND WATER  
NAVIGABLE WATER  
STREAM

RM  
USE REDMOUTH

RNA  
RT CYTOLOGY  
PURINE  
PYRIMIDINE

ROACH  
UF RUTILUS RUTILUS  
BT FRESH WATER FISH

ROCCUS AMERICANUS  
USE WHITE PERCH

ROCK BASS  
UF AMBLOPLITES RUPESTRIS  
BT BASS  
FRESH WATER FISH

ROCK CRAB  
UF CANCER ANTENNARIUS  
CANCER IRRORATUS  
BT CRAB

ROCK LOBSTER  
UF PANULIRUS LONGIPES  
BT LOBSTER

ROCK OYSTER  
UF CRASSOSTREA GLUMERATA  
BT OYSTER

ROCK SEA BASS  
UF CENTROPRISTIS PHILADELPHICA  
BT MARINE FISH

ROHU  
UF LABEO ROHITA  
BT CARP  
FRESH WATER FISH

ROPE CULTURE  
BT OFF BOTTOM CULTURE  
RT LONG-LINE CULTURE

ROPSHIAN CARP  
USE CARP

ROSE BENGAL  
BT DYE  
RT STAINING

ROtenone  
BT TOXICANT  
PESTICIDE  
POPULATION REMOVAL  
RT ANTIBIOTIC

ROTIFER  
UF BRACHIONUS  
BT PLANKTON  
ZOOPLANKTON

ROUNDOSE FLOUNDER  
UF EOPSETTA GRIGORJEWI  
BT FLATFISH  
FLOUNDER  
MARINE FISH

ROUNDWORM  
USE NEMATODE

RUBLLA  
USE DROPSY

RUDD  
UF SCARDINIUS ERYTHROPHTHALMUS  
BT FRESH WATER FISH

RUNNING WATER CULTURE

RUTILUS RUTILUS  
USE ROACH

RYE

SABAleta  
UF BRYCON HENNI  
BT FRESH WATER FISH

SABLEFISH  
UF ANOPOLOPOMA FIMBRIA  
BT MARINE FISH

SAFETY  
RT HEALTH

SAITHE  
USE POLLOCK

SALICYLANILIDE I

SALINE WATER  
UF ARTIFICIAL SEA WATER  
BT WATER  
NT BRACKISH WATER  
RT CULTURE MEDIUM  
DESLINATION  
MARINE FISH  
SALINITY  
SALINITY CONTROL  
SALT  
SEA WATER

SALINITY  
RT ADAPTABILITY  
BRACKISH WATER  
DESLINATION  
OSMOREGULATION  
SALINE WATER  
SALINITY CONTROL  
SALT  
SEA WATER  
TOLERANCE  
WATER QUALITY

SALINITY CONTROL  
RT DESLINATION  
FLOOD WATER EFFECT  
SALINE WATER  
SALINITY  
SALT  
WATER TREATMENT

SALMO CLARKI  
USE CUTTHROAT TROUT

SALMO GAIRDNERI  
USE RAINBOW TROUT

SALMO IRIDEUS  
USE RAINBOW TROUT

SALMO SALAR  
USE ATLANTIC SALMON

SALMO SHASTA  
USE RAINBOW TROUT

SALMO TRUTTA  
USE BROWN TROUT

SALMON  
BT ANADROMOUS FISH  
NT ATLANTIC SALMON  
CHINOOK SALMON  
COHO SALMON  
CHUM SALMON  
DANUBE SALMON  
MASU SALMON  
PINK SALMON  
SOCKEYE SALMON  
RT COMMERCIAL FISH  
SPORT FISHING

SALMON VIRUS DISEASE

UF CHINOOK SALMON VIRUS DISEASE	RT COLLECTING
SOCKEYE SALMON VIRUS DISEASE	LIVE CAPTURE
BT DISEASE	MEASUREMENT
RT VIRUS	SAMPLE SIZE
SAMPLING FLUME	
SALMONELLA	SAMPLING FLUME
BT BACTERIA	RT SAMPLING
RT SEWAGE	SAND FILTER
RT SEWAGE TREATMENT	USE FILTER
SALMONELLA SAPROLEGNIA	SAND FLOUNDER
SALMONELLA TYPHIMURIUM	UF RHOMBOSOLEA PLEBIA
USE GASTROENTERITIS	BT FLATFISH
SALP	FLOUNDER
MARINE FISH	
SALT	SAND GOBY
RT CHLORIDE	UF OXYELOTTRIS MARMORATA
DISSOLVED SOLID	BT GOBY
SALINE WATER	MARINE FISH
SALINITY	SAND SMELT
SALINITY CONTROL	UF AATHERINA BOYERI
SODIUM	BT MARINE FISH
SALT FLOTATION	SANDBLAST GUN
SALT MARSH	BT EQUIPMENT
BT MARSH	RT FLUORESCENT DYE
RT INTERTIDAL AREA	MARKING
TIDELAND	SAPROLEGNIA
SALTING	BT FUNGUS
RT PROCESSING	SARDAA ORIENTALIS
SALVELINUS ALPINUS	USE STRIPED BONITO
USE ARCTIC CHAR	SARDINOPS CAERULENS
SALVELINUS FONTINALIS	USE PACIFIC SALMON
USE BROOK TROUT	SARGASSUM
SALVELINUS NAMAYCUSH	BT SEAWEED
USE LAKE TROUT	SAROTHERODON
SAMPLE SIZE	USE TILAPIA
RT SAMPLING	SAXIDOMUS NUTTALLI
SAMPLING	USE BUTTER CLAM
NT BACTERIOLOGICAL SAMPLING	SCALE
BOTTOM SAMPLING	
CORE SAMPLING	
WATER SAMPLING	

SCALED SARDINE	SEA BASS
BT MARINE FISH	UF LATES CALCARIFER
SCALLOP	MURONE LABRAX
UF PECTEN MAXIMUS	BT BASS
BT MOLLUSK	MARINE FISH
NT BAY SCALLOP	SEA BREAM
CALICO SCALLOP	UF ARCHOSARGUS RHOMBOIDALIS
JAPANESE SCALLOP	BT MARINE FISH
QUEEN SCALLOP	SEA CATFISH
SEA SCALLOP	UF ARIUS FELIS
WEATHERVANE SCALLOP	BT CATFISH
SCARDINUS ERYTHROPHTHALMUS	MARINE FISH
USE RUDD	SEA CHAR
SCIAENOPS OCELLATA	BT ANADROMOUS FISH
USE RED DRUM	CHAR
SCOMBEROMORUS MACULATUS	SEA CUCUMBER
USE SPANISH MACKEREL	BT ECHINODERM
SCOLIOSIS	SEA FAN
BT DISEASE	UF AGLAOPHENIA PLUMA
RT LORDOSIS	BT CORAL
SPINE	SEA LAMPREY
SCOPHTHALMUS MAXIMUS	UF PETROMYZON MARINUS
USE TURBOT	BT MARINE FISH
SCOPHTHALMUS RHOMBUS	SEA LETTUCE
USE BRILL	UF ULVA
SCOTLAND	BT ALGAE
USE UNITED KINGDOM	GREEN ALGAE
SCYLLA SERRATA	SEA NETTLE
USE MUD CRAB	UF CHRYSAORA QUINQUECIRRHA
SCYPHERION LUMPI	BT COELENTERATE
RT DISEASE	JELLYFISH
SCYPHIDIA	SCYPHOZOA
BT PARASITE	SEA PERCH
PROTOZOAN	UF LATEOLABRAX JAPONICUS
RT DISEASE	BT MARINE FISH
SCYPHOZOAN	SEA SCALLOP
BT COELENTERATA	UF GIANT SCALLOP
NT JELLYFISH	PLACOPECTEN MAGELLANICUS
SEA NETTLE	BT SCALLOP
	SEA STAR
	UF ASTERIAS VULGARIS

BT	STARFISH ECHINODERM	ALGAE ALGINATE AQUATIC WEED CARRAGEENAN FUCOIDEN LAMINARIN
SEA	TROUT	SEAWEED USE
USE	SPOTTED SEA TROUT	RT AGAR
	BROWN TROUT	ALGAE
SEA	TURTLE	ALGINATE
BT	REPTILE	BROWN ALGAE
	TURTLE	CARRAGEENAN
NT	GREEN TURTLE	FUCOIDIN
	LOGGERHEAD TURTLE	GREEN ALGAE
SEA	URCHIN	IRISH MOSS
BT	ECHINODERM	LAMINARIN
SEA	WATER	RED ALGAE
BT	WATER	SECTIONING
RT	SALINE WATER	RT CYTOLOGY
NT	DEEP SEA WATER	STAINING
RT	DESALINATION	SEDIMENT
	MARINE FISH	UF MARINE SEDIMENT
	OCEAN	RT CLEANING
	SALINITY	DETITUS
SEABED CULTURE		REEF
USE BOTTOM CULTURE		RESERVOIR
SEAL		SEWAGE
SEASIDE DISEASE		SEWAGE TREATMENT
BT	DISEASE	SMOTHERING
	SPAWNING TIME	WATER TREATMENT
SEASON		SEED
RT	CLIMATE	UF SEED CLAM
	NATURAL SPAWNING	SEED OYSTER
	OVERWINTERING	SEED STOCK
	SUMMERKILL	RT FRY
	THERMAL STRATIFICATION	JUVENILE
	WEATHER	LARVA
	WINTERKILL	NURSERY
		STOCKING
SEAWEED		SEED CLAM
NT	BROWN ALGAE	USE SEED
	GREEN ALGAE	SEED OIL
	IRISH MOSS	USE OIL
	KELP	SEED OYSTER
	RED ALGAE	USE SEED
	SARGASSUM	
	WAKAME	
RT	AGAR	

SEED STOCK  
USE SEED

SEINE  
USE NET

SEKOKE DISEASE  
BT DISEASE  
RT DIABETES

SELECTIVE BREEDING  
UF MASS SELECTION  
RT BROOD STOCK  
FECUNDITY  
FERTILIZATION  
GENETICS  
GENOTYPE  
HERITABILITY  
HYBRID  
INBREEDING  
PHENOTYPE  
SPECIES SELECTION

SEMOTILUS CORPORALIS  
USE FALL FISH

SENSITIVITY TESTING  
RT ANTIBIOTIC  
BACTERIA  
BACTERIA CULTURE  
DRUG  
RESISTANCE  
TOLERANCE

SENSORY STIMULATION  
RT ACOUSTIC ATTRACTION  
BEHAVIOR  
CONDITIONED RESPONSE

SEPTICEMIA  
BT DISEASE  
RT GAFFKAEMIA

SERIOLA QUINQUERADIATA  
USE YELLOWTAIL

SERUM  
NT FROZEN SERUM  
RT BLOOD  
HEMATOLOGY  
HEMOLYMPH

## PLASMA

SESARMA CINEREUM  
USE SHORE CRAB

SESARMA RETICULATUM  
USE SHORE CRAB

SETTING  
RT ATTACHMENT  
CULTCH  
OYSTER  
REATTACHMENT  
SPAT  
SPATFALL MONITORING

SEVIN  
BT PESTICIDE

SEWAGE  
RT AERATION  
BACTERIA  
COLIFORM  
EFFLUENT  
FERTILIZER  
FILTER  
INDUSTRIAL WASTE  
LAGOON  
POLLUTION  
SALMONELLA  
SEDIMENT  
SEWAGE TREATMENT  
WASTE  
WASTE WATER AQUACULTURE  
WATER TREATMENT

SEWAGE TREATMENT  
UF TERTIARY TREATMENT

RT AERATION  
BACTERIA  
COLIFORM  
EFFLUENT  
FERTILIZER  
FILTER  
INDUSTRIAL WASTE  
LAGOON  
POLLUTION  
SALMONELLA  
SEDIMENT  
SEWAGE  
WASTE  
WASTE WATER AQUACULTURE

WATER TREATMENT	UF SPAT BAG BT EQUIPMENT RT CULTCH SPAT
SEX	
UF SEX CHARACTER	SHELL DISEASE
SEXING	UF BURNED SPOT DISEASE SPOT DISEASE
RT SEXING	BT DISEASE
SEX REVERSAL	RT SHELL
SEX CHARACTER	
USE SEX	
SEX RATIO	SHELLFISH
RT POPULATION	USE CRUSTACEAN MOLLUSK
SEX REVERSAL	
RT SEX	SHEMAYA
SEXING	UF CHALCALBURNUS CHALCOIDES
USE SEX	BT FRESH WATER FISH
SHAD	SHIGELLA FLEXNERI
BT ANADROMOUS FISH	USE BACILLARY DYSENTERY
NT GIZZARD SHAD	
THREADFIN SHAD	SHIPWORM
SHALLOW WATER	UF LYRODUS PEDICELLATUS
BT WATER	BT WORM
RT COASTAL WATER	
ESTUARY	SHOCK
LAGOON	NT THERMAL SHOCK
MARSH	RT DISEASE
SHEAT-FISH	ELECTROSHOCKING
USE WELS	FISH BARRIER
SHEEPSHEAD	HANDLING
UF ARCHOSARGUS	INJURY
BT MARINE FISH	STRESS
SHEEPSHEAD MINNOW	TOLERANCE
UF CYPRINODON VARIEGATUS	WATER TREATMENT
BT MARINE FISH	
MINNOW	SHORE CRAB
SHELL	UF SESARMA CINEREUM
UF EXOSKELETON	SESARMA UTICULATUM
RT MANTLE	BT CRAB
PERIOSTRACUM	
SHELL DISEASE	SHORT NECKED CLAM
SOFT SHELL DISEASE	UF TAPES JAPONICA
SHELL BAG	BT CLAM
	SHRIMP
	UF CARIDEAN SHRIMP
	PALAEMONID SHRIMP
	PANDALID SHRIMP
	PENAEID SHRIMP
	BT CRUSTACEAN

NT	BAGO	SILURUS GLANIS
	BANANA PRAWN	USE WELS
	BRINE SHRIMP	SILVER
	BROWN SHRIMP	BT HEAVY METAL
	FRESH WATER SHRIMP	METAL
	GIANT FRESHWATER PRAWN	SILVER CARP
	GREASY-BACK PRAWN	UF HYPOPHTHALMICHTHYS MOLITRIX
	JAPANESE SHRIMP	BT CARP
	KING PRAWN	FRESH WATER FISH
	PINK SHRIMP	SILVER PERCH
	PRAWN	UF BAIRDIELLA CHRYSURA
	RED-TAILED PRAWN	BT MARINE FISH
	SIDE STRIPE	SILVER SALMON
	SNAPPING SHRIMP	USE COHO SALMON
	SUGPO	SILVERSIDE
	TIGER PRAWN	UF ODONTHESTES BONARIENSIS
	WHITE SHRIMP	BT FRESH WATER FISH
RT	SHRIMP MEAL	MARINE FISH
	SHRIMP MEAL	SINGAPORE
	BT ARTIFICIAL FOOD	SINKING FEED
	MEAL	BT ARTIFICIAL FOOD
RT	FEED COMPOSITION	SIPHON
	LIVE FOOD	SITE SELECTION
	SHRIMP	RT AQUACULTURE AREA
	SHUCKING	BIOENGINEERING
RT	PROCESSING	FEASIBILITY STUDY
	SIDE STRIPE	LAND USE
	UF PANDALOPSIS DISPAR	SIZE
	BT SHRIMP	RT GRADING
	SIEVE DESIGN	GROWTH
	RT FILTER	LENGTH
	SIGANUS CANICULATUS	MEASUREMENT
	USE RABBITFISH	RECRUITMENT
	SIGANUS LINEATUS	SORTING
	USE RABBITFISH	WEIGHT
	SIGANUS ORAMIN	WIDTH
	USE RABBITFISH	SKELETONEMA COSTATUM
	SIGANUS RIVULATUS	BT ALGAE
	USE RABBITFISH	PLANKTON
	SILICATE	
RT	NUTRIENT REQUIREMENT	
	SILKWORM PUPA	

SKIN	SNAKEHEAD
RT SKINNING	UF OPHIOCEPHALUS TADIANUS
SKINNING	BT MARINE FISH
RT PROCESSING	
SKIN	
SKIPJACK TUNA	SNAPPER
UF EUTHYNNU'S PELAMIS	UF CHRYSOPHYS AURATUS
KATSUWONUS PELAMIS	BT MARINE FISH
BT MARINE FISH	
SKULL	SNAPPING SHRIMP
RT HEAD	UF ALPHEUS HETEROCHAELOS
SLAUGHTER METHOD	BT SHRIMP
USE KILLING TECHNIQUE	
SLIDE RULE	SNOOK
BT EQUIPMENT	BT MARINE FISH
SLIPPER OYSTER	SOCIAL ASPECT
UF CRASSOSTREA ERADELIE	RT CONSUMER ACCEPTABILITY
BT OYSTER	ECONOMICS
SMALLMOUTH BASS	EDUCATION
UF MICROPTERUS DOLMIEUI	MANAGEMENT
BT BASS	POLITICAL ASPECT
BLACK BASS	PUBLIC
FRESH WATER FISH	PROBLEMS
SMALLMOUTH YELLOWFISH	RECREATION
UF BARBUS HOLUBI	
BT MARINE FISH	SOCKEYE SALMON
SMELL	UF KOKANEE SALMON
USE ODOR	ONCORHYNCHUS NERKA
SMELT	BT ANADROMOUS FISH
BT MARINE FISH	SALMON
SMOKING	SOCKEYE SALMON VIRUS DISEASE
RT PROCESSING	USE SALMON VIRUS DISEASE
SMOTHERING	SODIUM
UF SUFFOCATION	BT METAL
RT SEDIMENT	RT SALT
SNAIL	SODIUM BISULFITE
UF MARINE SNAIL	SODIUM CARBONATE
UF GIBBULA CINERARIA	SODIUM CYANIDE
BT MOLLUSK	SODIUM SULFITE
	SODIUM BISULFITE
	RT PRESERVATION
	SODIUM
	SODIUM CARBONATE
	RT SODIUM
	SODIUM CYANIDE
	RT SODIUM

SODIUM SULFITE  
RT SODIUM

SOFT CRAB  
BT CRAB  
RT MOLTING

SOFT SHELL CLAM  
UF MYA ARENARIA  
BT CLAM

SOFT SHELL DISEASE  
BT DISEASE  
RT SHELL

SOIL  
RT POND BOTTOM  
SOIL FORMATION

SOIL FORMATION  
RT SOIL

SOLE  
UF PELTORHAMPHUS NOVAEZELLANIDAE  
SOLEA SOLEA  
BT FLATFISH  
MARINE FISH  
NT LEMON SOLE  
LINED SOLE  
RT FLOUNDER

SOLEA SOLEA  
USE SOLE

SORTING  
RT GRADING  
SIZE

SOUTH AFRICA

SOUTH AMERICA

SOUTH CAROLINA

SOUTH DAKOTA

SOUTH PACIFIC

SOUTHERN FLOUNDER  
UF PARALICHTHYS LETHOSTIGMA  
BT FLOUNDER

## MARINE FISH

SOUTHERN QUAHOG  
UF MERCENARIA CAMPECHIENSIS  
BT CLAM  
QUAHOG

SOY  
RT SOY MEAL  
SOY OIL  
SOY PROTEIN

SOY MEAL  
BT MEAL  
RT FEED COMPOSITION  
SOY  
SOY OIL  
SOY PROTEIN

SOY OIL  
BT OIL  
RT SOY  
SOY MEAL  
SOY PROTEIN

SOY PROTEIN  
BT PROTEIN  
RT SOY  
SOY MEAL  
SOY OIL

## SPAIN

SPANISH MACKEREL  
UF SCOMBEROMORUS MACULATUS  
BT MARINE FISH

SPARUS AURATUS  
USE GILT HEAD BREAM

SPAT  
RT CULTCH  
SETTING  
SHELL BAG  
SPATFALL MONITORING

SPAT BAG  
USE SHELL BAG

SPATFALL MONITORING  
RT CULTCH  
SETTING

SPAT  
 SPAWNING  
 NT ARTIFICIAL SPAWNING  
     DELAYED SPAWNING  
     INDUCED SPAWNING  
     NATURAL SPAWNING  
 SPECIES COMPARISON  
 RT SPECIES SELECTION  
 SPECIES INTRODUCTION  
 RT POPULATION  
     STOCKING  
     TRANSPLANTING  
 SPECIES ISOLATION  
 RT ALGAE CULTURE  
     BACTERIA CULTURE  
     IDENTIFICATION  
 SPECIES SELECTION  
 RT FEASIBILITY STUDY  
     SELECTIVE BREEDING  
     SPECIES COMPARISON  
 SPECIES SPECIFICITY  
 RT EPIZOOTOIOLOGY  
     RESISTANCE  
 SPERM  
 RT DMSO  
     FERTILIZATION  
     GAMETE  
     SPERMATOGENESIS  
     TESTIS  
     VIABILITY  
 SPERMATOGENESIS  
 RT GONAD  
     OOGENESIS  
     SPERM  
     TESTIS  
 SPHAERIID CLAM  
 BT CLAM  
 SPHOEROIDES MACULATUS  
 USE NORTHERN PUFFER  
 SPHYRAENA BOREALIS  
 USE NORTHERN SENNET  
 SPIDER CRAB  
 UF LIBINA EMARGINATA  
 BT CRAB  
 SPINE  
 RT LORDOSIS  
     SCOLIOSIS  
     VERTEBRA  
 SPINNING DEATH  
 BT DISEASE  
 RT PESTICIDE  
 SPINY DOGFISH  
 UF SQUALUS ACANTHIAS  
 BT DOGFISH  
     MARINE FISH  
 SPINY LOBSTER  
 UF CALIFORNIA SPINY LOBSTER  
     JASUS EDWARDSII  
     PANULIRUS INTERRUPTUS  
 BT LOBSTER  
 SPLEEN  
 SPONGE  
 NT FRESH WATER SPONGE  
 SPORE  
 RT BACTERIA  
     EXTRACTION TECHNIQUE  
     FUNGUS  
     MYXOSOMA CEREBRALIS  
     SPOROCYST  
     TETRASPORE  
 SPOROCYST  
 RT SPORE  
 SPOROCYTOPHAGA DISEASE  
 BT DISEASE  
 RT MYXOBACTERIA  
 SPOT DISEASE  
 USE SHELL DISEASE  
 SPORTFISHING  
 RT BAIT  
     BAITFISH  
     BASS

FEE FISHING	
FISHING	SQUID MEAL
FRESH WATER FISH	BT MEAL
HARVESTING	RT SQUID
HOOK AND LINE FISHING	
LURE	SQUOXIN
RECREATION	BT TOXICANT
SALMON	RT POISON
TROUT	POPULATION REMOVAL
WALLEYE	SQUAWFISH
SPOT	
UF LEIOSTOMUS XANTHURUS	SRI LANKA
BT MARINE FISH	UF CEYLON
NT PEARL SPOT	
SPOT PRAWN	STAIN
UF PANDALUS PLATYCEROS	USE DYE
BT PRAWN	
SHRIMP	STAINING
SPOT SHRIMP	NT IMMERSION STAINING
BT SHRIMP	RT ACETOCARMINE
SPOTTED BASS	ACRIDINE ORANGE
UF MICROPTERUS PUNCTULATUS	ALIZARIN RED
BT BASS	ANILINE BLUE
BLACK BASS	BISMARK BROWN Y DYE
FRESH WATER FISH	CYTOTOLOGY
SPOTTED SEATROUT	EOSIN B
UF SEA TROUT	FLUORESCENT DYE
BT MARINE FISH	MARKING
SPRAT	METHYL ORANGE
UF SPRATTUS SPRATTUS	METHYLENE BLUE
BT MARINE FISH	NEUTRAL RED
SPRATTUS SPRATTUS	NILE BLUE
USE SPRAT	RHODAMINE B
SQUAWFISH	ROSE BENGAL
BT FRESH WATER FISH	SECTIONING
NT NORTHERN SQUAWFISH	THIOFLAVINE-S
RT SQUOXIN	TRYPAN BLUE
SQUID	STAMINA RATING
BT MOLLUSK	RT EXERCISE
RT SQUID MEAL	FATIGUE
SQUID LIVER OIL	SWIMMING
BT OIL	
	STANDARD PROCEDURE
	RT RAPID TECHNIQUE
	STANDING CROP
	RT HARVESTING
	PERIPHYTE
	PLANKTON
	POPULATION
	POPULATION CONTROL

PRODUCTIVITY	STICKWATER
WILD STOCK	RT AQUACULTURAL POLLUTION
STAPHYLOCOCCUS	EFFLUENT
BT BACTERIA	POLLUTION
RT STAPHYLOCOCCUS EPIDERMIS	PROCESSING
STAPHYLOCOCCUS EPIDERMIS	WASTE
RT STAPHYLOCOCCUS	
STARCH	STILL WATER
STARFISH	BT WATER
USE SEA STAR	RT INLAND WATER
STARVATION	STIZOSTEDION VITREUM
RT FEEDING	USE WALLEYE
GROWTH CONTROL	
STATE JURISDICTION	STOCK DENSITY
USE JURISDICTION	UF CROWDING
STATE OF THE ART OF AQUACULTURE	RT CARRYING CAPACITY
USE AQUACULTURE	INTENSIVE CULTURE
STATUS OF AQUACULTURE	LOW DENSITY CULTURE
USE AQUACULTURE	POPULATION
STEELHEAD TROUT	POPULATION CONTROL
USE RAINBOW TROUT	STOCKING
STEMPHELLIA	RT FISHERY MANAGEMENT
BT MICROSPORIDIAN	SEED
PARASITE	SPECIES INTRODUCTION
STERILIZATION	STOCK DENSITY
RT DISEASE PREVENTION	TRANSPLANTING
DISINFECTION	
ETHYLENE OXIDE	STOLEPHORUS PURPUREUS
IRRADIATION	USE NEHU
ULTRAVIOLET	
WATER TREATMENT	STOMACH
STERLET	UF STOMACH ANALYSIS
UF ACIPENSER RUTHENUS	RT FOOD HABITS
BT FRESH WATER FISH	
STEROL	STOMACH ANALYSIS
STICK CULTURE	USE STOMACH
USE RACK CULTURE	
	STONE CRAB
	UF MENIPPE MERCENARIA
	BT CRAB
	STONEROLLER
	BT FRESH WATER FISH
	STORAGE
	RT FROZEN FOOD
	FROZEN SERUM
	STORAGE TEMPERATURE

STORAGE TEMPERATURE  
RT CRYOGENIC PRESERVATION  
FREEZING  
FROZEN FOOD  
FROZEN SERUM  
STORAGE

STREAM  
NT ARTIFICIAL STREAM  
RT CURRENT (WATER)  
FRESH WATER  
RIVER  
STREAM DEPTH  
WATER

STREAM DEPTH  
BT DEPTH  
RT ARTIFICIAL STREAM  
STREAM

STREPTOMYCI  
BT ANTIBIOTIC

STRESS  
UF GENERAL ADAPTATION SYNDROME  
RT ADAPTABILITY  
HANDLING  
MORTALITY  
SHOCK  
THERMAL SHOCK  
TOLERANCE

STRIPED BASS  
UF MORONE SAXATILIS  
ROCCUS SAXATILIS  
BT ANADROMOUS FISH  
BASS

STRIPED BONITO  
UF SARDA ORIENTALIS  
BT BONITO  
MARINE FISH

STRIPED MULLET  
UF MUGIL CEPHALUS  
BT MARINE FISH  
MULLET

STUNTING  
RT ABNORMALITY  
DWARF  
SYMPTOM

STURGEON  
UF ACIPENSER  
ACIPENSER STELLATUS  
BT ANADROMOUS FISH  
FRESH WATER FISH

STYLOCHUS ELLIPTICUS

STYROFOAM FLOAT

SUBGRAVEL FILTER  
USE BIOFILTER

SUBLETHAL DOSAGE  
BT DOSAGE  
RT ORGANOCHLORINE  
POLLUTANT CONCENTRATION  
ORGANOCHLORINE  
ORGANOPHOSPHATE  
PESTICIDE  
POLLUTION  
RESISTANCE  
TOLERANCE  
TOXICITY

SUBLITTORAL CULTURE

SUBMERSIBLE RAFT  
BT EQUIPMENT  
RT RAFT CULTURE

SUBSTRATE  
NT ARTIFICIAL SUBSTRATE  
VERTICAL SUBSTRATE

SUCCINIC ACID

SUCROSE

SUCTION DEVICE  
BT EQUIPMENT

SUDAN

SUFFOCATION  
USE SMOTHERING

SUGAR FLOTATION

SUGAR WRACK  
UF LAMINARIA

BT ALGAE  
BROWN ALGAE  
KELP

SUGPO  
UF JUMBO TIGER SHRIMP  
PENAEUS MONODON

BT SHRIMP

SULFA DRUG  
BT ANTIBIOTIC

SULFATE  
NT COPPER SULFATE  
RT SULFIDE

SULFIDE  
NT HYDROGEN SULFIDE  
RT SULFATE

SULFONAMIDE  
BT ANTIBIOTIC  
RT DRUG

SUMMER FLOUNDER  
UF PARALICHTHYS DENTATUS

BT FLATFISH  
FLOUNDER  
MARINE FISH

SUMMERKILL  
RT MASS MORTALITY  
MORTALITY  
SEASON  
WINTERKILL

SUNFLOWER OIL SEED MEAL  
BT MEAL

SUNRAY VENUS CLAM  
BT CLAM

SUPERPHOSPHATE  
BT FERTILIZER

SUPPLIER  
RT COMMERCIAL FIRM  
EQUIPMENT

SURF CLAM  
BT CLAM

SURGERY

SURVEY  
RT MAP  
MEASURING

SURVIVAL  
RT MORTALITY  
POPULATION  
RESISTANCE  
TOLERANCE  
TOXICITY

SUSCEPTIBILITY  
USE RESISTANCE

SUSPENDED CULTURE  
USE, OFF BOTTOM CULTURE

SUWANNEE BASS  
UF MICROPTERUS NOTIUS

BT BASS  
BLACK BASS  
FRESH WATER FISH

SWAMP EEL  
UF FLUTA ALBA

BT CATAUDROMOUS FISH  
EEL

SWEDEN

SWEET SMELT  
USE AYU

SWIM BLADDER

SWIMMING  
BT BEHAVIOR  
RT EXERCISE  
STAMINA RATING

SWITZERLAND

SWORDFISH  
BT MARINE FISH

SYDNEY ROCK OYSTER  
UF CRASSOSTREA COMMERCIALIS

BT OYSTER

SYMPTOM.

RT ABNORMALITY	TAPES PHILIPPINARIN
ATAxia	
BLISTER	
DIAGNOSIS	TAPES SEMIDECCUSSATA
DIETARY DEFICIENCY	USE MANILA CLAM
DIETARY EXCESS	
DISEASE	TAPEWORM
DISEASE DETECTION	UF BOTHRIOCEPHALUS SCORPII
GILL DESTRUCTION	EUBOTHRIUM CRASSUM
STUNTING	BT CESTODA
TAIL ROT	FLATWORM
TISSUE DAMAGE	
ULCER	TARO
VITAMIN DEFICIENCY SYNDROME	RT LAND USE
 SYNAHORIN	TARPON
RT INDUCED SPAWNING	BT MARINE FISH
MATURITY	
 SYNERGISM	TASMANIA
 SYNTHETIC CULTCH	TASTE
RT CULTCH	RT CONSUMER ACCEPTABILITY
CULTCH-FREE TECHNIQUE	POLLUTION
	RESTAURANT USE
 SYNTHETIC POLYMER	TAXONOMY
RT FLOCCULANT	RT IDENTIFICATION
	PHYLOGENY
 TAGGING	TBA
BT MARKING	
RT BRANDING	TDE
PLASTIC DISK	BT PESTICIDE
RADIOISOTOPE	
RADIOTELEMETRY	TEA SEED
	BT PESTICIDE
 TAIL ROT	TEMPERATURE
RT SYMPTOM	UF WATER TEMPERATURE
 TAIWAN	RT ADAPTABILITY
	LETHAL LIMIT
TANK COVER	TEMPERATURE CONTROL
BT EQUIPMENT	Thermal POLLUTION
	Thermal SHOCK
TANK CULTURE	Thermal STRATIFICATION
USE AQUARIUM CULTURE	Thermal SPRING WATER
	TOLERANCE
TANNER CRAB	WARM WATER FISH
UF CHIONOECETES OPIOLO	WATER
BT CRAB	WATER QUALITY
 TAPES JAPONICA	TEMPERATURE CONTROL
USE SHORT NECKED CLAM	

RT CHILLING COOLANT COOLING HEAT TEMPERATURE	THERMAL SPRING WATER RT TEMPERATURE WATER SUPPLY
TENCH UF TINCA TINCA BT FRESH WATER FISH	THERMAL STRATIFICATION RT SEASON TEMPERATURE WATER CIRCULATION
TERRAMYCIN USE OXYTETRACYCLINE	THIAMINE BT VITAMIN B
TERTIARY TREATMENT USE SEWAGE TREATMENT	THIN LIPPED MULLET UF MUGIL RAMADA BT MARINE FISH MULLET
TESTIS BT GONAD RT SPERM SPERMATOGENESIS	THIODAN BT ORGANOCHLORINE PESTICIDE
TETRACYCLINE UF TETRACYCLINE HYDROCHLORIDE	THIOFLAVINE - S BT DYE RT STAINING
TETRACYCLINE HYDROCHLORIDE USE TETRACYCLINE	THREADFIN SHAD UF DOROSOMA PTENENSE BT ANADROMOUS FISH SHAD
TETRASPORE RT SPORE	THREE DIMENSIONAL CULTURE USE OFF BOTTOM CULTURE
TEXAS	THREE-SPINED STICKLEBACK UF GASTEROSTEUS ACULEATUS BT FRESH WATER FISH MARINE FISH
THAILAND	THUNNUS ALALUNGA USE ALBACORE
THELOHANIA BT MICROSPORIDIAN PARASITE	THUNNUS THYNNUS USE BLUEFIN TUNA
THERMAL POLLUTION BT POLLUTION RT CONTAMINATION EFFLUENT HYDROPOWER POWER STATION EFFLUENT TEMPERATURE WASTE WATER AQUACULTURE	THYMALLUS ARCTICUS USE ARCTIC GRAYLING
THERMAL SHOCK BT SHOCK RT ADAPTABILITY TEMPERATURE TOLERANCE	THYMALLUS ARCTICUS BAICALENSIS USE BLACK GRAYLING
	THYROID

	SYMPTOM
TIDE	
RT CURRENT (WATER)	TOAD
INTERTIDAL AREA	BT AMPHIBIAN
MARSH	
OCEAN	TOBACCO DUST
TIDELAND	BT PESTICIDE
WATER	
TIDELAND	TOLERANCE
RT MARSH	RT ADAPTABILITY
SALT MARSH	ANTIBIOTIC
TIDE	DISEASE TREATMENT
TIGER MUSKELLUNGE	DRUG
BT FRESH WATER FISH	GENETICS
TIGER PRAWN	LETHAL LIMIT
UF PENEAS ESCULENTUS	MORTALITY
BT PRAWN	PESTICIDE
SHRIMP	POLLUTION
TILAPIA	RESISTANCE
UF SAROTHERODON	SALINITY
BT FRESH WATER FISH	SENSITIVITY TESTING
NT CONGO TILAPIA	STRESS
MOZAMBIQUE MOUTHBROODER	SUBLETHAL DOSAGE
NILE TILAPIA	TEMPERATURE
TILAPIA LEUCOSTICTA	Thermal Shock
TILAPIA MELANOPLEURA	Toxicity
USE CONGO TILAPIA	TOPSHELL
TILAPIA MOSSAMBICA	BT MOLLUSK
USE MOZAMBIQUE MOUTHBROODER	Shellfish
TILAPIA NILOTICA	
USE NILE TILAPIA	TOR KHUNDREE
TILAPIA ZILLII	USE MAHSEER
TINCA TINCA	
USE TENCH	TOR TOR
TISBE HELGOLANDICA	USE MAHSEER
BT COPEPOD	
PLANKTON	TOXAPHENE
TISSUE DAMAGE	BT ORGANOCHLORINE
RT CANCER	PESTICIDE
DISEASE	TOXICANT

<b>TOXICITY</b>		
RT BIOASSAY	FISH MEAL	
CONTAMINATION	FISH MEAT	
LETHAL LIMIT	FISH PROTEIN CONCENTRATE	
MORTALITY	GROUND FISH	
PESTICIDE	WASTE	
POISON	WILD STOCK	
POLLUTANT CONCENTRATION		
POLLUTION	TRAY CULTURE	
RESISTANCE	UF BASKET CULTURE	
SUBLETHAL DOSAGE	BT OFF BOTTOM CULTURE	
SURVIVAL		
TOLERANCE	TREMATODE	
TOXICANT	UF FLUKE	
<b>TOXIN</b>	MONOGENEA	
NT AFLATOXIN	BT PARASITE	
ENDOTOXIN	WORM	
RT POISON	NT CERCARIA TENUANS	
<b>TRACE ELEMENT</b>	CLEIDODISCUS	
<b>TRACHINOTUS OVATUS</b>	DACTYLOGYRUS	
<b>USE POMPANO</b>	GYRODACTYLUS	
<b>TRACKING</b>	MICROPHALLUS PYGMAEUS	
RT MARKING	NANOPHYETUS SALMINGOLA	
RADIOISOTOPE	OPECOELOIDES FIMBRIATUS	
RADIOTELEMETRY		
TRANSMISSION		
<b>TRANSMISSION</b>	TRICHINOTUS CAROLINUS	
RT TRACKING	USE FLORIDA POMPANO	
<b>TRANSPLANTING</b>		
RT SPECIES INTRODUCTION	TRICHLOROPHENAL	
STOCKING		
<b>TRANSPORT</b>	TRICHODINA	
RT AIRSHIPMENT	BT PARASITE	
HANDLING	PROTOZOAN	
<b>TRAP</b>	RT DISEASE	
UF WEIR		
BT EQUIPMENT	TRICHOPHRYA	
NT FRY TRAP	BT PARASITE	
LIGHT TRAP	PROTOZOAN	
RT COLLECTING	RT DISEASE	
FIELD EQUIPMENT		
<b>TRASH FISH</b>	TROCHOPHORE	
RT FISH	RT LARVA	
	TROPHIC LEVEL	
	USE FOOD WEB	
	TROPICAL FISH	
	USE ORNAMENTAL FISH	
	TROUGH CLEANER	
	RT CLEANING	
	TROUGH CULTURE	

TROUGH CULTURE  
RT TROUGH CLEANER

TROUT

BT FRESH WATER FISH  
NT BROOK TROUT  
BROWN TROUT  
CUTTHROAT TROUT  
LAKE TROUT  
RAINBOW TROUT  
RT SPORT FISHING

TRYPAN BLUE

BT DYE  
RT STAINING

TRYPSIN

BT ENZYME  
RT DIGESTION

TRYPTOPHAN

BT AMINO ACID  
RT FEED COMPOSITION  
NUTRIENT REQUIREMENT  
PROTEIN

TUBERCULOSIS  
BT DISEASE

TUBIFEX  
BT WORM

TULAREMIA

UF FRANCISIELLA TULARENSIS  
BT HUMAN DISEASE

TUMOR

RT CANCER  
CARCINOGEN  
LYMPHOCYSTIS  
ONCOGENESIS  
PAPILLOMAS  
VISCELAR GRANULOMA

TUNA

BT MARINE FISH  
NT ALBACORE  
BLUEFIN TUNA  
YELLOWFIN TUNA  
RT MACKEREL

TUNISIA

TURBATRIX  
USE VINEGAR EELWORM

TURBIDITY  
RT POLLUTION  
WATER QUALITY

TURBINE  
RT HYDROPOWER  
PUMP

TURBOT  
UF RHOMBUS MAXIMUS  
SCOPHTHALMUS MAXIMUS  
BT FLATFISH  
MARINE FISH

TURKEY

TURTLE  
BT REPTILE  
NT GREEN TURTLE  
LOGGERHEAD TURTLE  
SEA TURTLE

TURTLE GRASS

UGANDA

UKRAINE

ULCER  
RT SYMPTOM  
ULCER DISEASE  
USE VIBRIO

ULCERATIVE DERMAL NECROSIS  
BT DISEASE

ULTRAVIOLET  
RT DISEASE CONTROL  
IRRADIATION  
LIGHT  
MBU-3  
STERILIZATION

UNDARIA  
USE WAKAME

UNIONID MUSSEL	VEGETABLE FEED
BT MUSSEL	RT FEED COMPOSITION
UNITED KINGDOM	VEGETABLE
UF BRITAIN	VELVET DISEASE
ENGLAND	UF OODINUM OCELLATUM
GREAT BRITAIN	BT DISEASE
NORTHERN IRELAND	VENDACE
SCOTLAND	UF COREGNUS ALBULA
WALES	UF WHITEFISH
UNITED STATES	BT FRESH WATER FISH
UPWELLING	VENEZUELA
NT ARTIFICIAL UPWELLING	VERMONT
RT DEEP SEA WATER	BT NEW ENGLAND
OFFSHORE	VERTEBRA
WATER SUPPLY	RT BONE
URANIUM	SPINE
RT RADIOACTIVITY	VERTICAL CULTURE
UREA	USE OFF BOTTOM CULTURE
BT FERTILIZER	VERTICAL SUBSTRATE
URIC ACID	BT SUBSTRATE
RT PURINE	RT OFF BOTTOM CULTURE
URINE	VIABILITY
RT DIGESTION	RT EGG
UROGENITAL OPENING	MORTALITY
UROSALPINX CINEREA	SPERM
USE OYSTER DRILL	VIBRIO
USSR	UF BOIL DISEASE
VACCINE	RED BELLY
RT ANTIGEN	RED DISEASE
DISEASE PREVENTION	RED PEST
IMMUNITY	ULCER DISEASE
VANADIUM	BT DISEASE
BT METAL	RT BACTERIA
VANCOMYCIN	HEMORRHAGIC SEPTICEMIA
BT ANTIBIOTIC	VIETNAM
VEGETABLE	NT NORTH VIETNAM
RT VEGETABLE FEED	VIMBA
	UF VIMBA VIMBA
	BT FRESH WATER FISH
	VIMBA VIMBA

USE VIMBA	RT FEED COMPOSITION NUTRIENT REQUIREMENT VITAMIN DEFICIENCY VITAMIN DEFICIENCY SYNDROME
VINEGAR EELWORM	
UF TURBATRIX	
NEMATODE	
WORM	
VINYL CHLORIDE	
VIRAL HEMORRHAGIC SEPTICEMIA	
BT DISEASE	
HEMORRHAGIC SEPTICEMIA	
RT VIRUS	
VIRGINIA	
VIRULENCE	
RT BACTERIA	
DISEASE	
EPIZOOTOIOLOGY	
VIRUS	
VIRUS	
RT BIOCONTROL	
DISEASE	
EPIZOOTIC	
GRUNT FIN AGENT	
HEMATOPOIETIC NECROSIS	
INFECTIOUS PANCREATIC NECROSIS	
LYMPHOCYSTS	
MICROBIOLOGY	
PAPILLOMAS	
SALMON VIRUS DISEASE	
VIRAL HEMORRHAGIC SEPTICEMIA	
VIRULENCE	
VISCERAL GRANULOMA	
BT DISEASE	
RT TUMOR	
VISCERAL MATERIAL	
USE WASTE	
VISION	
UF COLOR VISION	
RT EYE	
VITAMIN	
NT VITAMIN A	
VITAMIN B	
VITAMIN C	
VITAMIN E	
VITAMIN A	
BT VITAMIN	
RT FEED COMPOSITION	
NUTRIENT REQUIREMENT	
VITAMIN DEFICIENCY	
VITAMIN B	
UF B VITAMINS	
VITAMIN B12	
BT VITAMIN	
NT BIOTIN	
THIAMINE	
RT FEED COMPOSITION	
NUTRIENT REQUIREMENT	
VITAMIN DEFICIENCY	
VITAMIN B12	
USE VITAMIN B	
VITAMIN C	
BT VITAMIN	
RT ASCORBIC ACID	
FEED COMPOSITION	
NUTRIENT REQUIREMENT	
VITAMIN DEFICIENCY	
RT ASCORBIC ACID	
DIETARY DEFICIENCY	
NUTRIENT REQUIREMENT	
VITAMIN	
VITAMIN A	
VITAMIN B	
VITAMIN C	
VITAMIN E	
VITAMIN DEFICIENCY SYMDROME	
VITAMIN DEFICIENCY SYNDROME	
RT DIAGNOSIS	
DIETARY DEFICIENCY	
DISEASE	
DISEASE DETECTION	
SYMPTOM	
VITAMIN	
VITAMIN DEFICIENCY	
VITAMIN E	

BT VITAMIN  
NT ALPHA TOCOPHEROL  
RT FEED COMPOSITION  
NUTRIENT REQUIREMENT  
VITAMIN DEFICIENCY

VITELLOGENESIS  
RT OOGENESIS

WAKAME  
UF UNDARIA  
BT BROWN ALGAE  
KELP  
SEAWEED

WALES  
USE UNITED KINGDOM

WALKING CATFISH  
UF CLARIAS  
BT FRESH WATER FISH

WALLEYE  
UF STIZOSTEDION VITREUM  
BT FRESH WATER FISH  
RT SPORT FISHING

WALLEYE SURFPERCH  
UF HYPERPROSOPON ARGENTEUM  
BT MARINE FISH

WARMOUTH  
BT FRESH WATER FISH

WASHING  
RT CLEANING

WASHINGTON  
RT NORTHWEST

WASTE  
UF FISHERY WASTE  
OFFAL  
ORGANIC WASTE  
VISCELAR MATERIAL  
NT INDUSTRIAL WASTE  
RT AQUACULTURAL POLLUTION  
BY PRODUCT  
EFFLUENT  
POLLUTION  
SEWAGE  
SEWAGE TREATMENT

STICKWATER  
TRASH FISH  
WASTE WATER AQUACULTURE

WASTE WATER AQUACULTURE  
RT ALGAE CULTURE  
AQUACULTURAL POLLUTION  
AQUAFARM  
FERTILIZER  
NUTRIENT  
POLLUTION  
POLLUTION CONTROL  
POWER STATION EFFLUENT  
SEWAGE  
SEWAGE TREATMENT  
THERMAL POLLUTION  
WASTE  
WATER PURIFICATION  
WATER TREATMENT

WATER  
NT BRACKISH WATER  
COLD WATER  
COASTAL WATER  
DEEP SEA WATER  
FRESH WATER  
GROUND WATER  
INLAND WATER  
LAKE  
NAVIGABLE WATER  
RIVER  
SALINE WATER  
SEA WATER  
SHALLOW WATER  
STILL WATER  
WELL WATER  
RT FLOW  
HYDROGRAPHY  
LAGOON  
OCEAN  
POLLUTION  
POND  
RESERVOIR  
STREAM  
TEMPERATURE  
TIDE  
WATER ANALYSIS  
WATER CIRCULATION  
WATER COLUMN  
WATER CONDITIONING  
WATER DIVERSION  
WATER EXCHANGE

WATER HARDENING  
WATER PURIFICATION  
WATER QUALITY  
WATER REQUIREMENT  
WATER RIGHTS  
WATER SAMPLING  
WATER SUPPLY  
WATER TREATMENT  
WATER VOLUME  
WAVE

WATER ANALYSIS  
BT CHEMISTRY  
RT BIOASSAY  
BIOCHEMICAL OXYGEN DEMAND  
DISSOLVED GAS  
DISSOLVED OXYGEN  
DISSOLVED SOLIDS  
OXYGEN  
PRODUCTIVITY  
WATER  
WATER PURIFICATION  
WATER QUALITY  
WATER SAMPLING  
WATER TREATMENT

WATER BEETLE  
BT INSECT

WATER CIRCULATION  
RT CLOSED SYSTEM  
CURRENT (WATER)  
FLOW  
MOVEMENT  
RECIRCULATED WATER  
THERMAL STRATIFICATION  
WATER  
WATER EXCHANGE

WATER COLUMN  
RT DEPTH  
WATER

WATER CONDITIONING (BIOLOGICAL)  
RT METABOLITE  
WATER  
WATER REQUIREMENT  
WATER TREATMENT

WATER DIVERSION  
RT WATER  
WATER SUPPLY

WATER EXCHANGE  
UF WATER TURNOVER  
RT WATER  
WATER CIRCULATION

WATER FOWL

WATER HARDENING  
RT EGG  
WATER

WATER HARDNESS  
RT WATER SOFTENER  
WATER QUALITY

WATER LEVEL

WATER POLLUTION EFFECT  
USE POLLUTION

WATER PURIFICATION  
BT WATER TREATMENT  
RT AERATION  
CHLORINE  
DESALINATION  
EFFLUENT  
FILTER  
OXYGENATION  
OZONE  
WASTE WATER AQUACULTURE  
WATER  
WATER ANALYSIS  
WATER QUALITY  
WATER SOFTENER

WATER QUALITY  
RT ACIDIFYING VELOCITY  
ACIDITY  
AERATION  
ALKALINITY  
AMMONIA  
AQUACULTURAL POLLUTION  
BIOCHEMICAL OXYGEN DEMAND  
BRACKISH WATER  
DESALINATION  
DISSOLVED GAS  
DISSOLVED ORGANICS  
ECOLOGY  
EUTROPHICATION  
NITRATE  
OXYGEN

POLLUTION	WATER QUALITY
POLLUTION CONTROL	WATER TREATMENT
RADIOACTIVITY	
SALINITY	WATER STABLE FEED
TEMPERATURE	RT ARTIFICIAL FOOD
TURBIDITY	FEED COMPOSITION
WATER	PELLET
WATER ANALYSIS	
WATER PURIFICATION	WATER SUPPLY
WATER REQUIREMENT	RT ARTIFICIAL UPWELLING
WATER SAMPLING	GROUND WATER
WATER SOFTENER	LAGOON
WATER TREATMENT	NUTRIENT
	RESOURCES
WATER RECIRCULATION	THERMAL SPRING WATER
USE RECIRCULATED WATER	UPWELLING
	WATER
WATER REQUIREMENT	WATER DIVERSION
RT AQUAFARM	WATER REQUIREMENT
ECONOMICS	WATER TREATMENT
HATCHERY	WELL WATER
WATER	
WATER CONDITIONING	WATER TEMPERATURE
WATER QUALITY	USE TEMPERATURE
WATER SUPPLY	
	WATER TREATMENT
WATER RESOURCES	RT AERATION
USE RESOURCES	AIRSTRIPPING
WATER RIGHTS	BIOFILTER
NT RIPARIAN RIGHTS	CHLORINE
RT INTERNATIONAL CONTROL	CLEARING REAGENT
JURISDICTION	DESALINATION
LEASE	EFFLUENT
LEGAL ASPECT	EMERGENCY AERATION
POACHING	FEEDER
PUBLIC	FERTILIZER
PROPERTY RIGHTS	FILTER
WATER	FLOCCULANT
	OXYGENATION
WATER SAMPLING	OZONE
BT SAMPLING	POLLUTION CONTROL
RT WATER	RECIRCULATED WATER
WATER ANALYSIS	SALINITY CONTROL
WATER QUALITY	SEDIMENT
WATER TREATMENT	SEWAGE
	SEWAGE TREATMENT
WATER SOFTENER	SHOCK
BT EQUIPMENT	STERILIZATION
RT DESALINATION	WASTE WATER AQUACULTURE
WATER	WATER
WATER HARDNESS	WATER ANALYSIS
WATER PURIFICATION	WATER CONDITIONING

WATER PURIFICATION  
WATER QUALITY  
WATER SAMPLING  
WATER SUPPLY

WATER TURNOVER  
USE WATER EXCHANGE

WATER VOLUME  
RT FLOW

WATERSHED

WAVE  
RT WATER

WEATHER  
RT CLIMATE  
HURRICANE  
RAINFALL  
SEASON  
WIND

WEATHERVANE SCALLOP  
UF PATINOPECTEN CAURINUS  
BT SCALLOP

WEBERIAN BONE

WEED CUTTING  
USE AQUATIC WEED CONTROL

WEIGHING METHOD  
RT MEASUREMENT  
WEIGHT

WEIGHT  
RT GROWTH  
SIZE  
WEIGHING METHOD

WEIR  
USE TRAP

WELL WATER  
BT WATER

RT GROUND WATER  
WATER SUPPLY

WELS  
UF SHEAT-FISH  
SILURUS GLANIS

BT FRESH WATER FISH

WEST VIRGINIA

WESTERN NORTH AMERICAN CRAYFISH  
USE NORTH AMERICAN CRAYFISH

WHEAT  
RT WHEAT BRAN  
WHEAT GERM

WHEAT BRAN  
BT BRAN

RT FEED COMPOSITION  
WHEAT  
WHEAT GERM

WHEAT GERM  
RT FEED COMPOSITION  
WHEAT  
WHEAT BRAN

WHELK  
BT MOLLUSK

RT CONCH  
QUEEN CONCH

WHIRLING DISEASE  
BT DISEASE  
RT MYXOSOMA CEREBRALIS  
MYXOSPORIDIA

WHITE ABALONE  
BT ABALONE

WHITE AMUR  
USE GRASS CARP

WHITE BASS  
UF MORONE CHRYSOPS  
BT FRESH WATER FISH

WHITE CATFISH  
UF Ictalurus catus  
BT CATFISH  
FRESH WATER FISH

WHITE CRAPPIE  
UF POMOXIS ANNULARIS  
BT CRAPPIE  
FRESH WATER FISH

WHITE MULLET	FLounder
UF MUGIL CUREMA	MARINE FISH
BT MARINE FISH	
MULLET	
WHITE PERCH	WINTERKILL
UF MORONE AMERICANA	RT FREEZING
ROCCUS AMERICANUS	ICE COVER
BT ANADROMOUS FISH	MASS MORTALITY
WHITE SHRIMP	MORTALITY
UF PENAEUS SCHMITTI	SEASON
PENAEUS SETIFERUS	SUMMERKILL
BT SHRIMP	
WHITE SPOT DISEASE	WOOD BORER
USE ICH	
WHITE SUCKER	WORLD FOOD SUPPLY
UF CATOSTOMUS COMMERSONI	RT FISHERY MANAGEMENT
BT FRESH WATER FISH	PROTEIN
WHITE WASTING DISEASE	
BT DISEASE	WORM
WHITE-SPOTTED CATFISH	NT ANCHOVY WORM
USE WALKING CATFISH	ARMY WORM
WHITEFISH	ARROW WORM
USE LAKE WHITEFISH	BLOODWORM
VENDACE	FLATWORM
WHITING	LEACH
BT MARINE FISH	LUGWORM
WIDTH	LUMBRICILLUS
RT LENGTH	NEMATODE
SIZE	POLYCHAETE
WILD STOCK	SHIPWORM
RT POPULATION	TREMATODE
RECRUITMENT	TUBIFEX
STANDING CROP	VINEGAR EELWORM
TRASH FISH	RT PARASITE
WIND	WYOMING
RT HURRICANE	X-RAY
WEATHER	RT RADIOACTIVITY
WINTER FLOUNDER	YEARLING
UF PSEUDOPLEURONECTES AMERICANUS	RT JUVENILE
BT FLATFISH	YEAST
	UF MARINE YEAST
	BT FUNGUS
	YELLOW BULLHEAD
	UF ICTALURUS NATALIS
	BT BULLHEAD CATFISH
	CATFISH
	FRESH WATER FISH

YELLOW PERCH  
UF PERCA FLAVESCENS  
BT FRESH WATER FISH

BT DISEASE

YELLOWFIN TUNA  
UF NEOTHUNNUS MACROPTERUS  
BT MARINE FISH  
TUNA

YELLOWTAIL  
UF SERIOLA QUINQUERADIATA  
BT MARINE FISH

YOLK

YOLK SAC  
RT EGG

YUGOSLAVIA

ZAIRE

ZEBRA DANIO  
UF BRACHYDANIO RERIO  
ZEBRAFISH  
BT ORNAMENTAL FISH

ZEBRAFISH  
USE ZEBRA DANIO

ZINC  
BT HEAVY METAL  
METAL

ZIPPER

ZOOPLANKTON  
ST PLANKTON  
NT CHAETOGNATH  
CLADOCERAN  
COPEPOD  
DAPHNIA  
EUCOPOPOD  
EUPHAUSIID  
PODOCOPA  
PROTOZOAN  
ROTIFER  
RT CRUSTACEAN  
LIVE FOOD  
NEKTON

ZOOTHAMNIUM

CULTURED ORGANISMS (by genus and species)

ACANTHOECOPSIS	ALPHEUS HETEROCHAELOS UF SNAPPING SHRIMP
ACARTIA	AMBLOPLITES RUPESTRIS UF ROCK BASS
ACARTIA CLAUSI	AMERICAN EEL USE ANGUILLA ROSTRATA
ACARTIA GRANI	AMERICAN LOBSTER USE HOMARUS AMERICANUS
ACARTIA TONSA	AMERICAN SHAD USE ALOSA SAPIDISSIMA
ACHIRUS LINEATUS UF LINED SOLE	AMIA CALVA UF BOWFIN
ACIPENSER STELLATUS UF STURGEON	AMPHORA
AQUIPECTEN IRRADIANS UF BAY SCALLOP	ANADARA BROUGHTONI UF ARK SHELL
AEROCOCCUS VIRIDANS USE GAFFKYA HOMARI	ANADARA COMMERCIALIS UF ARK SHELL
AEROMONAS HYDROPHILIA USE AEROMONAS LIQUEFACIENS	ANAPLOPOMA FIMBRIA UF SABLE FISH
AEROMONAS LIQUEFACIENS UF AEROMONAS HYDROPHILA AEROMONAS PUNCTATA	ANCHOA MITCHILLI UF BAY ANCHOVY
AEROMONAS PUNCTATA USE AEROMONAS LIQUEFACIENS	ANCHOR WORM USE LERNAEA CYPRINACEA
AEROMONAS SALMONICIDA BT AEROMONAS	ANCYLOPSETTA QUADROCELLATA
AGLAOPHENIA PLUMA UF SEA FAN	ANGUILLA ANGUILLA UF EUROPEAN EEL
ALARIA	ANGUILLA AUSTRALIS
ALBACORE USE THUNNUS ALALUGA	ANGUILLA DIFFENBACHI
ALEWIFE USE ALOSA PSEUDOHARENGUS	ANGUILLA JAPONICA UF JAPANESE EEL
ALOSA PSEUDOHARENGUS UF ALEWIFE	ANGUILLA ROSTRATA UF AMERICAN EEL
ALOSA SAPIDISSIMA UF AMERICAN SHAD	ANGUILLA VULGARIS

ANOPLOPOMA FIMBRIA UF SABLEFISH	ATHERINA BOYERI UF SAND SMELT
ARBACIA PUNCTULATA	ATHERINOPSIS CALIFORNIENSIS UF JACKSMELT
ARCHOSARGUS UF SHEEPSHEAD	ATLANTIC COD USE GADUS MORHUA
ARCHOSARGUS RHOMBOIDALIS UF SEA BREAM	ATLANTIC CROAKER USE MICROPOGON UNDULATUS
ARCTIC CHAR USE SALVELINUS ALPINUS	ATLANTIC HERRING USE CLUPEA HARENGUS
ARCTIC GRAYLING USE THYMALLUS ARCTICUS	ATLANTIC MENHADEN USE BREVOORTIA TYRANNUS
ARCTICA ISLANDICA UF OCEAN QUAHOG	ATLANTIC OYSTER USE CRASSOSTREA VIRGINICA
ARENICOLA CRISTATA	ATLANTIC SALMON USE SALMO SALAR
ARGOPECTEN IRRADIANS UF BAY SCALLOP	ATLANTIC SEA MUSSEL USE MYTILUS EDULIS
ARGOPECTEN GIBBUS UF CALICO SCALLOP	ATYAEPHYRA DESMARESTI
ARISTICHTHYS NOBILIS USE HYPOPHTHALMICHTHYS NOBILIS	AURELIA AURITA
ARIUS FELIS UF SEA CATFISH	AUSTRALIAN CRAYFISH USE CHERAX TENUIMANUS
ARK SHELL USE ANADARA BROUGHTONI ANADARA COMMERCIALIS	AUXIS ROCHEI
ARTEMIA SALINA UF BRINE SHRIMP	AUXIS TAPEINOSOMA
ASCOPHYLLUM UF KELP	AUXIS THAZARD UF FRIGATE MACKEREL
ASIATIC CLAM USE CORBICULA FLUMINEA	AYU USE PLEGOGLOSSUS ALTIVELIS
ASTERIAS VULGARIS UF SEA STAR	BAGRE MARINUS UF GAFFTOPSAIL CATFISH
ASTICADAЕ	BAIRDIELLA CHRYSURA UF SILVER PERCH
	BAIRDIELLA ICISTIA

UF GULF CROAKER	USE ICTALURUS FURCATUS
BALANUS BALANOIDES	BLUE CRAB USE CALLINECTES SAPIDUS
BANANA PRAWN USE PENAEUS MERGUIENSIS	BLUE MUSSEL USE MYTILUS EDULIS
BARBUS AMPHIGRAMMA	BLUE RINGED OCTOPUS USE HAPALOCHLAENA MACULOSA
BARBUS HOLUBI UF SMALLMOUTH YELLOWFISH	BLUEFIN TUNA USE THUNNUS THYNNUS
BAY ANCHOVY USE ANCHOA MITCHILLI	BLUEGILL USE LEPOMIS MACROCHIRUS
BAY SCALLOP USE AEQUIPECTEN IRRADIANS ARGOPECTEN IRRADIANS	BLUNTNose MINNOW USE PIMEPHALES NOTATUS
BELLEROCHIA	BOLEOPHTHALMUS CHINENSIS UF MUD SKIPPER
BELONE BELONE UF GARFISH	BOTHRIDOEPEHALUS SCORPII UF TAPEWORM
BIGHEAD CARP USE HYPOPTHALMICHTHYS NOBILIS	BOWFIN USE AMIA CALVA
BLACK BASS USE MICROPTERUS	BRANCHIOMYCES DENIGRANS UF BRANCHIOMYCOSIS
BLACK BULLHEAD USE ICTALURUS MELAS	BRACHIONUS PLICATILIS
BLACK CARP USE MYLOPHARYNGODON PICEUS	BRACHYDANIO RERIO UF ZEBRA DANIO
BLACK CRAPPIE USE POMOXIS NIGROMACULATUS	BRANCHIOMYCES SANGUINIS UF BRANCHIOMYCOSIS
BLACK GRAYLING USE THYMALLUS ARCTICUS	BREVOORTIA TYRANNUS UF ATLANTIC MENHADEN
BLACKNOSE DACE USERHINICHTHYS ATRATUS	BRILL USE SCOPHTHALMUS RHOMBUS
BLACKTAIL REDHORSE USE MOXOSTOMA POLCILURUM	BRINE SHRIMP USE AERTEMIA SALINA
BLACKTAIL SHINER USE NOTROPIS VENUSTUS	BRITISH COLUMBIA ABALONE USE HALIOTIS KAMTSCHATKANA
BLUE CATFISH	

BROAD WHITEFISH USE COREGONUS NASUS	UF ROCK CRAB
BROOK TROUT USE SALVELINUS FONTINALIS	CANCER IRRORATUS UF ROCK CRAB
BROWN BULLHEAD USE Ictalurus nebulosus	CANCER MAGISTER UF Dungeness CRAB MARKET CRAB PACIFIC EDIBLE CRAB
BROWN MUDFISH USE NEOCHANNA APODA	CANCER PAGURUS UF EDIBLE CRAB
BROWN SHRIMP USE PENAEUS AZTECUS	CARANX MATE UF OMAKA
BROWN TROUT USE SALMO TRUTTA	CARASSIUS AURATUS UF GOLDFISH
BRYCON HENNI UF SABAETA	CARASSIUS CARASSIUS UF CRUCIAN CARP JAPANESE IMPERIAL
BUFFALOFISH USE ICTIOPUS	CARCINUS MAENAS
BULLFROG USE RANA CATESBEIANA	CARETTA CARETTA UF LOGGERHEAD TURTLE
BURBOT USE LOTA LOTA	CARP USE CYPRINUS CARPIO
BUTTER CLAM USE SAXIDOMUS NUTTALLI	CATLA UF INDIAN CARP
CALANUS HELGOLANDICUS	CATLA CATLA
CALICO CRAB USE HEPATUS EPHILITICUS	CATOSTOMUS COMMERSONI UF WHITE SUCKER
CALICO SCALLOP USE ARGOPECTEN GIBBUS	CENTROPRISTIS PHILADELPHICA UF ROCK SEA BASS
CALIFORNIA MUSSEL USE MYTILUS CALIFORNIANUS	CERASTODERMA EDULE
CALLINECTES SAPIDUS UF BLUE CRAB	CERASTODERMA GLAUCUM
CALLITHAMNION HOOKERI	CERATOMYXA SHASTA
CAMPSTOMA ANOMALUM	CHAENOBRYTTUS GULOSUS
CANCER ANTENNARIUS	CHAETOCEROS CALCITRANS

CHAETUCEROS SIMPLEX	
CHAIN PICKEREL USE <i>ESOX NIGER</i>	<i>CHLORELLA AUTOTROPHICA</i>
CHALCALBURNUS CHALCOIDES UF SHEMAYA	<i>CHLORELLA OVALIS</i>
CHANNA MACULATUS	<i>CHLORELLA PYRENOIDOSA</i>
CHANNEL CATFISH USE <i>ICTALURUS PUNCTATUS</i>	<i>CHLOROBIUM LIMICOLA</i>
CHANOS CHANOS UF MILKFISH	<i>CHLOROBIUM PHAEOBACTEROIDES</i>
CHASMISTES CUJUS UF CUI-UI	<i>CHLOROBIUM VIBRIFORME</i>
CHEILODACTYLUS MACROPTERUS UF TARAKIHI	<i>CHLOROCOCCUM</i>
CHELONIA MYDAS UF GREEN TURTLE	<i>CHLOROGUNIUM</i>
CHERAX TENUIMANUS UF MARRON	<i>CHONDROCoccus COLUMNARIS</i>
CHERRY SALMON USE <i>ONCORHYNCHUS MASU</i>	<i>CHONDRUS CRISPUS</i>
CHILIDONICHTHYS KUMU UF GURNARD	<i>CHROMADORA AXI</i>
CHINESE CARP USE <i>HYPOPHTHALMICHTHYS</i>	<i>CHROMADORA QUADRILINEA</i>
CHINOOK SALMON USE <i>ONCORHYNCHUS TSHAWYTSCHA</i>	<i>CHROMATIUM GRACILE</i>
CHIONOECETES OPILO UF TANNER CRAB	<i>CHROMATIUM RUDERI</i>
CHIRONOMUS RIPARIUS	<i>CHROMATIUM Vinosum</i>
CHIRONOMOUS TENTANS	<i>CHROMATIUM VIOLASCENS</i>
CHLAMYDOMUNAS COCCOIDES	<i>CHRYSOURA QUINQUECIRRHA</i>
CHLAMYS OPERcularis	<i>CHRYSOPHrys AURATUS</i>
CHLOROCOCCUM	<i>CHRYSOPHrys MAJOR</i>
	<i>CHUM SALMON</i>
	<i>USE ONCORHYNCHUS KETA .</i>
	<i>CIRRHINA</i>
	<i>UF INDIAN CARP</i>
	<i>CIRRHINA MOLITORELLA</i>
	<i>UF MUD CARP</i>
	<i>CIRRHINA MRAGALA</i>

CLADOSIPHON OKAMURANUS	USE MULINIA LATERALIS
CLARIAS BATRACHUS UF WALKING CATFISH	CORBICULA FLUMINEA UF ASIATIC CLAM
CLARIAS BITHYPOGON UF WALKING CATFISH	COREGONUS ALBULA UF VENDACE
CLARIAS CARSONII UF WALKING CATFISH	COREGONUS ARTEDII UF LAKE HERRING
CLARIAS FUSCUS UF WHITE SPOTTED CATFISH WALKING CATFISH	COREGONUS CLUPEAFORMIS UF LAKE WHITEFISH
CLARIAS LAZERA UF AFRICAN CATFISH WALKING CATFISH	COREGONUS AUTUMNALIS UF OMUL
CLARIAS MACROCEPHALUS UF FRESH WATER CATFISH WALKING CATFISH	COREGONUS LAVARETUS UF MARINA POLAN
CLARIAS SUBMARGINATUS UF AFRICAN CATFISH WALKING CATFISH	COREGONUS NASUS UF BROAD WHITEFISH
CLUPEA HARENGUS UF ATLANTIC HERRING HERRING PACIFIC HERRING	COREGONUS PELED UF PELYAD
COCCOCHLORIS	COROPHIUM ISIDIOSUM
COHO SALMON USE ONCORHYNCHUS KISUTCH	COSCINODISCUS ASTEROMPHALUS
COMMON PERCH USE PERCA FLUVIATILIS	COSTARIA
COMMON PERIWINKLE USE LITTORINA LITTOREA	CRASSOSTREA ANGULATA UF PORTUGUESE OYSTER
COMMON PRAWN USE PALAEMON SERRATUS	CRASSOSTREA BELCHERI
CONGO TILAPIA USE TILAPIA MELANOPLEURA	CRASSOSTREA COMMERCIALIS UF SYDNEY ROCK OYSTER
CONOPEUM TENUISSIMUM	CRASSOSTREA CUCULLATA
COOT CLAM	CRASSOSTREA ERADELIE UF SLIPPER OYSTER
	CRASSOSTREA GIGAS UF JAPANESE OYSTER
	CRASSOSTREA GLOMERATA UF ROCK OYSTER

CRASSOSTREA LUGUBRIS	
CRASSOSTREA RHIZOPHORAE UF MANGROVE OYSTER	DAPHNIA MAGNA
CRASSOSTREA VIRGINICA UF AMERICAN OYSTER EASTERN OYSTER	DAPHNIA PULEY
CREPIDULA FORNICATA	DASYA PEDICELLATA
CRUCIAN CARP USE CARASSIUS CARASSIUS	DETONULA
CRYPTOTHECODINUM COHNII	DIAPHANOeca GRANDIS
CTENOPHARYNGODON IDELLA USE CTENOPHARYNGODON IDELLUS	DIAPHANOSOMA
CTENOPHARYNGODON IDELLUS UF CTENOPHARYNGODON IDELLA GRASS CARP WHITE AMUR	DICENTRARCHUS MOLITRIX
CTENOPOMA MURIEI	DICRATERIA INORNATA
CUI-U USE CHASMISTES CUIJUS	DINOPHILUS GYROCLILIATUS
CUTTHROAT TROUT USE SALMO CLARKI	DOROSOMA CEPEDIANUM UF GIZZARD SHAD
CYCLOTELLA NANA USE THALASSIOSIRA PSEUDONANA	DOROSOMA PETENENSE UF THREADFIN SHAD
CYLINDROTHECIA CLUSTERIUM	DREDGE OYSTER USE OSTREA LUTARIA
CYPRINODON VARIEGATUS UF SHEEPSHEAD MINNOW	DUGESIA TIGRINA
CYPRINUS CARPIO UF CARP	DULSE USE RHODYMINIA
CYTOPHAGA	DUNALIELLA BIOCULATA
DAB USE LIMANDA LIMANDA	DUNALIELLA EUCHLORA
DACTYLOGYRUS LAMELLATUS	DUNALIELLA TERTIOLECTA
DANUBE SALMON USE HUCHO HUCHO	DUNGENESS CRAB USE CANCER MAGISTER
	DUSKY STRIPE SHINER USE NOTROPIS PILSBRYI
	EASTERN OYSTER USE CRASSOSTREA VIRGINICA
	ECTOTHIORHODOSPIRA MOBILIS
	EDIBLE CRAB USE CANCER PAGURUS

EDIBLE MUSSEL	EUBOTHRIUM CRASSUM
USE <i>MYTILUS EDULIS</i>	UF TAPEWORM
EDWARDSIELLA TARDIA	EUCHEUMA ISIFORME
ELEOCHARIS DULCIS	EUCHEUMA SPINOSUM
ELMINUS MODESTUS	EUGLENA
ENGRAULIS MORDAX	EUPLEURA CAUDATA
UF NORTHERN ANCHOVY	UF OYSTER DRILL
ENTEROBACTER	EURASIAN PERCH
ENTEROMORPHA CLATHRATA	USE <i>PERCA FLUVIATILIS</i>
ENTEROMORPHA FLEXUOSA	EUROPEAN EEL
ENTEROMORPHA INTESTINALIS	USE <i>ANGUILLA ANGUILLA</i>
ENTEROMORPHA LINGULATA	EUROPEAN LOBSTER
ENTEROMORPHA PLUMOSA	USE <i>HOMARUS GAMMARUS</i>
ENTEROMORPHA PROLIFERA	EUROPEAN OYSTER
ENTEROMORPHA RAMULOSA	USE <i>OSTREA EDULIS</i>
ENTEROMORPHA SALINA	EURYTEMORA AFFINIS
EOPSETTA GRIGORJEVI	EURYTEMORA HERDMANI
UF ROUNDNOSE FLOUNDER	EUTERPINA ACUTIFRONS
ESOX LUCIUS	EUTHYNNUS PELAMIS
UF NORTHERN PIKE	UF SKIPJACK TUNA
ESOX MASQUINONGY	FALL FISH
ESOX MASQUINONGY MASQUINONGY	USE <i>SEMOTILUS CORPORALIS</i>
UF MUSKELLUNGE	FATHEAD MINNOW
ESOX NIGER	USE <i>PIMEPHALES PROMELAS</i>
UF CHAIN PICKEREL	FLATHEAD CATFISH
ESOX REICHERII	USE <i>PLYODICTIS OLIVARIS</i>
ETHEOSTOMA SPECTABILE	FLORIDA POMPANO
UF ORANGETHROAT DARTER	USE <i>TRICHINOTUS CAROLINUS</i>
ETROPLUS SURATENSIS	FLUTA ALBA
	UF SWAMP EEL
	FRANCISELLA TULARENSIS
	UF TULAREMIA

FRENCH GRUNT	GIGARTINA STELLATA
USE HAEMULON FLAVOLINEATUM	
FRIGATE MACKEREL	GIBBULA CINERARIA
USE AUXIS THAZARD	UF SNAIL
FUGU RUBRIPES RUBRIPES	GILT HEAD BREAM
UF PUFFER	USE SPARUS AURATUS
FUNDULUS HETEROCLITUS	GIZZARD SHAD
UF MUMMICHOOG	USE DOROSOMA CEPEDIANUM
GADUS MORHUA	GOLDEN MULLET
UF ATLANTIC COD	USE MUGIL AURATUS
GAFFKYA HUMARI	GOLDEN SHINER
UF AEROCOCCUS VIRIDANS	USE NOTEMIGONUS CRYSOLEUCAS
PEDIOCOCCUS HOMARI	GOLDFISH
GAFFTOPSAIL CATFISH	USE CARASSIUS AURATUS
USE BAGRE MARINUS	GRACILARIA CHORDA
GARFISH	GRACILARIA COMPRESSA
USE BELONE BELONE	GRACILARIA CONFERVOIDES
GASTERosteus ACULEATUS	GRACILARIA GIGAS
UF THREE-SPINED STICKLEBACK	GRACILARIA LICHENOIDES
GELIDIUM AMANSII	GRASS CARP
GELIDIUM ROBUSTUM	USE CTENOPHARYNGODON IDELLUS
GEM CLAM	GREASY-BACK PRAWN
USE GEMMA GEMMA	USE METAPENAEUS MONOCEROS
GEMMA GEMMA	GREEN ABALONE
UF GEM CLAM	USE HALIOTIS FULGENS
GERYON QUINQUEDENS	GREEN MUSSEL
GIANT FRESHWATER PRAWN	USE MYtilus VIRIDIS
USE MACROBRACHIUM ROSENBERGII	PERNA CANALICULUS
GIANT GOBY	GREEN MUSSEL
USE OXYELEOTRIS MARMORATUS	USE MYtilus VIRIDIS
GIANT KELP	PERNA CANALICULUS
USE NEREOCYSTIS LUTKEANA	GREEN SUNFISH
GIANT SCALLOP	USE LEPOMIS CYANELLUS
USE PLACOPECTEN MAGELLANICUS	GREEN TURTLE
	USE CHELONIA MYDAS

GRUNION	HALOPHILA ENGLEMANNI
USE LURESTHES TENUIS	
GULF CROAKER	HAPALOCHLAENA MACULOSA
USE BAIRDIELLA ICISTIA	UF BLUE RINGED OCTOPUS
GULF KINGFISH	HARD CLAM (ATLANTIC)
USE MENTICRIRRHUS LITTORALIS	USE MERETRIX LUSORIA
GUPPY	HARD SHELL CLAM
USE POECILIA RETICULATA	USE MERCENARIA MERCENARIA
GURNARD	HARENGULA PENSACOLAE
USE CHELIDONICHTHYS KUMU	UF SCALED SARDINE
HADDOCK	HELOSTOMA TEMMINCKI
USE MELANOGRAMMUS AEGLEFINUS	UF KISSING GOURAMI
HAEMULON FLAVOLINEATUM	HEMICROMUS FASCIATUS
UF FRENCH GRUNT	
HAFNIA	HEMISELMIS VIRESSENS
HALIOTIS CORRUGATA	HEPATUS EPHELITICUS
UF PINK ABALONE	HEPATUS EPHILITICUS
HALIOTIS CYCLOBATES	UF CALICO CRAB
HALIOTIS DISCUS	HERRING
UF JAPANESE ABALONE	USE CLUPEA HARENGUS
HALIOTIS FULGENS	HOMARUS AMERICANUS
UF GREEN ABALONE	UF AMERICAN LOBSTER
HALIOTIS KAMTSCHATKANA	NORTHERN LOBSTER
UF BRITISH COLUMBIA ABALONE	
HALIOTIS ROEI	HOMARUS GAMMARUS
HALIOTIS RUBER	UF EUROPEAN LOBSTER
HALIOTIS RUFESCENS	HOMARUS VULGARIS
UF RED ABALONE	
HALIOTIS SCALARIS	HOMARUS VULGARIS
HALIOTIS SORENSENII	USE HOMARUS GAMMARUS
UF WHITE ABALONE	
HALODULE WRIGHTII	HUCHO HUCHO
	UF DANUBE SALMON
	HUSO HUSO
	HYPERPROSOPON ARGENTEUM
	UF WALLEYE SURFPERCH
	HYPOPHTHALMICHTHYS
	UF CHINESE CARP
	HYPOPHTHALMICHTHYS MOLITRIX

UF SILVER CARP	JAPANESE IMPERIALS USE CARASSIUS AURATUS
HYPOPHTHALMICHTHYS NOBILIS UF ARISTICHTHYS NOBILIS BIGHEAD CARP	JAPANESE OYSTER USE CRASSOSTREA GIGAS
ICHTHYOPHTHIRIUS MULTIFILIIS UF ICH	JAPANESE SCALLOP USE PATINOPECTEN YESSOENSIS
ICTALURUS CATUS UF WHITE CATFISH	JAPANESE SHRIMP USE PENAEUS JAPONICUS
ICTALURUS FURCATUS UF BLUE CATFISH	JASUS EDWARDSII UF SPINY LOBSTER
ICTALURUS MELAS UF BLACK BULLHEAD	JAVA TILAPIA USE TILAPIA MOSSAMBICA
ICTALURUS NATALIS UF YELLOW BULLHEAD	JUMBO TIGER SHRIMP USE PENAEUS MONODON
ICTALURUS NEBULOSUS UF BROWN BULLHEAD	KATSUWONUS PELAMIS UF SKIPJACK
ICTALURUS PUNCTATUS UF CHANNEL CATFISH	KING CRAB USE PARALITHODES CAMSCHATICA
ICTIOBUS UF BUFFALOFISH	KING PRAWN USE PENAEUS LATISULCATUS
ICTIOBUS CYPRINELLUS	KING SALMON USE ONCORHYNCHUS TSHAWYTSCHA
IDE USE LEUCISCUS IDUS	KISSING GOURAMI USE HELOSTOMA TEMMINCKI
ILLEX COINDETTI	KOKANEE SALMON USE ONCORHYNCHUS NERKA
INDIAN CARP USE CATLA CIRRHINA LABEO	LABEO UF INDIAN CARP
IRIDAEA	LABEO CALBASU
ISOCHRYYSIS GALBANA	LABEO ROHITA
JACKSMELT USE ATERINOPSIS CALIFORNIENSIS	LABYRINTHOMYXA MARINA
JAPANESE ABALONE USE HALIOTIS DISCUS	LACTOBACILLUS LAGODON RHOMBOIDES UF PINFISH

LAKE HERRING USE COREGONUS ARTEDII	LEPOMIS CYANELLUS UF GREEN SUNFISH
LAKE TROUT USE SALVELINUS NAMAYCUSH	LEPOMIS GIBBOSUS UF PUMPKINSEED
LAKE WHITEFISH USE COREGONUS CLUPEAFORMIS	LEPOMIS MACROCHIRUS UF BLUEGILL
LAMINARIA UF SUGAR WRACK	LEPOMIS MICROLOPHUS UF REDEAR SUNFISH
LAMINARIA ANGUSTATA	LERNAEA CYPRINACEA UF ANCHOR WORM
LAMINARIA FARLOWII	LEUCISCUS IDUS UF IDE
LAMINARIA HYPERBOREA	LEURESTHES TENUIS UF GRUNION
LAMINARIA JAPONICA	LIBINA EMARGINATA UF SPIDER CRAB
LAMINARIA RELIGIOSA	LICHIA GLAUCA
LANDLOCKED SALMON USE SALMO SALAR	LIMANDA LIMANDA UF DAB
LARGEMOUTH BASS USE MICROPTERUS SALMOIDES	LINED SOLE USE ACHIRUS LINEATUS
LATEOLABRAX JAPONICUS UF SEA PERCH	LITHOPHAGA BISULCATA UF MAHOGANY DATE MUSSEL
LATES CALCARIFER UF SEA BASS	LITTORINA LITTOREA UF COMMON PERIWINKLE
LAVER USE PORPHYRA TENERA	LOACH USE MISGURNUS FOSSILIS
LEBISTES RETICULATUS USE POECILA RETICULATA	LOGGERHEAD TURTLE USE CARETTA CARETTA
LEIOSTOMUS XANTHURUS UF SPOT	LONGIROSTRUM DELICATISSIMUS
LEMON SOLE USE MICROSTOMUS KITT	LOTA LOTA UF BURBOT
LEOPARD FROG USE RANA PIPIENS	LUCIOPERCA LUCIOPERCA UF PIKE-PERCH
LEPIDOSTEUS UF MANGUARI	

LUGWORM	USE ARENICOLA CRISTATA ARENICOLA BRASILIENSIS	USE OXGELEDTRIS MARMORATA
LUMBRICILLUS		MARINA USE COREGONUS LAVARETUS
LYRODUS PEDICELLATUS	UF SHIPWORM	MARKET CRAB USE CANCER MAGISTER
LYTECHINUS PICTUS		MARRON USE CHERAX TENUIMANUS
MACCULLOCHELLA PEELI	UF MURRAY COD	MASU SALMON USE ONCOURHYNCHUS MASOU
MACROBRACHIUM ACANTHURUS		MEDITERRANEAN MUSSEL USE MYTILUS GALLOPROVINCIALIS
MACROBRACHIUM AUSTRALIENSE		MELANOGRAMMUS AEGLEFINUS UF HADDOCK
MACROBRACHIUM CARCINUS		MENIPPE MERCENARIA UF STONE CRAB
MACROBRACHIUM INTERMEDIUM		MENTICRIRRUS LITTORALIS UF GULF KINGFISH
MACROBRACHIUM LAR		MERCENARIA CAMPECIENSIS UF SOUTHERN QUAHOG
MACROBRACHIUM NILOTICUM		MERCENARIA MERCENARIA UF HARD CLAM (ATLANTIC) NORTHERN QUAHOG
MACROBRACHIUM OHIONE		MERETRIX LUSORIA UF HARD CLAM
MACROBRACHIUM ROSENBERGII	UF GIANT FRESHWATER PRAWN	MERLANGIUS MERLANGUS
MACROCYSTIS	UF KELP	METAPENAEUS JOYNERI
MAHOGANY DATE MUSSEL	USE LITHOPHAGA BISULCATA	METAPENAEUS MONOCEROS UF GREASY-BACK PRAWN
MAHSEER	USE TOR KHUNDREE TOR TOR	MICROPOGON UNDULATUS UF ATLANTIC CROAKER
MANGROVE OYSTER	USE CRASSOSTREA RHIZOPHORAE	MICROPTERUS
MANGUARI	USE LEPIDOSTEUS	UF BLACK BASS
MANILA CLAM	USE TAPES SEMIDECUSSATA	MICROPTERUS COOSAE UF REDEYE BASS
MARBLE GOBY		

MICROPTERUS DOLOMIEUI UF SMALLMOUTH BASS	MOTHER-OF-PEARL OYSTER USE PINCTATA MAXIMA
MICROPTERUS NOTIUS UF SUWANNEE BASS	MOUNTAIN WHITEFISH USE PROSOPiUM WILLIAMSONI
MICROPTERUS PUNCTULATUS UF SPOTTED BASS	MOXOSTOMA POECILURUM UF BLACKTAIL REDHORSE
MICROPTERUS SALMOIDES UF LARGEMOUTH BASS	MOZAMBIQUE MOUTHBROODER USE TILAPIA MOSSAMBICA
MICROSTOMUS KITT UF LEMON SOLE	MUD CARP USE CIRRHINA MOLITURELLA
MILKFISH USE CHANOS CHANOS	MUD CRAB USE SCYLLA SERRATA
MINCHINIA NELSONI UF MSX	MUD SKIPPER USE BOLEOPHTHALMUS CHINENSIS
MISGURNUS FOSSILIS UF LOACH	MUGIL AURATUS UF GOLDEN MULLET
MIZUHOPECTEN YESSOENSIS	MUGIL CAPITO UF THIN LIPPED MULLET
MNEMIOPSIS MCCRADYI	MUGIL CEPHALUS UF STRIPED MULLET
MODIOLUS MODIOLUS UF NORTHERN HORSE MUSSEL	MUGIL CUREMA UF WHITE MULLET
MONOCHRYYSIS LUTHERI UF PALOVA LUTHERI	MUGIL PARSLA
MONOSTROMA	MUGIL RAMADA UF THIN LIPPED MULLET
MORONE AMERICANA UF ROCCUS AMERICANUS WHITE PERCH	MUGIL SALIENS
MORONE CHRYSOPS UF WHITE BASS	MUGIL TADE
MORONE LABRAX UF SEA BASS	MULINIA LATERALIS UF COOT CLAM
MORONE SAXATILIS UF ROCCUS SAXITILIX STRIPED BASS	MUMMICHOOG USE FUNDULUS HETEROCLITUS
MOSQUITOFISH USE GAMBUSIA AFFINIS	MURRAY COD USE MACCULLOCHELLA PEELI

MUSKELLUNGE	NOCTILUCA SCINTILLANS
USE ESOX MASQUINONGY	
MYA ARENARIA	NORDOTIS DISCUS
UF SOFT SHELL CLAM	
MYLOPHARYNGODON AETHIOPS	NORTH AMERICAN CRAYFISH
	USE PACIFASTACUS TROWBRIDGII
MYLOPHARYNGODON PICEUS	NORTH SEA SOLE
UF BLACK CARP	USE SOLEA SOLEA
MYTILUS CALIFORNIANUS	NORTHERN ANCHOVY
UF CALIFORNIA MUSSEL	USE ENGRAULIS MORDAX
MYTILUS EDULIS	NORTHERN HORSE MUSSEL
UF ATLANTIC SEA MUSSEL	USE MODIOLUS MODIOLUS
BLUE MUSSEL	
EDIBLE MUSSEL	NORTHERN PIKE
	USE ESOX LUCIUS
MYTILUS GALLOPROVINCIALIS	NORTHERN PUFFER
UF MEDITERRANEAN MUSSEL	USE SPHOEROIDES MACULATUS
MYTILUS VIRIDIS	NORTHERN QUAHOG
UF GREEN MUSSEL	USE MERCENARIA MERCENARIA
NASSARIUS RETICULATUS	NORTHERN SENNET
	USE SPHYRAENA BOREALIS
NEMATOSCELIS DIFFICILIS	NORTHERN SQUAWFISH
	USE PTYCHOCHEILUS OREGONENSIS
NEOCHANNA APODA	NORWAY LOBSTER
UF BROWN MUDFISH	USE NEPHROPS NORVEGICUS
NEOTHUNNUS MACROPTERUS	NOTEIGONUS CRYSOLEUCAS
UF YELLOWFIN TUNA	NOTEIGONUS CRYSOLEUCAS
NEPHROPS NORVEGICUS	UF GOLDEN SHINER
UF NORWAY LOBSTER	
NEREIS SUCCINEA	NUTCBRANCHUS
NEREIS VIRENS	NOTOHALIOTIS DISCUS
NEREOCYSTIS	NOTOHALIOTIS GIGANTEA
NEREOCYSTIS LUTKEANA	NOTOHALIOTIS SIEBOLDII
UF KELP	
NILE TILAPIA	NOTRUPIS PILSBRYI
USE TILAPIA NILOTICA	
NITZSCHIA CLOSTERIUM	NOTRUPIS PILSBRYI
	UF DUSKYSTRIPE SHINER

NOTROPIS VENUSTUS UF BLACKTAIL SHINER	OPHIOCEPHALUS TADIANUS UF SNAKEHEAD
NYCTIPHANES COUCHII	OPHIOLEPIS ELEGANS
OCEAN QUAHOG USE ARCTICA ISLANDICA	ORANGE THROAT DARTER USE ETHEOSTOMA SPECTABILE
ODONTHESTES BONARIENSIS UF SILVER SIDÈ	ORCONECTES
OHRID TROUT USE SALMO TRUTTA	ORTHOPRISTIS CHRYSOPTERA UF PIGFISH
OIKOPLURA DIDICA	OSCILLATORIA
OLYMPIA OYSTER USE OSTREA LURIDA	OSPHRONEMUS GORAMI
OMAKA USE CARANX MATE	OSTEOCHILUS HASSELTI
OMUL USE COREGONUS AUTUMNALIS	OSTREA EDULIS UF EUROPEAN OYSTER
ONCHOLAINUS PARALANGRUENSIS	OSTREA LURIDA UF OLYMPIA OYSTER
ONCORHYNCHUS	OSTREA LUTARIA UF DREDGE OYSTER
ONCORHYNCHUS GORBUSCHA UF PINK SALMON	OSTREA NOMANDES
ONCORHYNCHUS KETA UF CHUM SALMON	OXYELEOTRIS MARMORATA UF MARBLE GORBY
ONCORHYNCHUS KISUTCH UF COHO SALMON SILVER SALMON	OXYELEOTRIS MARMORATUS UF GIANT GOBY
ONCORHYNCHUS MASOU UF MASU SALMON	OYSTER CRAB USE PINNOTHERES OSTREUM
ONCORHYNCHUS NERKA UF KOKANEE SALMON SOCKEYE SALMON	OYSTER DRILL USE EUPLEURA CANDATA UROSALPINX CINEREA
ONCORHYNCHUS RHODURUS	PACIFASTACUS TROWBRIDGII UF NORTH ATLANTIC CRAYFISH WESTERN NORTH ATLANTIC CRAYFIS
ONCORHYNCHUS TSHAWYTSCHA UF CHINOOK SALMON KING SALMON	PACIFIC EDIBLE CRAB USE CANCER MAGISTER
	PACIFIC HERRING USE CLUPEA HARENGUS

PACIFIC SALMON USE ONCORHYNCHUS	UF KING CRAB
PACIFIC SARDINE USE SARDINOPS CAERULEUS	PATINOPECTEN CAURINUS UF WEATHERVANE SCALLOP
PAGRUS MAJOR	PATINOPECTEN YESSOENSIS UF JAPANESE SCALLOP
PAGURUS LONGICARPUS	PAVLOVA GYRANS
PAGURUS LONGICARPUS	PEARL OYSTER USE PTERIA MARGARITIFERA
PALAEMON SERRATUS UF COMMON PRAWN	PECTEN MAXIMUS
PALAEMONETES CUMMINGI	PEDIUCOCCUS HUMARI USE GAFFKYA HUMARI
PALAEMONETES VARIANS	PELTORHAMPHUS NOVAEZULANIDAE UF SOLE
PALOVA LUTHERI USE MONOCHRYYSIS LUTHERI	PELYAD USE COREGONUS PELED
PANDALOPSIS DISPAR UF SIDE STRIPE	PENAEUS AZTECUS UF BROWN SHRIMP
PANDALUS PLATYCEROS UF SPOT PRAWN	PENAEUS CALIFORNIENSIS
PANOPEUS HERBSTII	PENAEUS DUORARUM UF PINK SHRIMP
PANULIRUS ARGUS	PENAEUS FLUVATIS UF WHITE SHRIMP
PANULIRUS INTERRUPTUS UF SPINY LOBSTER	PENAEUS JAPONICUS UF JAPANESE SHRIMP
PANULIRUS JAPONICUS	PENAEUS LATISULCATUS UF KING PRAWN
PANULIRUS LONGIPES UF ROCK LOBSTER	PENAEUS MERGUIENSIS UF BANANA PRAWN
PARALICHTHYS	PENAEUS MONODON UF JUMBO TIGER SHRIMP SUGPO
PARALICHTHYS DENTATUS UF SUMMER FLOUNDER	PENAEUS OCCIDENTALIS
PARALICHTHYS LETHOSTIGMA UF SOUTHERN FLOUNDER	PENAEUS PENICILLATUS UF RED-TAILED PRAWN
PARALICHTHYS OLIVACEUS	
PARALITHODES CAMSCHATICA	

PENAEUS SCHMITTI	PINCTADA IMBRICATA
USE PENAEUS SETIFERUS	
PENAEUS SEMISULCATUS	PINCTATA MAXIMA
PENAEUS SETIFERUS	UF MOTHER-OF-PEARL OYSTER
UF PENAEUS SCHMITTI	
WHITE SHRIMP	
PENAEUS STYLIROSTRIS	PINFISH
PENAEUS TERADI	USE LAGODON RHOMBOIDES
PENAEUS VANNAMEI	PINK ABALONE
PERCA FLAVESCENS	USE HALIOTIS CORRUGATA
UF YELLOW PERCH	
PERCA FLUVIATILIS	PINK SALMON
UF COMMON PERCH	USE ONCORHYNCHUS GORBUSCHA
EURASIAN PERCH	
PERNA CANALICULUS	PINK SHRIMP
UF GREEN MUSSEL	USE PENAEUS DUORARUM
PERNA Perna	PINNOTHERES OSTREUM
PETROMYZON MARINUS	UF OYSTER CRAB
UF SEA LAMPREY	
PHAEODACTYLUM TRICORNUTUM	PLACOPECTEN MAGELLANICUS
PHORMIDIUM LURIDUM	UF GIANT SCALLOP
PIGFISH	SEA SCALLOP
USE ORTHOPRISTIS CHRYSOPTERA	
PIKE-PERCH	PLAICE
USE LUCIOPERCA LUCIOPERCA	USE PLEURONECTES PLATESSA
PILE PERCH	PLATYMONAS VIRIDIS
USE RHACOCHILUS VACCA	
PIMEPHALES NOTATUS	PLECOGLOSSUS ALTIVELIS
UF BLUNTNOSE MINNOW	UF AYU
PIMEPHALES PROMELAS	PLEUROBRACHIA PILEUS
UF FATHEAD MINNOW	
PINCTADA FUCATA	PLEUROBRANCHIA BACHEI
	PLEUROCONDES PLANIPES
	UF RED CRAB
	PLEURONECTES PLATESSA
	UF PLAICE
	PLYODICTIS OLIVARIS
	UF FLATHEAD CATFISH
	POECILIA RETICULATA
	UF GUPPY
	LEBISTES RETICULATUS
	POGONIAS CROMIS
	POLAN

USE COREGONUS LAVARETUS	PTERIA
POLYDORA LIGNI	PTERIA MARGARITIFERA UF PEARL OYSTER
POLYPOCEPHALUS	PTEROCLADIA
POMATOSCHISTUS LOZANOI	PTYCHOCHEILUS OREGONENSIS UF SQUAWFISH
POMATOSCHISTUS MINUTUS	
POMOXIS ANNULARIS UF WHITE CRAPPIE	PUFFER USE FUGU RUBRIPES RUBRIPES
POMOXIS NIGROMACULATUS UF BLACK CRAPPIE	PUMPKINSEED USE LEPOMIS GIBBOSUS
POMPANO USE TRACHINOTUS OVATUS	PUNTIUS GONIONOTUS
PONTOPOREIA AFFINIS	PUNTIUS JAVANICUS
PORPHYRA NEREOCYSTIS	PYRAMIMONAS OBOVATA
PORPHYRA PSEUDOLINEARIS	QUINQUELOCULINA LATA
PORPHYRA TENERA UF LAVER	RABBITFISH USE SIGANUS ORAMIN
PORPHYRA YEZOENSIS	RAINBOW TROUT USE SALMO GAIRDNERI
PORTUGUESE OYSTER USE CRASSOSTREA ANGULATA	RANA CATESBEIANA UF BULLFROG
PORTUNUS TIBERCULATUS	RANA PIPIENS UF LEOPARD FROG
PORTUNUS XANTHUSII	RANGIA CUNEATA
PROCAMBARUS CLARKI UF RED SWAMP CRAYFISH	RASTRELLIGER NEGLECTUS
PROSOPIDIUM WILLIAMSONI UF MOUNTAIN WHITEFISH	RED ABALONE USE HALIODIS RUFESCENS
PROSTHECOCHLORIS AESTUARII	RED CRAB USE PLEUROCONDES PLANIPES
PSEUDOMONAS	RED DRUM USE SCIAENOPS OCELLATA
PSEUDOMONAS FLUORESCENS	RED SWAMP CRAYFISH USE PROCAMBARUS CLARKI
PSEUDOPLEURONECTES AMERICANUS UF WINTER FLOUNDER	

RED-TAILED PRAWN USE <i>PENAEUS PENICILLATUS</i>	ROCK CRAB USE <i>CANCER ANTENNARIUS</i> <i>CANCER IRRORATUS</i>
REDEAR SUNFISH USE <i>LEPOMIS MICROPHOLUS</i>	ROCK LOBSTER USE <i>PANULIRUS LONGIPES</i>
REDEYE BASS USE <i>MICROPTERUS COOSAE</i>	ROCK OYSTER USE <i>CRASSOSTREA GLOMERATA</i>
REDFISH USE <i>SCIAENOPS OCCELLATA</i>	ROCK SEA BASS USE <i>CENTROPRISTIS PHILADELPHICA</i>
RETROPINNA RETROPINNA	ROSALINA LEEI
RHABDITIS MARINA	ROUNDNOSE FLOUNDER USE <i>EOPSETTA GRIGORJEVI</i>
RHACOCHILUS VACCA UF PILE PERCH	RUDD USE <i>SCARDINIUS ERYTHROPHTHALMUS</i>
RHINICHTHYS ATRATUS UF BLACKNOSE DACE	RUPPIA MARITIMA
RHITHROPOANEUS HARRISII UF MUD CRAB	RUTILUS RUTILUS UF ROACH
RHODOPHYSEMA ELEGANS	SABAETA USE <i>BRYCON HENNI</i>
RHODOPHYSEMA ELEGANS	SABLEFISH USE <i>ANOPLOPOMA FIMBRIA</i>
RHODYMINIA UF DULSI	SAGITTA HISPIDA
RHOMBOSOLEA PLEBIA UF SAND FLOUNDER	SALMO CLARKI UF CUTTHROAT TROUT
RHOMBUS MAXIMUS UF TURBOT	SALMO GAIRDNERI UF RAINBOW TROUT
RHOPILEMA VERRILLI	SALMO IRIDEUS USE <i>SALMO GAIRDNERI</i>
ROACH USE <i>RUTILUS RUTILUS</i>	SALMO SALAR UF ATLANTIC SALMON LANDLOCKED SALMON
ROCCUS AMERICANUS USE <i>MORONE AMERICANA</i>	SALMO SHASTA USE <i>SALMO GAIRDNERI</i>
ROCCUS SAXITILIS USE <i>MORONE SAXITILIS</i>	SALMO TRUTTA UF BROWN TROUT
ROCK BASS USE <i>AMBLOPLITES RUPESTRIS</i>	

OHRID TROUT	UF TURBOT
SALMONELLA TYPHIMURIUM UF GASTROENTERITIS	SCOPHTHALMUS RHOMBUS UF BRILL
SALVELINUS ALPINUS UF ARCTIC CHAR	SCYLLA SERRATA UF MUD CRAB
SALVELINUS FONTINALIS UF BROOK TROUT	SEA BASS USE LATES CALCARIFER MORONE LABRAX
SALVELINUS NAMAYCUSH UF LAKE TROUT	SEA BREAM USE ARCHOSARGUS RHOMBOIDALIS
SAND FLOUNDER USE RHOMBOSOLEA PLEBIA	SEA CATFISH USE ARIUS FELIS
SAND GOBY USE OXYELOTRIS MARMORATA	SEA FAN USE AGLAOPHENIA PLUMA
SAND SMELT USE AETHERINA BOYERI	SEA LAMPREY USE PETROMYZON MARINUS
SARDA ORIENTALIS UF STRIPED BONITO	SEA LETTUCE USE ULVA
SARDINOPS CAERULENS UF PACIFIC SALMON	SEA NETTLE USE CHRYSADRA QUINQUECIRRHA
SAXIDOMUS GIGANTEUS	SEA PERCH USE LATEOLABRAX JAPONICUS
SAXIDOMUS NUTTALLI UF BUTTER CLAM	SEA SCALLOP USE PLACOPECTIN MAGELLANICUS
SCALED SARDINE USE HARENGULA PENSACOLAE	SEA STAR USE ASTERIAS VULGARIS
SCARDINUS ERYTHROPHTHALMUS UF RUDD	SELENASTRUM CAPRICORNUTUM
SCENEDESmus QUADRICAUDA	SEMUTILUS ATROMACULATUS
SCIAENOPS OCCELLATA UF RED DRUM REDFISH	SEMUTILUS CORPORALIS UF FALL FISH
SCOMBER JAPONICUS	SEPIUTEUTHIS SEPIOIDEA
SCOMBEROMORUS MACULATUS UF SPANISH MACKEREL	SERIOLA PURPURESCENS
SCOPHTHALMUS MAXIMUS	SERIOLA QUINQUERADIATA UF YELLOWTAIL

SESARMA CINEREUM UF SHORE CRAB	SILVER PERCH USE BAIRDIELLA CHRYSURA
SESARMA RETICULATUM	SILVER SALMON USE ONCORHYNCHUS KISUTCH
SHEAT-FISH USE SILURUS GLANIS	SILVERSIDE USE ODONTHESTES BONARIENSIS
SHEEPSHEAD USE ARCHOSARGUS	SKELETONEMA COSTATUM
SHEEPSHEAD MINNOW USE CYPRINODON VARIEGATUS	SKIPJACK TUNA USE EUTHYNNUS PELAMIS KATSUWONUS PELAMIS
SHEMAYA USE CHALCALBURNUS CHALCOIDES	SLIPPER OYSTER USE CRASSOSTREA ERADELIE
SHIGELLA FLEXNERI UF BACILLARY DYSENTERY	SMALLMOUTH BASS USE MICROPTERUS DOLMIEUI
SHIPWORM USE LYRODUS PEDICELLATUS	SMALLMOUTH YELLOWFISH USE BARBUS HOLUBI
SHORE CRAB USE SESARMA CINEREUM SESARMA UTICULATUM	SNAIL USE GIBBULA CINERARIA
SHORT NECKED CLAM USE TAPES JAPONICA	SNAKEHEAD USE OPHIOCEPHALUS TADIANUS
SIDE STRIPE USE PANDALOPSIS DISPAR	SNAPPER USE CHRYSOPHYS AURATUS
SIGANUS CANALICULATUS	SNAPPING SHRIMP USE ALPHEUS HETEROCHAELOS
SIGANUS LINEATUS	SOCKEYE SALMON USE ONCORHYNCHUS NERKA
SIGANUS LURIDUS	SOFT SHELL CLAM USE MYA ARENARIA
SIGANUS ORAMIN UF RABBITFISH	SOLE USE PELTORHAMPHUS NOVAEZELLANIDAE SOLEA SOLEA
SIGANUS RIVULATUS	SOLEA SOLEA UF NORTH SEA SOLE SOLE
SILURUS GLANIS UF SHEAT-FISH WELS	SOUTHERN FLounder USE PARALICHTHYS LETHOSTIGMA
SILVER CARP USE HYPOPHTHALMICHTHYS MOLITRIX	

SOUTHERN QUAHOG	UF WALLEYE
USE MERCENARIA CAMPECHIENSIS	
SPANISH MACKEREL	STONE CRAB
USE SCOMBEROMORUS MACULATUS	USE MENIPPE MERCENARIA
SPARUS AURATUS	STRIPED BASS
UF GILT-HEAD BREAM	USE MORONE SAXATILIS
SPHOEROIDES MACULATUS	STRIPED BONITO
UF NORTHERN PUFFER	USE SARDAA ORIENTALIS
SPHYRAENA BOREALIS	STRIPED MULLET
UF NORTHERN SENNET	USE MUGIL CEPHALUS
SPIDER CRAB	STROMBUS GIGAS
USE LIBINA EMARGINATA	STURGEON
SPINY DOGFISH	USE ACIPENSER STELLATUS
USE SQUALUS ACANTHIAS	STYLOCHUS ELLIPTICUS
SPINY LOBSTER	SUGAR WRACK
USE JASUS EDWARDSII	USE LAMINARIA
PANULIRUS INTERRUPTUS	SUGPO
SPIOFILICORNIS	USE PENAEUS MONODON
SPIRULOCULINA HYALINA	SUMMER FLOUNDER
SPIRULINA	USE PARALICHTHYS DENTATUS
SPISULA SACHALINENSIS	SUWANNEE BASS
SPISULA SOLIDISSIMA	USE MICROPTERUS NOTIUS
SPOT	SWAMP EEL
USE LEIOSTOMUS XANTHURUS	USE FLUTA ALBA
SPOT PRAWN	SYDNEY ROCK OYSTER
USE PANDALUS PLATYCEROS	USE CRASSOSTREA COMMERCIALIS
SPOTTED BASS	SYRINGODIUM FILIFORME
USE MICROPTERUS PUNCTULATUS	TANNER CRAB
SPRAT	USE CHIONOECTES OPILIO
USE SPRATTUS SPRATTUS	TAPES JAPONICA
SPRATTUS SPRATTUS	UF SHORT NECKED CLAM
UF SPRAT	TAPES PHILIPPINARIN
STIZOSTEDION VITREUM VITREUM	TAPES SEMIDECUSSATA
	UF MANILA CLAM

TAPEWORM	TILAPIA ESCULENTA
USE BOTHRIOCEPHALUS SCORPII EUBOTHRIUM CRASSUM	
TARAKIHI	TILAPIA GALILAEA
USE CHEILODACTYLUS MACROPTERUS	
TEMORA LONGICORNIS	TILAPIA LEUCOSTICTA
TENCH	TILAPIA MACROCHIR
USE TINCA TINCA	
TETRASELMIS SUECICA	TILAPIA MELANOPLEURA UF CONGO TILAPIA
THALASSIA TESTUDINUM	TILAPIA MOSSAMBICA UF JAVA TILAPIA MOZAMBIQUE MOUTHBROODER
THALASSIOSIRA FLUVIATILIS	TILAPIA NIGRA
THALASSIOSIRA PSEUDOMONA UF CYCLOTELLA NANA	TILAPIA NILOTICA UF NILE TILAPIA
THIN LIPPED MULLET USE MUGIL RAMADA	TILAPIA THOLLONI
THIOPCAPSA PFENNIGII	TILAPIA VOLCANI
THIOPCAPSA ROSEOPERSICINA	TILAPIA ZILLII
THIOCYSTIS VIOLENCEA	TINCA TINCA UF TENCH
THREADFIN SHAD USE DOROSOMA PTENENSE	TINTINNOPTERIS BEROIDEA
THREE-SPINED STICKLEBACK USE GASTERosteus ACULEATUS	TISBE CLODIENSIS
THUNNUS ALALUNGA UF ALBACORE	TISBE FURCATA
THUNNUS THynnus UF BLUEFIN TUNA	TISBE RETICULATA
THYMALLUS ARCTICUS UF ARCTIC GRAYLING BLACK GRAYLING	TOR KHUNDREE UF MAHSEER
TIGRIOPUS JAPONICUS	TOR TOR UF MAHSEER
TILAPIA AUREA	TRACHINOTUS OVATUS UF POMPANO
	TRICHINOTUS CAROLINUS UF FLORIDA POMPANO
	TRICHOGASTER PECTORALIS
	TURBOT

USE RHOMBUS MAXIMUS	CLARIAS MACROCEPHALUS
SCOPHTHALMUS MAXIMUS	CLARIAS SUBMARGINATUS
ULOTHRIX ZONATA	WALLEYE
ULVA	USE STIZOSTEDION VITREUM
UF SEA LETTUCE	
ULVA FASCIATA	WALLEYE SURFPERCH
ULVA LACTUCA	USE HYPERPROSOPON ARGENTEUM
UNDARIA	WEATHERVANE SCALLOP
UF WAKAME	USE PATINOPECTEN CAURINUS
UNDARIA PINNATIFIDA	WELS
URECHIS CAUPO	USE SILURUS GLANUS
UROSALPINX CINEREA	WESTERN NORTH AMERICAN CRAYFISH
UF OYSTER DRILL	USE PACIFASTACUS TROWBRIDGII
VENDACE	WHITE AMUR
USE COREGONUS ALBULA	USE CTENOPHARYNGODON IOELLUS
VENERUPIS DECUSSATA	WHITE BASS
VENERUPIS SEMIDECCUSSATA	USE MORONE CHRYSOPS
VENERUPIS STAMINEA	WHITE CATFISH
VIBRIC	USE Ictalurus Catus
VIBRIU ANGUILLARUM	WHITE CRAPPIE
VIMBA	USE POMOXIS ANNULARIS
USE VIMBA VIMBA	WHITE MULLET
VIMBA VIMBA	USE MUGIL CUREMA
UF VIMBA	WHITE PERCH
VISCOSIA CARNLEYENSIS	USE MORONE AMERICANA
WAKAME	WHITE SHRIMP
USE UNDARIA	USE PENAEUS SETIFERUS
WALKING CATFISH	WHITE SUCKER
USE CLARIAS BATRACHUS	USE CATOSTOMUS COMMERSONI
CLARIAS BITHYPOGON	WINTER FLOUNDER
CLARIAS CARSONI	USE PSEUDOPLEURONECTES AMERICANUS
CLARIAS FUSCUS	YELLOW BULLHEAD
CLARIAS LAZERA	USE ICTALURUS NATALIS
	YELLOW PERCH
	USE PERCA FLAVESCENS
	YELLOWFIN TUNA
	USE NEOTHUNNUS MACROPTERUS

**YELLOWTAIL**  
**USE SERIOLA QUINQUERADIATA**

**ZEBRA DANIO**  
**USE BRACHYDANIO RERIO**

## LITERATURE USED IN DEVELOPING THE THESAURUS

Identification of organisms and ideas for developing the thesaurus have come from the following publications:

- Abbott, R. T. 1954. American seashells. D. Van Nostrand Company, Inc., Princeton, New Jersey. 541 pp.
- Bailey, R. M., Chairman. 1970. A list of common and scientific names of fishes from the United States and Canada. American Fisheries Society Special Publication No. 6. 149 pp.
- Barnes, Robert D. 1963. Invertebrate zoology. W. B. Saunders Company, Philadelphia. 632 pp.
- Blank, M., J. L. Gaudet, P. Banarescu, J. C. Hureau. 1971. European inland water fish, a multilingual catalogue. Fishing News (Books) Ltd., London. NP.
- Bureau of Reclamation. 1971. Thesaurus of water resources terms. U. S. Department of the Interior. U. S. Government Printing Office, Washington D. C. 339 pp.
- Duijn, C. van, Jr. 1973. Diseases of fishes. Iliffe Books, London. 372 pp.
- Goodman, F. 1975. The role and function of the thesaurus in education. Pages vii-xx in Thesaurus of ERIC descriptors. Macmillan Publishing Company, New York. 389 pp.
- Hildebrand, S. F. and W. C. Schroeder. 1928. Fishes of Chesapeake Bay. Bull. U. S. Bur Fisher 43(1). 1972 Reprint. Smithsonian Institute Press. Washington, D. C. 388 pp.
- Lapedes, D. N., ed. 1974. The McGraw-Hill dictionary of scientific and technical terms. McGraw-Hill Book Company , New York. 1634 pp.
- Sinderman, C. J., 1970. Principal diseases of marine fish and shellfish. Academic Press, New York. 369 pp.
- Taylor, W. R. 1937. Marine algae of the northeastern coast of North America. University of Michigan Press, Ann Arbor. 427 pp.
- Taylor, W. R. 1960. Marine algae of the eastern tropical and subtropical coasts of the Americas. University of Michigan Press, Ann Arbor. 870 pp.
- Wheeler, A. 1975. Fishes of the world. Macmillan Publishing Co., New York. 366 pp.
- Zajic, J. E., ed. 1970. Properties and products of algae. Plenum Press, New York. 154 pp.