

## Published Papers Using Data from the Baywide SAV Annual Survey

- Blake R. E., J. E. Duffy and J. P. Richardson. 2014. Patterns of seagrass community response to local shoreline development. *Estuaries and Coasts* 37:1549–1561 DOI 10.1007/s12237-014-9784-7
- Carter, V., N. B. Rybicki, J. M. Landwehr, and M. Turtora. 1994. Role of weather and water quality in population dynamics of submersed macrophytes in the tidal Potomac River. *Estuaries* 17:417-426.
- Fisher, T. R., J. D. Hagy, III, W. R. Boynton, and M. R. Williams. 2006. Cultural eutrophication in the Choptank and Patuxent estuaries of Chesapeake Bay. *Limnology and Oceanography* 51:435-447.
- Gallegos, C. L. and P. W. Bergstrom. 2005. Effects of a *Prorocentrum minimum* bloom on light availability for and potential impacts on submerged aquatic vegetation in upper Chesapeake Bay. *Harmful Algae* 4:553-574.
- Gruber, R. K., D. C. Hinkle, and W. M. Kemp. 2011. Spatial patterns in water quality associated with submersed plant beds. *Estuaries and Coasts* 34: 961-972. DOI 10.1007/s12237-010-9368-0
- Gurbisz, C. and W. M. Kemp. 2014. Unexpected resurgence of a large submersed plant bed in Chesapeake Bay: Analysis of time series data. *Limnology and Oceanography* 59:482–494, doi:10.4319/lo.2014.59.2.0482
- Gurbisz, C., W. M. Kemp, L. P. Sanford, and R. J. Orth. 2016. Mechanisms of storm-related loss and resilience in a large submersed plant bed. *Estuaries and Coasts*. 39:951-966. DOI 10.1007/s12237-016-0074-4.
- Hengst, A., J. Melton, and L. Murray. 2010. Estuarine restoration of submersed aquatic vegetation: The nursery bed effect. *Restoration Ecology* 18:605-614.
- Kemp, W. M., W. R. Boynton, J. E. Adolf, D. F. Boesch, W. C. Boicourt, G. Brush, J. C. Cornwell, T. R. Fisher, P. M. Glibert, J. D. Hagy, L. W. Harding, E. D. Houde, D. G. Kimmel, W. D. Miller, R. I. E. Newell, M. R. Roman, E. M. Smith, and J. C. Stevenson. 2005. Eutrophication of Chesapeake Bay: historical trends and ecological interactions. *Marine Ecology Progress Series* 303:1-29.
- Koch, E. W. and R. J. Orth. 2003. Seagrasses of the Mid-Atlantic coast of the USA. Pp 216-223. In: E. P. Green and F. T. Short. *World Atlas of Seagrasses*. Prepared by the UNEP World Conservation Monitoring Centre. University of California Press, Berkeley, CA. 324pp.

Lefcheck, J. S., D. J. Wilcox, R. R. Murphy, S. R. Marion, R. J. Orth. 2017. Multiple stressors threaten a critical foundation species in Chesapeake Bay. *Global Biology Change* doi: 10.1111/gcb.13623

Lefcheck, J. S., Orth, R. J., W. C. Dennison, D. J. Wilcox, R. R. Murphy, J. Keisman, C. Gurbisz, M. Hannam, J. B. Landry, K. A. Moore, C. J. Patrick, J. Testa, D. E. Weller, R. A. Batiuk. 2018. Long-term nutrient reductions lead to the unprecedented recovery of a temperate coastal region. *Proceedings of the National Academy of Sciences* 115:3658-3662. <https://doi.org/10.1073/pnas.1715798115>. Awarded NAS Cozzarelli Prize for outstanding scientific quality and originality.

Li, X., D. E. Weller, C. L. Gallegos, T. E. Jordan, and H. C. Kim. 2007. Effects of watershed and estuarine on the abundance of submerged aquatic vegetation in Chesapeake Bay subestuaries. *Estuaries and Coasts* 30:840-854.

Lloyd, M. W., P. A. Widmeyer, and M. C. Neel. 2016. Temporal variability in potential connectivity of *Vallisneria americana* in the Chesapeake Bay. *Landscape Ecology* 1-15. doi 10.1007/s10980-106-0401-y.

Manley, S. R., R. J. Orth, and L. Ruiz-Montoya. 2015. The roles of dispersal and predation in determining seedling recruitment patterns in a foundational marine angiosperm. *Marine Ecology Progress Series* 533:109-120. doi:10.3354/meps11363.

Moore, K. A., D. J. Wilcox, and R. J. Orth. 2000. Analysis of the abundance of submersed aquatic vegetation communities in the Chesapeake Bay. *Estuaries* 23:115-127.

Moore, K. A. 2009. Submerged aquatic vegetation of the York River. *Journal of Coastal Research*, SI 57: 53-63.

Moore, K. A., R. J. Orth, and D. J. Wilcox. 2009. Assessment of the abundance of submersed aquatic vegetation (SAV) communities in the Chesapeake Bay and its use in SAV management. Pp. 233-257. In: Xiaojun Yang, (ed). *Remote Sensing and Geographic Information Systems for Coastal Ecosystem Assessment and Management: Principles and Applications*. Springer-Verlag GMBH, Germany. 561pp.

Oreska, M. P. J., K. J. McGlathery, R. J. Orth, and D. J. Wilcox. 2019. Seagrass mapping: A survey of the recent seagrass distribution literature. IN: Windham-Myers, L-M, S. Crooks, and T. G. Troxler (eds.). *A Blue Carbon Primer: The State of Coastal Wetlands Carbon Science, Practice, and Policy*. CRC Press. Boca Raton, London.

Orth, R. J. and K. A. Moore. 1983. Chesapeake Bay: An unprecedented decline in submerged aquatic vegetation. *Science* 222:51-53.

Orth, R.J., S.R. Marion, K.A. Moore, D. J. Wilcox. 2010. Eelgrass (*Zostera marina* L.) in the Chesapeake Bay Region of Mid-Atlantic Coast of the USA: Challenges in

Conservation and Restoration. *Estuaries and Coasts* 33:139-150. DOI 10.1007/s12237-009-9234-0.

Orth, R. J., M. R. Williams, S. R. Marion, D. J. Wilcox, T. J. B. Carruthers, K. A. Moore, W. M. Kemp, W. C. Dennison, N. Rybicki, P. Bergstrom, and R. A. Batiuk. 2010. Long term trends in submersed aquatic vegetation (SAV) in Chesapeake Bay, USA, related to water quality. *Estuaries and Coasts* 33:1144-1163. DOI 10.1007/s12237-010-9311-4.

Orth, R. J., J. S. Lefcheck, and D. J. Wilcox. 2017. Boat propeller scarring of seagrass beds in lower Chesapeake Bay, USA: Patterns, causes, recovery, and management. *Estuaries and Coasts* 40:1666-1676. doi:10.1007/s12237-017-0239-9.

Orth, R. J., W. C. Dennison, J. S. Lefcheck, C. Gurbisz, M. Hannam, J. Keisman, J. B. Landry, K. A. Moore, R. R. Murphy, C. J. Patrick, J. Testa, D. E. Weller, D. J. Wilcox. 2017. Submersed aquatic vegetation in Chesapeake Bay: sentinel species in a changing world. *Bioscience* 67:698-712. doi:10.1093/biosci/bix058

Patrick, C. J., D. E. Weller, X. Li, and M. Ryder. 2014. Effects of shoreline alteration and other stressors on submerged aquatic vegetation in subestuaries of Chesapeake Bay and the mid-Atlantic coastal bays. *Estuaries and Coasts* 37:1516-1531 DOI 10.1007/s12237-014-9768-7

Patrick, C. J. and D. E. Weller. 2015. Interannual variation in submerged aquatic vegetation and its relationship to water quality in subestuaries of Chesapeake Bay. *537: 121-135*, doi: 10.3354/meps11412

Patrick, C. J., D. E. Weller, X. Li, and M. Ryder. 2016. The relationship between shoreline armoring and adjacent submerged aquatic vegetation in Chesapeake Bay and the nearby Atlantic coastal bays. *Estuaries and Coasts* 39:158-170 DOI 10.1007/s12237-015-9970-2

Patrick, C. J., D. E. Weller, R. J. Orth, D. E. Wilcox, M. Hannam. 2018. Land use and salinity drive changes in SAV abundance and community composition. *Estuaries and Coasts* 41 (S1); S85-S100. doi:10.1007/s12237-017-0250-1

Richardson, J. P., J. S. Lefcheck, and R. J. Orth. 2018. Warming temperatures alter the relative abundance and distribution of two co-occurring foundational seagrasses in Chesapeake Bay, USA. *Marine Ecology Progress Series* 599:65-74.  
<https://doi.org/10.3354/meps12620>

Ruhl, H. A. and N. B. Rybicki. 2010. Long-term reductions in anthropogenic nutrients link to improvements in Chesapeake Bay habitat. *Proceedings of the National Academy of Sciences*. www.pnas.org/cgi/DOI 10.1073/pnas.1003590107.

Palinkas, C. M. and E. W. Koch. 2012. Sediment accumulation rates and submersed aquatic vegetation (SAV) in the mesohaline Chesapeake Bay, USA. *Estuaries and Coasts* DOI 10.1007/s12237-102-9542-7.

Ralph, G.M., R. D. Seitz, R. J. Orth, K. E. Knick and R. N. Lipcius. 2013. Broad-scale association between seagrass cover and juvenile blue crab density in Chesapeake Bay. *Marine Ecology Progress Series* 488:51-63. doi:10.3354/meps10417.

Rybicki, N. B. and J. M. Landwehr. 2007. Long-term changes in abundance and diversity of macrophyte and waterfowl populations in an estuary with exotic macrophytes and improving water quality. *Limnology and Oceanography* 52:1195-1207.

Shafer, D. and P. Bergstrom. 2010 An Introduction to a Special Issue on Large-Scale Submerged Aquatic Vegetation Restoration Research in the Chesapeake Bay: 2003–2008. *Restoration Ecology* 18: 481-489.

Shields, E. C., K. A. Moore, and D. B. Parrish. 2012. Influences of salinity and light availability on abundance and distribution of tidal freshwater and oligohaline submersed aquatic vegetation. *Estuaries and Coasts* 35:515-526. DOI 10.1007/s12237-011-9460-0

Short FT, Polidoro P, Livingstone SR, Carpenter KE, Bandeira S; Bujang JK, Calumpong H, Carruthers T, Coles R, Dennison W, Erftmeijer P, Fortes M, Freeman A, Jagtap T, Kamal AH, Kendrick G, Kenworthy J, La Nafie Y, Nasution I, Orth R, Prathep A, Sanciangco J, van Tussenbroek B, Vergara S, Waycott M, Zieman J. 2011. Extinction risk assessment of the world's seagrass species. *Biological Conservation* 144:1961-1971. DOI 10.1016/j.biocon.2011.04.010.

Sobocinski, K. L., R. J. Orth, M. C. Fabrizio, R. J. Latour. 2013. Historical comparison of fish community structure in Lower Chesapeake Bay seagrass habitats. *Estuaries and Coasts* 36:775-794. doi10.1007/s12237-013-9586-3.

Stevenson, J.C., L.W. Staver, and K.W. Staver. 1993. Water quality associated with survival of submersed aquatic vegetation along an estuarine gradient. *Estuaries* 16: 346–361.

Waycott, M, C. M. Duarte, T. J.B. Carruthers, R. J. Orth, W. C. Dennison, S. Olyarnik, A. Calladine, J. W. Fourqurean, K. L. Heck, Jr., A. R. Hughes, G. A. Kendrick, W. J. Kenworthy, F. T. Short, S. L. Williams. 2009. Accelerating loss of seagrasses across the globe threatens coastal ecosystems. *Proceedings of the National Academy of Sciences* 106:12377-12381. [www.pnas.org/cgi/DOI 10.1073/pnas.0905620106](http://www.pnas.org/cgi/DOI/10.1073/pnas.0905620106).

Wazniak, C. E., M. R. Hall, T. J. B. Carruthers, B. Sturgis, W. C. Dennison, and R. J. Orth. 2007. Linking water quality to living resources in a mid-Atlantic lagoon system, USA. *Ecological Applications* 17: S64-S78.

Williams, M. R., S. Filoso, B. J. Longstaff, and W. C. Dennison. 2010. Long-term trends of water quality and biotic metrics in Chesapeake Bay: 1986-2008. *Estuaries and Coasts* 33:1279-1299.

Zimmerman, R. C., V. J. Hill, and L. Gallegos 2015. Predicting effects of ocean warming, acidification, and water quality on Chesapeake region eelgrass. *Limnology and Oceanography* 60:1781-1804 doi: 10.1002/lno.10139